IEC 60335-2-107

Edition 2.2 2021-11
CONSOLIDATED VERSION

INTERNATIONAL STANDARD

colour inside

Household and similar electrical appliances – Safety – Part 2-107: Particular requirements for robotic battery powered electrical lawnmowers

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 65.060.70

ISBN 978-2-8322-1055-8

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

IEC 60335-2-107

Edition 2.2 2021-11
CONSOLIDATED VERSION

REDLINE VERSION

colour inside

Household and similar electrical appliances – Safety – Part 2-107: Particular requirements for robotic battery powered electrical lawnmowers



IEC 60335-2-107:2017-12+AMD1:2020-02+AMD2:2021-11 CSV(en)

CONTENTS

FOREWORD 5
INTRODUCTION 8
1 Scope 9
2 Normative references 9
3 Terms and definitions 10
4 General requirement 14
5 General conditions for the tests 14
6 Classification 15
7 Marking and instructions 15
8 Protection against access to live parts 20
9 Starting of motor-operated appliances 21
10 Power input and current 21
11 Heating 21
12 Void 21
13 Leakage current and electric strength at operating temperature 21
14 Transient overvoltages 21
15 Moisture resistance 21
16 Leakage current and electric strength 22
17 Overload protection of transformers and associated circuits 22
18 Endurance 22
19 Abnormal operation 22
20 Stability and mechanical hazards 23
21 Mechanical strength 34
22 Construction 37
23 Internal wiring 47
24 Components 47
25 Supply connection and external flexible cords 48
26 Terminals for external conductors 48
27 Provision for earthing 48
28 Screws and connections 48
29 Clearances, creepage distances and solid insulation 48
30 Resistance to heat and fire 50
31 Resistance to rusting 50
32 Radiation, toxicity and similar hazards 51
Annexes 66
Annex B (normative) Appliances powered by rechargeable batteries 66
Annex R (normative) Software evaluation 67
Annex S (normative) Battery-operated appliances powered by batteries that are non-rechargeable or not recharged in the appliance 69
Annex AA (normative) Calculation of kinetic energy of pivoting cutting elements 70
Annex BB (normative) Test enclosure construction 72

Annex CC (normative) Base for thrown object test enclosure 77
Annex DD (normative) Target panel elevation zones and recommended test report for thrown object test 79
Annex EE (normative) Safety signs 81
Annex FF (informative) Noise test code – Engineering method (grade 2) 84
Annex GG (informative) Example of a material and construction fulfilling the requirements for an artificial surface 89
Annex HH Void 91
Annex II Void 92
Annex JJ (informative) Operation of the lift sensor, tilt sensor, obstruction sensor and rollover sensor 93
Annex KK (normative) Additional requirements for battery operation and charging 98
Bibliography 106

Figure 101 – Example of test cycles (see 20.102.2.2) 51
Figure 102 – Foot probe test (see 20.102.4.1.2 and 20.102.4.1.3) 52
Figure 103 – Impact test fixture (see 21.101.2) 53
Figure 104 – Example of structural integrity test fixtures (see 21.101.4.2.1) 55
Figure 105 – Finger probe test – Illustrations showing application of probe, insertion depth limited according to the geometry of the enclosure 57
Figure 106 – Obstruction sensor test – Illustration showing typical arrangement (see 22.105.2) 58
Figure 107 – Foot probe for standing child 59
Figure 108 – Measurement of clearances 60
Figure 109 – Foot probe for kneeling child 61
Figure 110 – Foot probe for kneeling child test positions 63
Figure 111 – Test probe for the tests of 20.102.4.2.2.1 and 20.102.4.2.3 65
Figure AA.1 – Measurement of the reckonable length *L* 71
Figure BB.1 – Thrown object test enclosure – General layout 73
Figure BB.2 – Thrown object test enclosure 74
Figure BB.3 – Test enclosure walls and base 75
Figure BB.4 – Test fixture for corrugated fibreboard penetration test 76
Figure CC.1 – Thrown object test enclosure – Base detail 77
Figure CC.2 – Nail plan of test enclosure base 78
Figure DD.1 – Recommended test data sheet 80
Figure EE.1 – Safety sign illustrating – "WARNING – Read user instructions before operating the machine" 81
Figure EE.2 – Alternative safety sign for the supplementary safety information panel of EE.1 (safety sign 1641 of ISO 7000) 81
Figure EE.3 – Alternative safety sign for the supplementary safety information panel of EE.1 (safety sign M002 of ISO 7010) 81
Figure EE.4 – Safety signs illustrating – "WARNING – Keep a safe distance from the machine when operating" 82
Figure EE.5 – Safety sign illustrating – "WARNING – Remove the disabling device before working on or lifting the machine" 82

Figure EE.6 – Safety sign illustrating – "WARNING – Operate the disabling device before working on or lifting the machine" 83
Figure EE.7 – Safety sign illustrating – "WARNING – Do not ride on the machine" 83
Figure FF.1 – Microphone positions on the hemisphere (see Table FF.1) 85
Figure GG.1 – Sketch of the measurement surface covered with an artificial surface (not to scale) 90
Figure JJ.1 – 22.105.3 Lift sensor (LS) and 22.105.1 Tilt sensor (TS) 94
Figure JJ.2 – 22.105.2 Obstruction sensor (OS) 95
Figure JJ.3 – 22.105.4 Rollover sensor (RS) 97

Table 101 – Sizing of test fixture air inlet holes 36
~~Table 102 – Minimum creepage distances and clearances between parts of opposite polarity .....~~
Table 102 – Minimum creepage distances and clearances between parts of different potential 49
Table 103 – Minimum total sum of creepage distances and clearances to accessible surfaces for hazardous voltages 50
Table FF.1 – Co-ordinates of microphone positions 85
Table FF.2 – Absorption coefficients 86

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-107: Particular requirements for robotic battery powered electrical lawnmowers

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendments has been prepared for user convenience.

IEC 60335-2-107 edition 2.2 contains the second edition (2017-12) [documents 116/350/FDIS and 116/354/RVD], its amendment 1 (2020-02) [documents 116/429/FDIS and 116/443/RVD] and its amendment 2 (2021-11) [documents 116/516/CDV and 116/540/RVC].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendments 1 and 2. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 60335-2-107 has been prepared by IEC technical committee 116: Safety of motor-operated electric tools.

This second edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) Clause 7: Markings and instructions, new requirements for markings, warnings and the instruction manual;
b) Clause 8: Protection against access to live parts, new requirements for protection against electric shock for hazardous battery voltages;
c) Clause 20: Stability and mechanical hazards, revised requirements for manual controller, manual stop, cutting means stopping time, traction drive stopping and restart procedures, as well as a new standing child foot probe test;
d) Clause 22: Construction, revised requirements for disabling devices, working area, perimeter delimiter, sensors and manual controller, as well as new requirements for machine connectors used for charging and contact surfaces used as obstruction sensing devices;
e) Clause 24: Components, revised requirements for switches;
f) Clause 29: Clearances, creepage distances and solid insulation, revised requirements for the machine and non-mains-powered peripherals.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This Part 2-107 is to be used in conjunction with the fifth edition (2010) of IEC 60335-1 and its amendments.

NOTE When “Part 1” is mentioned in this standard, it refers to IEC 60335-1.

This Part 2-107 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert it into the IEC standard: Particular requirements for robotic battery powered electrical lawnmowers.

When a particular subclause of Part 1 is not mentioned in this Part 2-107, that subclause applies as far as is relevant. Where this standard states “addition”, “modification” or “replacement”, the relevant text in Part 1 is to be adapted accordingly.

The following print types are used:

– requirements: in roman type;
– *test specifications: in italic type;*
– notes: in small roman type.

The terms defined in Clause 3 are printed in **bold typeface**.

Subclauses, notes and figures which are additional to those in Part 1 are numbered starting from 101. Additional annexes are lettered AA, BB, etc.

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under webstore.iec.ch in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 36 months from the date of publication.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

It has been assumed in the drafting of this document that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This document recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of machines when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of machines.

This document takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the machine is connected to the supply mains. However, national wiring rules may differ.

If a machine within the scope of this document also incorporates functions that are covered by another Part 2 of IEC 60335, the relevant Part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a Part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the Part 2 standards have determined that it is not necessary to specify particular requirements for the machine in question over and above the general requirements.

This standard series is a product family standard series dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or Part 2 documents.

A machine that complies with the text of this document will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

A machine employing materials or having forms of construction differing from those detailed in the requirements of this document may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the document.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-107: Particular requirements for robotic battery powered electrical lawnmowers

1 Scope

Replacement:

This document specifies safety requirements and their verification for the design and construction of **robotic battery** powered electrical **rotary lawnmowers** and their **peripherals** with the **rated voltage** of the **battery** being not more than 75 V d.c.

EMC and environmental aspects, except noise, have not been considered in this standard.

This document does not apply to the additional risks associated with internal combustion engine(s), hybrid and fuel cell powered machines and associated charging systems.

This document deals with all the significant hazards presented by **battery** powered **robotic lawnmowers** and their **peripherals** when they are used as intended and under conditions of misuse which are reasonably foreseeable.

Throughout this document, the term machine is used to refer to the **robotic lawnmower**, separate from its **charging station**.

This document also provides requirements for the safety of mains powered **charging stations** and signal sources for **perimeter delimiters**.

Additional **battery** operation and charging requirements for **robotic lawnmowers**, including the charging of lithium ion batteries, are specified in Annex KK which replaces Annexes B and S (except for requirements for non-rechargeable **batteries**) of Part 1.

This document is not applicable to machines which are manufactured before the date of publication of this document by IEC.

NOTE Informative Annex FF is provided as a test code for convenience to the users of this document.

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60320 (all parts), *Appliance couplers for household and similar general purposes*

~~IEC 60335-2-29:2016, *Household and similar electrical appliances – Safety – Part 2-29: Particular requirements for battery chargers*~~

IEC 62133 (all parts), *Secondary cells and batteries containing alkaline or other non-acid electrolytes- safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications*

ISO 354:2003, *Acoustics – Measurement of sound absorption in a reverberation room*

ISO 683-4:2014, *Heat-treatable steels, alloy steels and free-cutting steels – Part 4: Free-cutting steels*

ISO 3744:2010, *Acoustics – Determination of sound power levels and sound energy levels of noise sources using sound pressure – Engineering methods for an essentially free field over a reflecting plane*

ISO 3767-1, *Tractors, machinery for agriculture and forestry, powered lawn and garden equipment – Symbols for operator controls and other displays – Part 1: Common symbols*

ISO 3767-3, *Tractors, machinery for agriculture and forestry, powered lawn and garden equipment – Symbols for operator controls and other displays – Part 3: Symbols for powered lawn and garden equipment*

ISO 4871:1996, *Acoustics – Declaration and verification of noise emission values of machinery and equipment*

ISO 7000:2014, *Graphical symbols for use on equipment – Index and synopsis*

ISO 7010:2011, *Graphical symbols – Safety colours and safety signs – Registered safety signs*

ISO 8295:1995, *Plastics – Film and sheeting – Determination of the coefficients of friction*

ISO 11201:2010, *Acoustics – Noise emitted by machinery and equipment – Determination of emission sound pressure levels at a work station and at other specified positions in an essentially free field over a reflecting plane with negligible environmental corrections*

ISO 11203:1995, *Acoustics – Noise emitted by machinery and equipment – Determination of emission sound pressure levels at a work station and at other specified positions from the sound power level*

ISO 11684, *Tractors, machinery for agriculture and forestry, powered lawn and garden equipment – Safety signs and hazard pictorials – General principles*

ISO 11688-1, *Acoustics – Recommended practice for the design of low-noise machinery and equipment – Part 1: Planning*

ISO 12100:2010, *Safety of machinery – General principles for design – Risk assessment and risk reduction*

ISO 13857:2008, *Safety of machinery – Safety distances to prevent hazard zones being reached by upper and lower limbs*

IEC 60335-2-107

Edition 2.2 2021-11
CONSOLIDATED VERSION

FINAL VERSION

Household and similar electrical appliances – Safety – Part 2-107: Particular requirements for robotic battery powered electrical lawnmowers



IEC 60335-2-107:2017-12+AMD1:2020-02+AMD2:2021-11 CSV(en)

CONTENTS

FOREWORD 5
INTRODUCTION 8
1 Scope 9
2 Normative references 9
3 Terms and definitions 10
4 General requirement 14
5 General conditions for the tests 14
6 Classification 15
7 Marking and instructions 15
8 Protection against access to live parts 20
9 Starting of motor-operated appliances 21
10 Power input and current 21
11 Heating 21
12 Void 21
13 Leakage current and electric strength at operating temperature 21
14 Transient overvoltages 21
15 Moisture resistance 21
16 Leakage current and electric strength 22
17 Overload protection of transformers and associated circuits 22
18 Endurance 22
19 Abnormal operation 22
20 Stability and mechanical hazards 23
21 Mechanical strength 33
22 Construction 37
23 Internal wiring 46
24 Components 46
25 Supply connection and external flexible cords 47
26 Terminals for external conductors 47
27 Provision for earthing 47
28 Screws and connections 47
29 Clearances, creepage distances and solid insulation 47
30 Resistance to heat and fire 49
31 Resistance to rusting 49
32 Radiation, toxicity and similar hazards 49
Annexes 64
Annex B (normative) Appliances powered by rechargeable batteries 64
Annex R (normative) Software evaluation 65
Annex S (normative) Battery-operated appliances powered by batteries that are non-rechargeable or not recharged in the appliance 67
Annex AA (normative) Calculation of kinetic energy of pivoting cutting elements 68
Annex BB (normative) Test enclosure construction 70

Annex CC (normative) Base for thrown object test enclosure 75
Annex DD (normative) Target panel elevation zones and recommended test report for thrown object test 77
Annex EE (normative) Safety signs 79
Annex FF (informative) Noise test code – Engineering method (grade 2) 82
Annex GG (informative) Example of a material and construction fulfilling the requirements for an artificial surface 87
Annex HH Void 89
Annex II Void 90
Annex JJ (informative) Operation of the lift sensor, tilt sensor, obstruction sensor and rollover sensor 91
Annex KK (normative) Additional requirements for battery operation and charging 95
Bibliography 103

Figure 101 – Example of test cycles (see 20.102.2.2) 50
Figure 102 – Foot probe test (see 20.102.4.1.2 and 20.102.4.1.3) 51
Figure 103 – Impact test fixture (see 21.101.2) 52
Figure 104 – Example of structural integrity test fixtures (see 21.101.4.2.1) 54
Figure 105 – Finger probe test – Illustrations showing application of probe, insertion depth limited according to the geometry of the enclosure 55
Figure 106 – Obstruction sensor test – Illustration showing typical arrangement (see 22.105.2) 56
Figure 107 – Foot probe for standing child 57
Figure 108 – Measurement of clearances 58
Figure 109 – Foot probe for kneeling child 59
Figure 110 – Foot probe for kneeling child test positions 61
Figure 111 – Test probe for the tests of 20.102.4.2.2.1 and 20.102.4.2.3 63
Figure AA.1 – Measurement of the reckonable length *L* 69
Figure BB.1 – Thrown object test enclosure – General layout 71
Figure BB.2 – Thrown object test enclosure 72
Figure BB.3 – Test enclosure walls and base 73
Figure BB.4 – Test fixture for corrugated fibreboard penetration test 74
Figure CC.1 – Thrown object test enclosure – Base detail 75
Figure CC.2 – Nail plan of test enclosure base 76
Figure DD.1 – Recommended test data sheet 78
Figure EE.1 – Safety sign illustrating – "WARNING – Read user instructions before operating the machine" 79
Figure EE.2 – Alternative safety sign for the supplementary safety information panel of EE.1 (safety sign 1641 of ISO 7000) 79
Figure EE.3 – Alternative safety sign for the supplementary safety information panel of EE.1 (safety sign M002 of ISO 7010) 79
Figure EE.4 – Safety signs illustrating – "WARNING – Keep a safe distance from the machine when operating" 80
Figure EE.5 – Safety sign illustrating – "WARNING – Remove the disabling device before working on or lifting the machine" 80

Figure EE.6 – Safety sign illustrating – "WARNING – Operate the disabling device before working on or lifting the machine" 81
Figure EE.7 – Safety sign illustrating – "WARNING – Do not ride on the machine" 81
Figure FF.1 – Microphone positions on the hemisphere (see Table FF.1) 83
Figure GG.1 – Sketch of the measurement surface covered with an artificial surface (not to scale) 88
Figure JJ.1 – 22.105.3 Lift sensor (LS) and 22.105.1 Tilt sensor (TS) 92
Figure JJ.2 – 22.105.2 Obstruction sensor (OS) 93
Figure JJ.3 – 22.105.4 Rollover sensor (RS) 94

Table 101 – Sizing of test fixture air inlet holes 35
Table 102 – Minimum creepage distances and clearances between parts of different potential 48
Table 103 – Minimum total sum of creepage distances and clearances to accessible surfaces for hazardous voltages 49
Table FF.1 – Co-ordinates of microphone positions 83
Table FF.2 – Absorption coefficients 84

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-107: Particular requirements for robotic battery powered electrical lawnmowers

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendments has been prepared for user convenience.

IEC 60335-2-107 edition 2.2 contains the second edition (2017-12) [documents 116/350/FDIS and 116/354/RVD], its amendment 1 (2020-02) [documents 116/429/FDIS and 116/443/RVD] and its amendment 2 (2021-11) [documents 116/516/CDV and 116/540/RVC].

This Final version does not show where the technical content is modified by amendments 1 and 2. A separate Redline version with all changes highlighted is available in this publication.

International Standard IEC 60335-2-107 has been prepared by IEC technical committee 116: Safety of motor-operated electric tools.

This second edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) Clause 7: Markings and instructions, new requirements for markings, warnings and the instruction manual;
b) Clause 8: Protection against access to live parts, new requirements for protection against electric shock for hazardous battery voltages;
c) Clause 20: Stability and mechanical hazards, revised requirements for manual controller, manual stop, cutting means stopping time, traction drive stopping and restart procedures, as well as a new standing child foot probe test;
d) Clause 22: Construction, revised requirements for disabling devices, working area, perimeter delimiter, sensors and manual controller, as well as new requirements for machine connectors used for charging and contact surfaces used as obstruction sensing devices;
e) Clause 24: Components, revised requirements for switches;
f) Clause 29: Clearances, creepage distances and solid insulation, revised requirements for the machine and non-mains-powered peripherals.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This Part 2-107 is to be used in conjunction with the fifth edition (2010) of IEC 60335-1 and its amendments.

NOTE When “Part 1” is mentioned in this standard, it refers to IEC 60335-1.

This Part 2-107 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert it into the IEC standard: Particular requirements for robotic battery powered electrical lawnmowers.

When a particular subclause of Part 1 is not mentioned in this Part 2-107, that subclause applies as far as is relevant. Where this standard states “addition”, “modification” or “replacement”, the relevant text in Part 1 is to be adapted accordingly.

The following print types are used:

– requirements: in roman type;
– *test specifications: in italic type;*
– notes: in small roman type.

The terms defined in Clause 3 are printed in **bold typeface**.

Subclauses, notes and figures which are additional to those in Part 1 are numbered starting from 101. Additional annexes are lettered AA, BB, etc.

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under webstore.iec.ch in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 36 months from the date of publication.

INTRODUCTION

It has been assumed in the drafting of this document that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This document recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of machines when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of machines.

This document takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the machine is connected to the supply mains. However, national wiring rules may differ.

If a machine within the scope of this document also incorporates functions that are covered by another Part 2 of IEC 60335, the relevant Part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a Part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the Part 2 standards have determined that it is not necessary to specify particular requirements for the machine in question over and above the general requirements.

This standard series is a product family standard series dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or Part 2 documents.

A machine that complies with the text of this document will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

A machine employing materials or having forms of construction differing from those detailed in the requirements of this document may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the document.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-107: Particular requirements for robotic battery powered electrical lawnmowers

1 Scope

Replacement:

This document specifies safety requirements and their verification for the design and construction of **robotic battery** powered electrical **rotary lawnmowers** and their **peripherals** with the **rated voltage** of the **battery** being not more than 75 V d.c.

EMC and environmental aspects, except noise, have not been considered in this standard.

This document does not apply to the additional risks associated with internal combustion engine(s), hybrid and fuel cell powered machines and associated charging systems.

This document deals with all the significant hazards presented by **battery** powered **robotic lawnmowers** and their **peripherals** when they are used as intended and under conditions of misuse which are reasonably foreseeable.

Throughout this document, the term machine is used to refer to the **robotic lawnmower**, separate from its **charging station**.

This document also provides requirements for the safety of mains powered **charging stations** and signal sources for **perimeter delimiters**.

Additional **battery** operation and charging requirements for **robotic lawnmowers**, including the charging of lithium ion batteries, are specified in Annex KK which replaces Annexes B and S (except for requirements for non-rechargeable **batteries**) of Part 1.

This document is not applicable to machines which are manufactured before the date of publication of this document by IEC.

NOTE Informative Annex FF is provided as a test code for convenience to the users of this document.

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60320 (all parts), *Appliance couplers for household and similar general purposes*

IEC 62133 (all parts), *Secondary cells and batteries containing alkaline or other non-acid electrolytes- safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications*

ISO 354:2003, *Acoustics – Measurement of sound absorption in a reverberation room*

ISO 683-4:2014, *Heat-treatable steels, alloy steels and free-cutting steels – Part 4: Free-cutting steels*

ISO 3744:2010, *Acoustics – Determination of sound power levels and sound energy levels of noise sources using sound pressure – Engineering methods for an essentially free field over a reflecting plane*

ISO 3767-1, *Tractors, machinery for agriculture and forestry, powered lawn and garden equipment – Symbols for operator controls and other displays – Part 1: Common symbols*

ISO 3767-3, *Tractors, machinery for agriculture and forestry, powered lawn and garden equipment – Symbols for operator controls and other displays – Part 3: Symbols for powered lawn and garden equipment*

ISO 4871:1996, *Acoustics – Declaration and verification of noise emission values of machinery and equipment*

ISO 7000:2014, *Graphical symbols for use on equipment – Index and synopsis*

ISO 7010:2011, *Graphical symbols – Safety colours and safety signs – Registered safety signs*

ISO 8295:1995, *Plastics – Film and sheeting – Determination of the coefficients of friction*

ISO 11201:2010, *Acoustics – Noise emitted by machinery and equipment – Determination of emission sound pressure levels at a work station and at other specified positions in an essentially free field over a reflecting plane with negligible environmental corrections*

ISO 11203:1995, *Acoustics – Noise emitted by machinery and equipment – Determination of emission sound pressure levels at a work station and at other specified positions from the sound power level*

ISO 11684, *Tractors, machinery for agriculture and forestry, powered lawn and garden equipment – Safety signs and hazard pictorials – General principles*

ISO 11688-1, *Acoustics – Recommended practice for the design of low-noise machinery and equipment – Part 1: Planning*

ISO 12100:2010, *Safety of machinery – General principles for design – Risk assessment and risk reduction*

ISO 13857:2008, *Safety of machinery – Safety distances to prevent hazard zones being reached by upper and lower limbs*