IEC 61010-2-030

Edition 3.0 2023-09
EXTENDED VERSION

INTERNATIONAL STANDARD

colour inside

This extended version of IEC 61010-2-030:2023 includes the content of the references made to IEC 61010-1:2010 and IEC 61010-1:2010/AMD1:2016

GROUP SAFETY PUBLICATION

Safety requirements for electrical equipment for measurement, control, and laboratory use – Part 2-030: Particular requirements for equipment having testing or measuring circuits



IEC 61010-2-030:2023-09 EXV(en)



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC 61010-2-030

Edition 3.0 2023-09
EXTENDED VERSION

INTERNATIONAL STANDARD

colour inside

This extended version of IEC 61010-2-030:2023 includes the content of the references made to IEC 61010-1:2010 and IEC 61010-1:2010/AMD1:2016

GROUP SAFETY PUBLICATION

Safety requirements for electrical equipment for measurement, control, and laboratory use –
Part 2-030: Particular requirements for equipment having testing or measuring circuits

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 19.080, 71.040.10

ISBN 978-2-8322-7562-7

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

TC 66/Publication 61010-1 (2010), Third edition/I-SH 01

SAFETY REQUIREMENTS FOR ELECTRICAL EQUIPMENT FOR MEASUREMENT, CONTROL, AND LABORATORY USE –

Part 1: General requirements

INTERPRETATION SHEET 1

This interpretation sheet has been prepared by IEC technical committee 66: Safety of measuring, control and laboratory equipment.

The text of this interpretation sheet is based on the following documents:

ISH	Report on voting
66/497A/ISH	66/505/RVD

Full information on the voting for the approval of this interpretation sheet can be found in the report on voting indicated in the above table.

———————

IEC 61010-1:2010 contains a requirement in 6.8.3.1 pertaining to voltage testers for type tests as follows:

“The generator shall be able to supply a power of at least 500 VA.”

This has given rise to the following questions:

How does one interpret the requirement for voltage testers in 6.8.3.1 of IEC 61010-1:2010? Specifically, this subclause requires that “The generator shall be able to supply a power of at least 500 VA.” Does this requirement apply throughout the rated output range of the voltage tester? What is meant by the word “generator”? Is the “generator” the power supply within the voltage tester, or the voltage tester output, or something else?

Interpretation:

“A voltage tester used for type tests must be able to deliver at least 500 VA at its full-rated output voltage. It does not necessarily need to deliver 500 VA if set for lower voltages.

For example, a voltage tester that can deliver 100 mA at any test output voltage up to 5 000 V (and a current corresponding to 500 VA above 5 000 V) would meet the requirement.

The requirements for voltage testers used for routine (production line) tests are included in Annex F. The requirements of 6.8.3.1 do not apply to these voltage testers.”

February 2013 **ICS 19.080, 71.040.10**

CONTENTS

FOREWORD 10
INTRODUCTION to IEC 61010-1:2010 and IEC 61010-1:2010/AMD1:2016 14
INTRODUCTION 15
1 Scope and object 16
1.1 Scope 16
1.1.1 Equipment included in scope 16
1.1.2 Equipment excluded from scope 16
1.1.3 Computing equipment 17
1.2 Object 17
1.2.1 Aspects included in scope 17
1.2.2 Aspects excluded from scope 17
1.3 Verification 17
1.4 Environmental conditions 18
1.4.1 Normal environmental conditions 18
1.4.2 Extended environmental conditions 18
2 Normative references 18
3 Terms and definitions 21
3.1 Equipment and states of equipment 21
3.2 Parts and accessories 21
3.3 Quantities 22
3.4 Tests 22
3.5 Safety terms 23
3.6 Insulation 24
4 Tests 26
4.1 General 26
4.2 Sequence of tests 26
4.3 Reference test conditions 26
4.3.1 Environmental conditions 26
4.3.2 State of equipment 27
4.4 Testing in SINGLE FAULT CONDITION 28
4.4.1 General 28
4.4.2 Application of fault conditions 29
4.4.3 Duration of tests 31
4.4.4 Conformity after application of fault conditions 31
5 Marking and documentation 32
5.1 Marking 32
5.1.1 General 32
5.1.2 Identification 32
5.1.3 MAINS supply 33
5.1.4 Fuses 34
5.1.5 TERMINALS, connections and operating devices 35
5.1.6 Switches and circuit-breakers 37
5.1.7 Equipment protected by DOUBLE INSULATION or REINFORCED INSULATION 37
5.1.8 Field-wiring TERMINAL boxes 37
5.2 Warning markings 37

5.3 Durability of markings 38
5.4 Documentation 38
5.4.1 General 38
5.4.2 Equipment RATINGS 39
5.4.3 Equipment installation 40
5.4.4 Equipment operation 40
5.4.5 Equipment maintenance and service 41
5.4.6 Integration into systems or effects resulting from special conditions 41
6 Protection against electric shock 41
6.1 General 41
6.1.1 Requirements 41
6.1.2 Exceptions 42
6.2 Determination of ACCESSIBLE parts 42
6.2.1 General 42
6.2.2 Examination 42
6.2.3 Openings above parts that are HAZARDOUS LIVE 43
6.2.4 Openings for pre-set controls 43
6.3 Limit values for ACCESSIBLE parts 43
6.3.1 Levels in NORMAL CONDITION 43
6.3.2 Levels in SINGLE FAULT CONDITION 44
6.4 Primary means of protection 47
6.4.1 General 47
6.4.2 ENCLOSURES and PROTECTIVE BARRIERS 47
6.4.3 BASIC INSULATION 47
6.4.4 Impedance 47
6.5 Additional means of protection in case of SINGLE FAULT CONDITIONS 47
6.5.1 General 47
6.5.2 PROTECTIVE BONDING 48
6.5.3 SUPPLEMENTARY INSULATION and REINFORCED INSULATION 52
6.5.4 PROTECTIVE IMPEDANCE 53
6.5.5 Automatic disconnection of the supply 53
6.5.6 Current- or voltage-limiting device 53
6.6 Connections to external circuits 54
6.6.1 General 54
6.6.2 TERMINALS for external circuits 54
6.6.3 Circuits with TERMINALS which are HAZARDOUS LIVE 54
6.6.4 TERMINALS for stranded conductors 54
6.6.101 Measuring circuit TERMINALS 55
6.7 Insulation requirements 57
6.7.1 The nature of insulation 57
6.7.2 Insulation for MAINS CIRCUITS of OVERVOLTAGE CATEGORY II with a nominal supply voltage up to 300 V 60
6.7.3 Insulation for secondary circuits derived from MAINS CIRCUITS of OVERVOLTAGE CATEGORY II up to 300 V 63
6.8 Procedure for voltage tests 69
6.8.1 General 69
6.8.2 Humidity preconditioning 70
6.8.3 Test procedures 71
6.9 Constructional requirements for protection against electric shock 72

6.9.1 General 72
6.9.2 Insulating materials 72
6.9.3 Colour coding 72
6.10 Connection to the MAINS supply source and connections between parts of equipment 72
6.10.1 MAINS supply cords 72
6.10.2 Fitting of non-detachable MAINS supply cords 73
6.10.3 Plugs and connectors 75
6.11 Disconnection from supply source 75
6.11.1 General 75
6.11.2 Exceptions 75
6.11.3 Requirements according to type of equipment 76
6.11.4 Disconnecting devices 76
7 Protection against mechanical HAZARDS 77
7.1 General 77
7.2 Sharp edges 77
7.3 Moving parts 77
7.3.1 General 77
7.3.2 Exceptions 78
7.3.3 RISK assessment for mechanical HAZARDS to body parts 78
7.3.4 Limitation of force and pressure 79
7.3.5 Gap limitations between moving parts 80
7.4 Stability 82
7.5 Provisions for lifting and carrying 83
7.5.1 General 83
7.5.2 Handles and grips 83
7.5.3 Lifting devices and supporting parts 83
7.6 Wall mounting 83
7.7 Expelled parts 84
8 Resistance to mechanical stresses 84
8.1 General 84
8.2 ENCLOSURE rigidity tests 85
8.2.1 Static test 85
8.2.2 Impact test 85
8.3 Drop test 86
8.3.1 Equipment other than HAND-HELD EQUIPMENT and DIRECT PLUG-IN EQUIPMENT 86
8.3.2 HAND-HELD EQUIPMENT and DIRECT PLUG-IN EQUIPMENT 87
9 Protection against the spread of fire and arc flash 87
9.1 General 87
9.2 Eliminating or reducing the sources of ignition within the equipment 89
9.3 Containment of fire within the equipment, should it occur 89
9.3.1 General 89
9.3.2 Constructional requirements 89
9.4 Limited-energy circuit 92
9.5 Requirements for equipment containing or using flammable liquids 93
9.6 Overcurrent protection 93
9.6.1 General 93
9.6.2 PERMANENTLY CONNECTED EQUIPMENT 94

9.6.3 Other equipment 94
9.101 Protection of measuring circuits 94
9.101.1 General 94
9.101.2 Protection against mismatches of inputs and ranges 94
9.101.3 Protection against MAINS overvoltages 97
10 Equipment temperature limits and resistance to heat 98
10.1 Surface temperature limits for protection against burns 98
10.2 Temperatures of windings 99
10.3 Other temperature measurements 99
10.4 Conduct of temperature tests 100
10.4.1 General 100
10.4.2 Temperature measurement of heating equipment 100
10.4.3 Equipment intended for installation in a cabinet or a wall 100
10.5 Resistance to heat 101
10.5.1 Integrity of CLEARANCES and CREEPAGE DISTANCES 101
10.5.2 Non-metallic ENCLOSURES 101
10.5.3 Insulating material 101
11 Protection against HAZARDS from fluids and solid foreign objects 102
11.1 General 102
11.2 Cleaning 102
11.3 Spillage 103
11.4 Overflow 103
11.5 Battery electrolyte 103
11.6 Equipment RATED with a degree of ingress protection (IP code) 103
11.6.1 General 103
11.6.2 Conditions for testing 104
11.6.3 Protection against solid foreign objects (including dust) 104
11.6.4 Protection against water 104
11.7 Fluid pressure and leakage 105
11.7.1 Maximum pressure 105
11.7.2 Leakage and rupture at high pressure 105
11.7.3 Leakage from low-pressure parts 106
11.7.4 Overpressure safety device 106
12 Protection against radiation, including laser sources, and against sonic and ultrasonic pressure 107
12.1 General 107
12.2 Equipment producing ionizing radiation 107
12.2.1 Ionizing radiation 107
12.2.2 Accelerated electrons 108
12.3 Optical radiation 108
12.4 Microwave radiation 109
12.5 Sonic and ultrasonic pressure 109
12.5.1 Sound level 109
12.5.2 Ultrasonic pressure 110
12.6 Laser sources 110
13 Protection against liberated gases and substances, explosion and implosion 111
13.1 Poisonous and injurious gases and substances 111
13.2 Explosion and implosion 111
13.2.1 Components 111

13.2.2 Batteries and battery charging 111
13.2.3 Implosion of cathode ray tubes 112
14 Components and subassemblies 112
14.1 General 112
14.2 Motors 113
14.2.1 Motor temperatures 113
14.2.2 Series excitation motors 113
14.3 Overtemperature protection devices 114
14.4 Fuse holders 114
14.5 MAINS voltage selection devices 114
14.6 MAINS transformers tested outside equipment 114
14.7 Printed wiring boards 115
14.8 Circuits used to limit TRANSIENT OVERVOLTAGES 115
14.101 Probe assemblies and accessories 115
15 Protection by interlocks 116
15.1 General 116
15.2 Prevention of reactivating 116
15.3 Reliability 116
16 HAZARDS resulting from application 116
16.1 REASONABLY FORESEEABLE MISUSE 116
16.2 Ergonomic aspects 116
17 RISK assessment 117
101 Measuring circuits 117
101.1 General 117
101.2 Current measuring circuits 118
101.3 Indicating devices 118
101.3.1 General 118
101.3.2 Battery level 118
101.3.3 Over-range indication 119
101.3.4 Permanent overvoltages 119
Annex A (normative) Measuring circuits for touch current (see 6.3) 121
Annex B (normative) Standard test fingers (see 6.2) 124
Annex C (normative) Measurement of CLEARANCES and CREEPAGE DISTANCES 126
Annex D (normative) Parts between which insulation requirements are specified (see 6.4 and 6.5.3) 130
Annex E (informative) Guideline for reduction of POLLUTION DEGREES 133
Annex F (normative) ROUTINE TESTS 134
Annex G (informative) Leakage and rupture from fluids under pressure 136
Annex H (normative) Qualification of conformal coatings for protection against POLLUTION 141
Annex I (informative) Line-to-neutral voltages for common MAINS supply systems 144
Annex J (informative) RISK assessment 146
Annex K (normative) Insulation requirements not covered by 6.7 149
Annex L (informative) Index of defined terms 176
Annex AA (normative) MEASUREMENT CATEGORIES 178
Annex BB (informative) HAZARDS pertaining to measurements performed in certain environments 181

Annex CC (informative) 4 mm "banana" TERMINALS 184
Annex DD (informative) Flowchart for insulation according to the type of circuit 186
Annex EE (informative) Determination of CLEARANCES for Table 101 189
Bibliography 190

Figure 1 – Measurements through openings in ENCLOSURES 43
Figure 2 – Maximum duration of short-term ACCESSIBLE voltages in SINGLE FAULT CONDITION (see 6.3.2 a)) 45
Figure 3 – Capacitance level versus voltage in NORMAL CONDITION and SINGLE FAULT CONDITION (see 6.3.1 c) and 6.3.2 c)) 46
Figure 4 – Acceptable arrangement of protective means against electric shock 48
Figure 5 – Examples of binding screw assemblies 50
Figure 101 – Duration of current flow versus body current for a.c. and d.c. currents 52
Figure 6 – Distance between conductors on an interface between two layers 61
Figure 7 – Distance between adjacent conductors along an interface of two inner layers 62
Figure 8 – Distance between adjacent conductors located between the same two layers 63
Figure 9 – Detachable MAINS supply cords and connections 73
Figure 10 – Impact test using a sphere 86
Figure 11 – Flow chart to explain the requirements for protection against the spread of fire 88
Figure 12 – Baffle 91
Figure 13 – Area of the bottom of an ENCLOSURE to be constructed as specified in 9.3.2 c) 1) 91
Figure 14 – Ball-pressure test apparatus 102
Figure 16 – Ratio between test pressure and maximum working pressure 106
Figure 15 – Flow chart for conformity options 14.1 a), b), c) and d) 113
Figure A.1 – Measuring circuit for a.c. with frequencies up to 1 MHz and for d.c. 121
Figure A.2 – Measuring circuits for sinusoidal a.c. with frequencies up to 100 Hz and for d.c. 122
Figure A.3 – Current measuring circuit for electrical burns 123
Figure A.4 – Current measuring circuit for wet contact 123
Figure B.1 – Rigid test finger 124
Figure B.2 – Jointed test finger 125
Figure C.1 – Examples of methods of measuring CLEARANCES and CREEPAGE DISTANCES 129
Figures D.1a) to d) – Protection between HAZARDOUS LIVE circuits and ACCESSIBLE parts 131
Figures D.1e) to h) – Protection between HAZARDOUS LIVE circuits and circuits with ACCESSIBLE external TERMINALS 131
Figures D.2 a) and D.2 b) – Protection between a HAZARDOUS LIVE internal circuit and an ACCESSIBLE part which is not bonded to other ACCESSIBLE parts 132
Figures D.2 c) and D.2 d) – Protection between a HAZARDOUS LIVE primary circuit and circuits which have ACCESSIBLE external TERMINALS 132
Figure D.3 – Protection of external ACCESSIBLE TERMINALS of two HAZARDOUS LIVE circuits 132
Figure G.1 – Conformity verification process (see G.2) 137

Figure H.1 – Test sequence and conformity 143
Figure J.1 – Iterative process of RISK assessment and RISK reduction 146
Figure J.2 – RISK reduction 147
Figure K.1 – Distance between conductors on an interface between two layers 153
Figure K.2 – Distance between adjacent conductors along an interface of an inner layer 154
Figure K.3 – Distance between adjacent conductors located between the same two layers 155
Figure K.4 – Example of recurring peak voltage 167
Figure K.101 – Test circuit for evaluation of TRANSIENT OVERVOLTAGE attenuation 170
Figure AA.1 – Example to identify the locations of MEASUREMENT CATEGORIES 179
Figure CC.1 – Recommended dimensions of 4 mm TERMINALS 185
Figure DD.1 – Requirements for CLEARANCE, CREEPAGE DISTANCE and solid insulation 188

Table 1 – Symbols 34
Table 2 – Tightening torque for binding screw assemblies 50
Table 101 – CLEARANCES for unmated measuring circuit TERMINALS 56
Table 3 – Multiplication factors for CLEARANCES of equipment RATED for operation at altitudes up to 5 000 m 58
TABLE 4 – CLEARANCES and CREEPAGE DISTANCES for MAINS CIRCUITS of OVERVOLTAGE CATEGORY II up to 300 V 60
Table 5 – Test voltages for solid insulation in MAINS CIRCUITS of OVERVOLTAGE CATEGORY II up to 300 V 61
Table 6 – CLEARANCES and test voltages for secondary circuits derived from MAINS CIRCUITS of OVERVOLTAGE CATEGORY II up to 300 V 65
Table 7 – CREEPAGE DISTANCES for secondary circuits 66
Table 8 – Minimum values for distance or thickness (see 6.7.3.4.2 to 6.7.3.4.4) 68
Table 9 – Distances between TERMINALS and foil 69
Table 10 – Correction factors according to test site altitude for test voltages for CLEARANCES 70
Table 11 – Values for physical tests on cord anchorages 74
Table 12 – Protective measures against mechanical HAZARDS to body parts 79
Table 13 – Minimum maintained gaps to prevent crushing for different body parts 81
Table 14 – Maximum gaps to prevent access for different body parts 81
Table 15 – Impact energy levels, test height and corresponding IK codes 86
Table 16 – Acceptable perforation of the bottom of an ENCLOSURE 90
Table 17 – Limits of maximum available current 92
Table 18 – Values for overcurrent protection devices 93
Table 19 – Surface temperature limits in NORMAL CONDITION 99
Table 20 – Maximum temperatures for insulation material of windings 99
Table 22 – Lamp or lamp systems considered photobiologically safe 109
Table 23 – Lamp or lamp systems considered photobiologically safe under certain conditions 109
Table 21 – Impulse voltages for OVERVOLTAGECATEGORY II 115
Table C.1 – Dimensions of X 126

Table E.1 – Environmental situations 133
Table E.2 – Reduction of POLLUTION DEGREES 133
Table F.1 – Test voltages for ROUTINE TESTS of MAINS CIRCUITS 135
Table G.1 – Test pressures for equipment with pressures above 14 Mpa 139
Table H.1 – Test parameters, test conditions and test procedures 142
Table I.1 – Line-to-neutral voltages for common MAINS supply systems 144
Table J.1 – Severity of harm 148
Table J.2 – Probability of harm 148
Table J.3 – RISK category 148
Table K.1 – Multiplication factors for CLEARANCES for equipment RATED for operation at altitudes up to 5 000 m 150
Table K.2 – CLEARANCES and CREEPAGE DISTANCES for MAINS CIRCUITS of OVERVOLTAGE CATEGORY II above 300 V 150
Table K.3 – CLEARANCES and CREEPAGE DISTANCES for MAINS CIRCUITS of OVERVOLTAGE CATEGORY III 151
Table K.4 – CLEARANCES and CREEPAGE DISTANCES for MAINS CIRCUITS of OVERVOLTAGE CATEGORY IV 151
Table K.5 – Test voltages for solid insulation in MAINS CIRCUITS of OVERVOLTAGE CATEGORY II above 300 V 152
Table K.6 – Test voltages for solid insulation in MAINS CIRCUITS of OVERVOLTAGE CATEGORY III 152
Table K.7 – Test voltages for solid insulation in MAINS CIRCUITS of OVERVOLTAGE CATEGORY IV 152
Table K.8 – Test voltages for testing long-term stress of solid insulation in MAINS CIRCUITS 153
Table K.9 – Minimum values for distance or thickness of solid insulation 154
Table K.10 – CLEARANCES and test voltages for secondary circuits derived from MAINS CIRCUITS of OVERVOLTAGE CATEGORY II above 300 V 157
Table K.11 – CLEARANCES and test voltages for secondary circuits derived from MAINS CIRCUITS of OVERVOLTAGE CATEGORY III 158
Table K.12 – CLEARANCES and test voltages for secondary circuits derived from MAINS CIRCUITS of OVERVOLTAGE CATEGORY IV 159
Table K.13 – CREEPAGE DISTANCES for secondary circuits 160
Table K.14 – Minimum values for distance or thickness (see K.2.4.2 to K.2.4.4) 162
Table K.15 – CLEARANCE values for the calculation of K.3.2 165
Table K.16 – Test voltages based on CLEARANCES 165
Table K.17 – CLEARANCES for BASIC INSULATION in circuits having recurring peak voltages or WORKING VOLTAGES with frequencies above 30 kHz 168
Table K.101 – Impulse voltages for circuits connected to MAINS 170
Table K.102 – CLEARANCES for measuring circuits RATED for MEASUREMENT CATEGORIES 171
Table K.103 – Impulse test voltages for testing electric strength of solid insulation for measuring circuits RATED for MEASUREMENT CATEGORIES 172
Table K.104 – a.c. test voltages for testing electric strength of solid insulation for measuring circuits RATED for MEASUREMENT CATEGORIES 173
Table K.105 – Minimum values for distance or thickness of solid insulation for measuring circuits RATED for MEASUREMENT CATEGORIES 174
Table AA.1 – Characteristics of MEASUREMENT CATEGORIES 180
Table EE.1 – CLEARANCE values for Table 101 189

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

SAFETY REQUIREMENTS FOR ELECTRICAL EQUIPMENT FOR MEASUREMENT, CONTROL, AND LABORATORY USE –

Part 1: General requirements

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This extended version (EXV) of the official IEC Standard provides the user with the comprehensive content of the Standard.

IEC 61010-2-030:2023 EXV includes the content of IEC 61010-2-030:2023, and the references made to IEC 61010-1:2010 and IEC 61010-1:2010/AMD1:2016.

The specific content of IEC 61010-2-030:2023 is displayed on a blue background.

IEC 61010-2-030 has been prepared by IEC technical committee 66: Safety of measuring, control and laboratory equipment. It is an International Standard.

It has the status of a group safety publication in accordance with IEC Guide 104.

This third edition cancels and replaces the second edition published in 2017. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) in 1.2.1, requirements for protection against HAZARDS which could occur from reading a voltage have been added to the scope;
b) Clause 2, all normative references have been dated and new normative references have been added;
c) in 4.3.2.5, requirements for power supply have been modified;
d) in 4.3.2.6, requirements for inputs/outputs have been modified;
e) in 4.4.2.101, a new subclause about surge protective devices has been added;
f) in 5.1.5.101.2, minimum RATINGS for voltage of measuring TERMINALS are required;
g) Subclause 6.6.101 modifies 6.6.101 and 6.6.102 of previous edition:
    1) in 6.6.101.1, insulating material of group I may be allowed for determination of CREEPAGE DISTANCES of measuring circuit TERMINALS;
    2) In 6.6.101.2, CLEARANCES and CREEPAGE DISTANCES up to 3 000 V for measuring circuit TERMINALS in unmated position have been defined;
    3) in 6.6.101.3, requirements for measuring circuit TERMINALS in partially mated position have been specified;
    4) in 6.6.101.4, requirements for measuring circuit TERMINALS in mated position have been specified;
    5) Subclause 6.6.101.5 replaces 6.6.102;
h) Subclause 9.101 to consider the protection of measuring circuits against the spread of fire and arc flash has been added and Table 102 has been replaced by Table K.101;
i) in 9.101.2, relocation of 101.3 of previous edition;
j) in 9.101.3, relocation of 101.4 of previous edition, extension to MEASUREMENT CATEGORY II and reference to IEC 61000-4-5 for tests;
k) in 14.101, relocation of 14.102 and 14.101 of previous edition has been removed;
l) in 101.3, relocation of 101.5 of previous edition, and more requirements added against HAZARD occurring from reading a voltage value;
m) in K.2.1, another method for determination of CLEARANCES of secondary circuits is proposed;
n) in K.3.2, new Table K.15 and Table K.16 for CLEARANCE calculation;
o) in K.101.4.1, new Table K.103 and Table K.104 replace Table K.102, Table K.103 and Table K.104;
p) in K.101.4, the subclause has been reviewed; Tables and tests for solid insulation have been modified; Table K.105 replaces Table K.9;
q) Table K.101, replacement of Table K.106;
r) Clause K.4, redraft of the clause to propose a method for determination of U_t for circuits which reduce TRANSIENT OVERVOLTAGES;
s) Annex AA: Figure AA.1 has been redesigned;
t) Annex EE: addition of a new informative annex for determination of CLEARANCES for Table 101.

The text of this International Standard is based on the following documents:

Draft	Report on voting
66/786/FDIS	66/796/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts of the IEC 61010 series, under the general title *Safety requirements for electrical equipment for measurement, control, and laboratory use*, can be found on the IEC website.

This document is to be used in conjunction with IEC 61010-1:2010 and IEC 61010-1:2010/AMD1:2016.

This document supplements or modifies the corresponding clauses in IEC 61010-1 so as to convert that publication into the IEC standard: *Particular requirements for equipment having testing or measuring circuits.*

Where a particular subclause of IEC 61010-1 is not mentioned in this document, that subclause applies as far as is reasonable. Where this document states "addition", "modification", "replacement", or "deletion", the relevant requirement, test specification or note in IEC 61010-1 should be adapted accordingly.

In this standard:

- the following print types are used:
  - requirements: in roman type;
  - NOTES: in small roman type;
  - *conformity and tests: in italic type;*
  - terms used throughout this standard which have been defined in Clause 3: SMALL ROMAN CAPITALS;
- subclauses, figures, tables and notes which are additional to those in IEC 61010-1 are numbered starting from 101. Additional annexes are lettered starting from AA and additional list items are lettered from aa).

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION to IEC 61010-1:2010 and IEC 61010-1:2010/AMD1:2016

This Interational Standard specifies the safety requirements that are generally applicable to all equipment within its scope. For certain types of equipment, these requirements will be supplemented or modified by the special requirements of one, or more than one, particular part 2 of the standard which must be read in conjunction with the part 1 requirements.

INTRODUCTION

IEC 61010-1 specifies the safety requirements that are generally applicable to all equipment within its scope. For certain types of equipment, the requirements of IEC 61010-1 and its amendment will be supplemented or modified by the special requirements of one or more standard from the IEC 61010-2 series which is/are read in conjunction with the requirements of IEC 61010-1.

1) This document specifies the safety requirements for equipment with testing or measuring circuits which are connected for test or measurement purposes to devices or circuits outside the measurement equipment itself.
2) IEC 61010-2-032:2023 specifies the safety requirements for hand-held and hand-manipulated current sensors for measuring, detecting, injecting current, or indicating current waveforms on circuits without physically opening the current path of the circuit being measured.

   Most of the requirements of this document have been included in IEC 61010-2-032:2023. Equipment within the scopes of both this document and IEC 61010-2-032:2023 is considered to be covered by the requirements of IEC 61010-2-032:2023.

   However, for current sensors in combined equipment with protective bonding and automatic disconnection of the supply, this document and IEC 61010-2-032:2023 are read in conjunction.
3) IEC 61010-2-033:2023 specifies the safety requirements for hand-held multimeters and other meters for domestic and professional use, capable of measuring mains voltage, intended to measure voltage and other electrical quantities such as resistance or current.

   All relevant requirements of this document have been included in IEC 61010-2-033:2023.
4) IEC 61010-2-034:2023 specifies the safety requirements for measurement equipment for insulation resistance and test equipment for electric strength which are connected to units, lines or circuits for test or measurement purposes.

   All relevant requirements of this document have been included in IEC 61010-2-034:2023. However, for equipment within the scope of IEC 61010-2-032:2023 and IEC 61010-2-034:2023, these standards are read in conjunction.

IEC 61010-031 specifies the safety requirements for hand-held and hand-manipulated probe assemblies and their related accessories intended to be used in particular with equipment in the scope of this document, IEC 61010-2-032, IEC 61010-2-033 and IEC 61010-2-034. These probe assemblies are for non-contact or direct electrical connection between a part and electrical test and measurement equipment. They may be fixed to the equipment or be detachable accessories for the equipment.

SAFETY REQUIREMENTS FOR ELECTRICAL EQUIPMENT FOR MEASUREMENT, CONTROL, AND LABORATORY USE –

Part 1: General requirements

1 Scope and object

1.1 Scope

1.1.1 Equipment included in scope

This document specifies safety requirements for equipment having testing or measuring circuits which are connected for test or measurement purposes to devices or circuits outside the measurement equipment itself.

These include measuring circuits which are part of electrical test and measurement equipment, laboratory equipment, or process control equipment. These circuits in equipment have additional protective means between the circuit and an OPERATOR.

NOTE These testing and measuring circuits can, for example:

– measure voltages in circuits of other equipment,

– measure temperature of a separate device via a thermocouple,

– measure force on a separate device via a strain gauge,

– inject a voltage or current onto a circuit to analyse or test a new design.

This group safety publication focusing on safety essential requirements is primarily intended to be used as a product safety standard for the products mentioned in the scope, but is also intended to be used by technical committees in the preparation of publications for products similar to those mentioned in the scope of this document, in accordance with the principles laid down in IEC Guide 104 and ISO/IEC Guide 51.

One of the responsibilities of a technical committee is, wherever applicable, to make use of basic safety publications and/or group safety publications in the preparation of its publications.

1.1.2 Equipment excluded from scope

This standard does not apply to equipment within the scope of:

a) IEC 60065 (Audio, video and similar electronic apparatus);

b) IEC 60204 (Safety of machinery – Electrical equipment of machines);

c) IEC 60335 (Household and similar electrical appliances);

d) IEC 60364 (Electrical installations of buildings);

e) IEC 60439 (Low-voltage switchgear and controlgear assemblies);

f) IEC 60601 (Medical electrical equipment);

g) IEC 60950 (Information technology equipment including electrical business equipment, except as specified in 1.1.3);

h) IEC 61558 (Power transformers, power supply units and similar);

i) IEC 61010-031 (Hand-held probe assemblies);

j) IEC 61243-3 (Live working – Voltage detectors – Part 3: Two-pole low-voltage type).