Rheology and Hydraulics of Drilling Fluids

API RECOMMENDED PRACTICE 13D
EIGHTH EDITION, APRIL 2026



Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed. The use of API publications is voluntary. In some cases, third parties or authorities having jurisdiction may choose to incorporate API standards by reference and may mandate compliance.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

Users of this standard should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

API is not undertaking to meet the duties of employers, manufacturers, or suppliers to warn and properly train and equip their employees, and others exposed, concerning health and safety risks and precautions, nor undertaking their obligations to comply with authorities having jurisdiction.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Copyright © 2026 American Petroleum Institute

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the standard.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the standard.

May: As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, “can” denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001, standards@api.org.

Contents

Page

1 Scope 1
1.1 Objective 1
1.2 Rheology and Hydraulics 1
1.3 Units 2
1.4 Calculation Examples 2
2 Normative References 2
3 Terms, Definitions, Acronyms, and Abbreviations 3
3.1 Terms and Definitions 3
3.2 Acronyms and Abbreviations 4
3.3 Symbols 5
4 Fluid Flow Fundamentals and Rheological Models 12
4.1 Flow Fundamentals 12
4.2 Viscosity 13
4.3 Shear Stress 13
4.4 Shear Rate 16
4.5 Shear Stress/Shear Rate Relationship 18
4.6 Fluid Characterization 18
4.7 Rheological Models 20
5 Rheological Parameters 24
5.1 Measurements of Rheological Parameters 24
5.2 Rheological Models 26
6 Prediction of Downhole Behavior of Drilling Fluids 32
6.1 Principle 32
6.2 Temperature Predictions of Circulating Drilling Fluids 32
6.3 Prediction of Downhole Rheological Properties 36
6.4 Prediction of Downhole Pressures and Density 38
7 Pressure-loss Modeling 48
7.1 Principle 48
7.2 Basic Relationships 48
7.3 Surface-connection Pressure Loss 50
7.4 Drill-string and Annular Frictional Pressure Loss 51
7.5 Bit Pressure Loss 63
7.6 Downhole-tools Pressure Loss 64
7.7 Choke-line Pressure Loss 65
7.8 Casing Pressure 66
7.9 Equivalent Circulating Density 66
8 Swab/Surge Pressures 67
8.1 Principle 67
8.2 Effective Velocity 67
8.3 Calculate Pressure Changes 70
8.4 Calculation Procedure 72
8.5 Transient Swab/Surge Analysis 74
9 Hole Cleaning 74
9.1 Description of the Challenge 74
9.2 Hole-cleaning Practices and Remedial Options 75
9.3 Cuttings Transport 78
9.4 Modeling Hole Cleaning in Vertical and Low-angle Wells 79
9.5 Modeling Hole Cleaning in Directional Wells 84
9.6 Weight-material Sag 88

10 Hydraulics Optimization 88
10.1 Optimization Objectives 88
10.2 Calculations 90
10.3 Reaming While Drilling with Pilot-bit Configuration 94
10.4 Bit-nozzle Selection 94
10.5 Pump-off Pressure/Force 95
11 Rigsite Monitoring 95
11.1 Introduction 95
11.2 Annular Pressure-loss Measurement 95
11.3 Validation of Hydraulics Models 99
11.4 Interpretation of Downhole Pressure Measurements 101
Annex A (informative) Worked Example Parameters 103
Annex B (informative) Downhole-properties Example 105
Annex C (informative) Pressure-loss Example 109
Annex D (informative) Swab/Surge-pressures Example 113
Annex E (informative) Hole-cleaning Example 116
Annex F (informative) Hydraulics Optimization Example 119

Figures

1 Fluid-filled Gap Between Parallel Plates Showing Effects of Upper Plate Sliding Past Lower Plate 14
2 Rheograms of Four Rheological Models on Rectangular Coordinates 20
3 Couette-type, Direct-indicating Viscometer with Dial Readout Schematic 25
4 Viscosity of Several NAFs as Function of Temperature 37
5 Isothermal Plot of a 15.3 lbm/gal Synthetic-based Drilling Fluid 40
6 Cuttings Transport Mechanisms in Vertical and Deviated Wells 79
7 Effect of Yield Point on Critical Flow Rate 86
8 Rheology Factor (*RF*) Chart for $8^1/_2$-in. Holes [9.16] 87
9 Hole-cleaning Chart for $8^1/_2$-in. Holes [9.16] 87
10 Optimizing Maximum Impact Force 93
11 Drilling Pressure Window 96
12 Typical Time-based Log Format 99
13 Cuttings Mobilization Example 101
A.1 Wellbore Profile Schematic 104
E.1 Rheology Factor Chart for $8^1/_2$-in. Holes 117
E.2 Hole-cleaning Chart for $8^1/_2$-in. Holes 118
F.1 Wellsite Nozzle Test 120
F.2 On-site Nozzle Test for Maximum Hydraulic Impact Force 121

Tables

1 Symbols, Definitions, and Units 5
2 Types of Couette-type Viscometers for Measuring Drilling Fluid Rheological Properties 26
3 Example HTHP Viscometer Test Matrix 38
4 Temperature and Pressure Coefficients for Determining Fluid Density Using Equation (44) 44
5 C_{sc} Values for Surface-connection Elements per Case 51

6 Example Hole Cleaning Operational Practices 76
7 Recommended Range of Flow Rate and Rotation for ERD 88
8 Hydraulic Optimization Equations 92
9 Downhole and Surface Pressure Measurement Interpretation Guide 102
B.1 Hydraulic Data by Section 105
B.2 Downhole Equivalent Density Calculations Under Static and Dynamic Conditions 106
B.3 Test Matrix for HTHP Viscometer Data 107
B.4 Example of HTHP Couette-type Viscometer Results 107
B.5 Herschel–Bulkley Parameters (Numerical Method) 108
B.6 Herschel–Bulkley Parameters (Measurement Method) 108
B.7 Bingham Plastic Parameters 108
C.1 Spreadsheet Data of Pressure Loss in Drill String 110
C.2 Spreadsheet Data of Pressure Loss in Annulus 111
C.3 Data for Pressure Losses vs Flow Rate 112
D.1 Closed-string Example 113
D.2 Open-string Example 114
D.3 Iterative Process for the Open-string Example 115
F.1 Rig Data for Flow Rate and Standpipe Pressure 119
F.2 Calculated System Parasitic Pressure Loss 120
F.3 Impact Force Methods Comparison 123

Rheology and Hydraulics of Drilling Fluids

1 Scope

1.1 Objective

The objective of this recommended practice is to provide a basic understanding of and guidance about drilling fluid rheology and hydraulics to assist with drilling wells of various complexities, including high-temperature high-pressure (HTHP), extended-reach drilling (ERD), and highly directional wells.

Office and wellsite engineers are the target audience for this document. This standard has been designed such that office and wellsite engineers can implement complex topics and equations sets into a standard spreadsheet program to conduct hydraulic analyses. Given that the equations used herein are constrained by this spreadsheet limitation, more advanced numerical solutions containing multiple subroutines and macros are not offered. This limitation does not suggest that only the results given by the spreadsheet methods are valid engineering solutions but are a basic determination of them as their order of magnitude.

1.2 Rheology and Hydraulics

Rheology is the study of the deformation and flow of matter. For this document, rheology is the study of the flow characteristics of drilling fluids and how these characteristics affect movement of the fluids. The discussion of rheology in this document is limited to single-phase liquid flow.

Rheological properties directly affect flow characteristics and hydraulic behavior. Properties shall be controlled for drilling fluids to perform their various functions. Certain properties are measured at the wellsite for monitoring and treatment and in the laboratory for development of new additives and systems, formulation for specific applications, and diagnosis of special problems.

Measurement of rheological properties also makes possible mathematical descriptions of circulating fluid flow important for the following hydraulics-related determinations:

— calculating frictional pressure losses in pipes and annuli,

— determining equivalent circulating density (ECD) of the drilling fluid under downhole conditions,

— determining flow regimes,

— estimating hole-cleaning efficiency,

— estimating swab/surge pressures, and

— optimizing the drilling fluid circulating system to improve drilling efficiency.

The concepts of viscosity, shear stress, and shear rate are important in understanding the flow characteristics of fluids. Specific measurements are made on fluids to determine rheological parameters under a variety of conditions. From this information, the circulating system can be designed and evaluated to accomplish desired objectives.

Drilling fluid hydraulics involves hydrostatic pressures, frictional pressure losses, carrying capacity, swab/surge pressures, and equivalent static and circulating densities, among others. Mathematical models