Special-purpose Couplings for Petroleum, Chemical, and Gas Industry Services

API STANDARD 671
FIFTH EDITION, AUGUST 2020

REAFFIRMED, JANUARY 2026

ERRATA 1, JUNE 2024
ERRATA 2, FEBRUARY 2026



Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

API is not undertaking to meet the duties of employers, manufacturers, or vendors to warn and properly train and equip their employees, and others exposed, concerning health and safety risks and precautions, nor undertaking their obligations under local, state, or federal laws.

Information concerning safety and health risks and proper precautions with respect to particular materials and conditions should be obtained from the employer, the manufacturer or vendor of that material, or the material safety data sheet.

API standards are published to facilitate the broad availability of proven, sound engineering and operating practices. These standards are not intended to obviate the need for applying sound engineering judgment regarding when and where these standards should be used. The formulation and publication of API standards is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001-5571.

Copyright © 2020 American Petroleum Institute

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, “shall” denotes a minimum requirement to conform to the standard.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required to conform to the standard.

May: As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, “can” denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, Suite 1100, Washington, DC 20001, standards@api.org.

Contents

Page

1 Scope 1

2 Normative References 1

3 Terms, Definitions, Acronyms, and Abbreviations 2
3.1 Terms and Definitions 2
3.2 Acronyms and Abbreviations 8

4 Requirements 9
4.1 ● Units of Measure 9
4.2 Statutory Requirements 9

5 Coupling Selection 9

6 Coupling Design 11

7 Coupling Ratings 15

8 Coupling Requirements 16
8.1 Metallic Flexible-element Couplings 16
8.2 Machining 17
8.3 Spacer 17
8.4 Hub Type 17
8.5 Integral Flanges 17
8.6 Hubs 17
8.7 ● Idling Adapter (Solo Plate) 19
8.8 Moment Simulator 20
8.9 Component Fit Tolerances and Potential Unbalance Calculations 20
8.10 Fasteners (Including Studs) 21
8.11 ● Electrical Insulation 21
8.12 Dynamics 21

9 Balance 22
9.1 General 22
9.2 Balancing Methods 23
9.3 Balance Criteria 25
9.4 Trim Balance Holes 28

10 Materials 29

11 Accessories 29
11.1 Coupling Guards 29
11.2 Special Tools 29
11.3 Torque Measuring System(s) 30

12 Manufacturing Quality, Inspection, Testing, and Preparation for Shipment 31
12.1 Manufacturing Quality 31
12.2 Inspection and Testing 31
12.3 Inspection 32
12.4 Testing 33
12.5 Preparation for Shipment 33

Contents

Page

13 Vendor's Data 33
13.1 General 33

Annex A (informative) Coupling Datasheets 34

Annex B (normative) Torsional Damping Couplings and Resilient Couplings 41

Annex C (normative) Gear Couplings 44

Annex D (normative) Quill-shaft Couplings 46

Annex E (informative) Factors for Couplings 47

Annex F (informative) Examples of Misalignments 52

Annex G (informative) Example of the Determination of Potential Unbalance 53

Annex H (normative) Coupling Guards 57

Annex I (informative) Coupling Tapers 61

Annex J (informative) Inspection of Taper Bore Hubs with CMM Method 62

Annex K (normative) Procedure for Residual Unbalance Check 64

Annex L (normative) Torque Measuring System 70

Annex M (informative) Inspector's Checklist 73

Annex N (informative) Purchaser's Checklist 79

Annex O (informative) Contract Documents and Engineering Design Data 85

Bibliography 91

Figures

1 Typical Coupling Selection Process 10
2 Component Balance Procedure 23
3 Procedure for Component Balance with Assembly Check Balance 24
4 Procedure for Component Balance with Assembly Balance 25
E.1 Typical Fatigue Diagram 49
E.2 Example of Coupling Arrangement 50
F.1 Parallel Offset 52
F.2 Angular Misalignment 52
F.3 Lateral Offset with Angular Misalignment in the Same Plane and in the Same Direction 52
F.4 Lateral Offset with Angular Misalignment in the Same Plane but in the Opposite Direction 52
G.1 Typical Flexible Element Coupling 53
J.1 Axial Probe Locations 63

Contents

Page

J.2 Radial Probe Locations 63
K.1 Residual Unbalance Worksheet Example 67
K.2 Sample Residual Unbalance Worksheet for Left Plane (SI) 68
K.3 Sample Residual Unbalance Worksheet for Right Plane (USC) 69

Tables

1 Summary of Balancing Methods 22
G.1 Contributory Unbalance 55
I.1 Axial Hub Advance Required to Achieve 25 µm (1 mil) of Bore Dilation 61
K.1 Trial Weight Multiplier vs N_{mc} 65
M.1 Inspector’s Checklist 73
N.1 Purchaser's Checklist 79

Introduction

Users of this standard should be aware that further or differing requirements may be needed for individual applications. This standard is not intended to inhibit a vendor from offering, or the purchaser from accepting alternative equipment or engineering solutions for the individual application. This may be particularly appropriate where there is innovative or developing technology. Where an alternative is offered, the vendor should identify any variations from this standard and provide details.

This standard requires the purchaser to specify certain details and features.

A bullet (●) at the beginning of a paragraph indicates that either a decision is required or further information is to be provided by the purchaser. This information should be indicated on the datasheet(s), typical examples of which are included as Annex A; otherwise it should be stated in the quotation request or in the order.

Special-purpose Couplings for Petroleum, Chemical, and Gas Industry Services

1 Scope

This standard specifies the requirements for couplings for the transmission of power between the rotating shafts of two machines in special-purpose applications in the petroleum, petrochemical, and natural gas industries. Such applications are typically in large and/or high-speed machines, in services that can be required to operate continuously for extended periods, are often unspared and are critical to the continued operation of the installation. By agreement, it can be used for other applications or services.

Couplings covered by this standard are designed to accommodate parallel (or lateral) offset, angular misalignment, and axial displacement of the shafts without imposing unacceptable mechanical loading on the coupled machines. It is applicable to gear, metallic flexible element, quill-shaft and torsionally resilient type couplings. Torsional damping and resilient type couplings are detailed in Annex B, gear-type couplings are detailed in Annex C, and quill-shaft type couplings are detailed in Annex D.

This standard covers the design, materials of construction, manufacturing quality, inspection, and testing of special-purpose couplings.

This standard does not define criteria for the selection of coupling types for specific applications.

This standard is not applicable to other types of couplings, such as clutch, hydraulic, eddy-current, rigid, radial spline, chain, and bellows types.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ANSI/AGMA 9000,[1] *Flexible Couplings—Potential Unbalance Classification*

ANSI/AGMA 9002-C14, *Bores and Keyways for Flexible Couplings (Inch Series)*

ANSI/AGMA 9003-B08, *Flexible Couplings—Keyless Fits (Inch Series)*

ANSI/AGMA 9004-B08, *Flexible Couplings—Mass Elastic Properties and other Characteristics (Inch Series)*

ANSI/AGMA 9103-B08, *Flexible Couplings—Keyless Fits (Metric Series)*

ANSI/AGMA 9104-A06, *Flexible Couplings—Mass Elastic Properties and other Characteristics (Metric Series*)

ANSI/AGMA 9112-B15, *Bores and Keyways for Flexible Couplings (Metric Series)*

ANSI/ASME B1.1,[2] *Unified inch screw threads, UN and UNR thread form*

ANSI B11.19-2010, *Performance Requirements for Safeguarding*

BS EN ISO 80079-36:2016, *Explosive atmospheres. Non-electrical equipment for explosive atmospheres. Basic method and requirements*

---

[1] American Gear Manufacturers Association, 500 Montgomery Street, Suite 350, Alexandria, Virginia 22314-1560, www.agma.org.

[2] ASME International, Three Park Avenue, New York, New York 10016-5990, www.asme.org.