AS ISO 13584.20—2004
ISO 13584-20:1998

Australian Standard™

Industrial automation systems and integration—Parts library

Part 20: Logical resource: Logical model of expressions

STANDARDS AUSTRALIA

This Australian Standard was prepared by Committee IT-006, Information Technology for Industrial Automation and Integration. It was approved on behalf of the Council of Standards Australia on 23 March 2004 and published on 3 June 2004.

The following are represented on Committee IT-006:

Association of Consulting Engineers Australia

Australian Electrical and Electronic Manufacturers Association

CSIRO Centre for Planning and Design

CSIRO Manufacturing & Infrastructure Technology

Department of Defence (Australia)

Institute of Instrumentation, Control and Automation Australia

Institution of Engineers Australia

Monash University

RMIT University

The University of Melbourne

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards™ and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to the Chief Executive, Standards Australia International Ltd, GPO Box 5420, Sydney, NSW 2001.

This Standard was issued in draft form for comment as DR 04071.

Australian Standard™

Industrial automation systems and integration—Parts library

Part 20: Logical resource: Logical model of expressions

First published as AS ISO 13584.20—2004.

COPYRIGHT

© Standards Australia International

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia International Ltd
GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 5907 6

PREFACE

This Standard was prepared by the Standards Australia Committee IT-006, Information Technology for Industrial Automation and Integration.

This Standard is identical with, and has been reproduced from, ISO 13584-20:1998, *Industrial automation systems and integration—Parts library,* Part 20*: Logical resource; Logical model of expressions*.

The objective of this Standard is to provide an EXPRESS schema for expressions, that models the subset of the allowed expressions in the EXPRESS language defined in ISO 10303-11 that corresponds to integer, real, Boolean and string data types. This schema uses the resources defined in the generic expression schema.

This Standard is Part 20 of AS ISO 13584, *Industrial automation systems and integration—Parts library*, which is published in parts as follows:

Part 1: Overview and fundamental principles
Part 101: Geometrical view exchange protocol by parametric program
Part 20: Logical resource: Logical model of expressions (this Standard)
Part 24: Logical resource: Logical model of supplier library
Part 26: Logical resource: Information supplier identification
Part 31: Implementation resources: Geometric programming interface
Part 42: Description methodology: Methodology for structuring part families

The terms ‘normative’ and ‘informative’ are used to define the application of the annex to which they apply. A normative annex is an integral part of a standard, whereas an informative annex is only for information and guidance.

As this Standard is reproduced from an international standard, the following applies:

(a) Its number appears on the cover and title page while the international standard number appears only on the cover

(b) In the source text ‘this International Standard’ should read ‘this Australian Standard’.

(c) A full point substitutes for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to Australian or Australian/New Zealand Standards, as follows:

Reference to International Standard		*Australian Standard*	
ISO/IEC		AS/NZS	
9075	Information technology; database languages; SQL	3968.0	Information technology—Database languages—SQL, Part 0: Definition of data structures and basic operations
ISO		AS	
10303-11	Industrial automation systems and integration—Product data representation and exchange—Part 11: Description methods: The EXPRESS language reference manual	10303.11	Industrial automation systems and integration—Product data representation and exchange, Part 11: Description methods: The EXPRESS language reference manual
10303-44	Industrial automation systems and integration— Product data representation and exchange—Part 44: Integrated generic resources: Product structure configuration	10303.44	Industrial automation systems and integration— Product data representation and exchange, Part 44: Integrated generic resources: Product structure configuration

CONTENTS

Page

Introduction vii

1 Scope 1

2 Normative references 1

3 Terms and definitions 2
3.1 Terms and definitions from ISO 10303-11 2
3.2 Terms and definitions from ISO 10303-44 2
3.3 Other terms and definitions 3

4 Abbreviated terms 5

5 Fundamental concepts and assumptions 6
5.1 Static and dynamic data 6
5.2 Syntax of expressions 6
5.3 Semantics of expressions 6
5.3.1 Semantic of expressions 6
5.3.2 Exchange time and evaluation time 6
5.4 Levels of abstraction in expression modelling 7
5.4.1 Specialisation of the ISO13584_generic_expressions_schema 7
5.4.2 Specialisation of the ISO13584_expressions_schema 7
5.5 Modelling a variable 7
5.5.1 Syntactic representation 7
5.5.2 Domain of values for a variable 8
5.5.3 Semantics of a variable 8
5.6 Mappability to the SQL language 8

6 ISO13584_generic_expressions_schema 8
6.1 Introduction 8
6.2 ISO13584_generic_expressions_schema entity definitions 9
6.2.1 Generic_expression 9
6.2.2 Simple_generic_expression 10
6.2.3 Generic_literal 10
6.2.4 Generic_variable 10
6.2.5 Variable_semantics 11
6.2.6 Environment 11
6.2.7 Unary_generic_expression 11
6.2.8 Binary_generic_expression 12
6.2.9 Multiple_arity_generic_expression 12
6.3 ISO13584_generic_expressions_schema function definitions 12
6.3.1 Is_acyclic function 13
6.3.2 Used_variables function 14

Page

7 ISO13584_expressions_schema 15
7.1 Introduction 15
7.2 ISO13584_expressions_schema overall entity definitions 16
7.2.1 Expression 16
7.2.1.1 Variable 16
7.2.1.2 Defined_function 17
7.2.1.3 SQL_mappable_defined_function 17
7.3 ISO13584_expressions_schema : entity definitions for numeric expressions 17
7.3.1 Numeric_expression 17
7.3.2 Simple_numeric_expression 18
7.3.3 Literal_number 18
7.3.4 Int_literal 19
7.3.5 Real_literal 19
7.3.6 Numeric_variable 19
7.3.7 Int_numeric_variable 20
7.3.8 Real_numeric_variable 20
7.3.9 Unary_numeric_expression 20
7.3.10 Binary_numeric_expression 21
7.3.11 Multiple_arity_numeric_expression 21
7.3.12 Length_function 21
7.3.13 Value_function 22
7.3.14 Int_value_function 22
7.3.15 Numeric_defined_function 23
7.3.16 Plus_expression 23
7.3.17 Minus_expression 23
7.3.18 Mult_expression 24
7.3.19 Div_expression 24
7.3.20 Mod_expression 24
7.3.21 Slash_expression 25
7.3.22 Power_expression 25
7.3.23 Unary_function_call 25
7.3.24 binary_function_call 26
7.3.25 Multiple_arity_function_call 26
7.3.26 Abs_function 26
7.3.27 Minus_function 27
7.3.28 Sin_function 27
7.3.29 Cos_function 28
7.3.30 Tan_function 28
7.3.31 Asin_function 28
7.3.32 Acos_function 29
7.3.33 Exp_function 29
7.3.34 Log_function 29
7.3.35 Log2_function 30
7.3.36 Log10_function 30
7.3.37 Square_root_function 31
7.3.38 Atan_function 31
7.3.39 Maximum_function 31
7.3.40 Minimum_function 32
7.3.41 Integer_defined_function 32
7.3.42 Real_defined_function 32
7.4 Boolean_expression 33
7.4.1 Simple_boolean_expression 33
7.4.2 Boolean_literal 34
7.4.3 Boolean_variable 34
7.4.4 Unary_boolean_expression 34
7.4.5 Not_expression 34
7.4.6 Odd_function 35

Page

7.4.7 Binary_boolean_expression ... 35
7.4.8 Multiple_arity_boolean_expression ... 36
7.4.9 Xor_expression ... 36
7.4.10 Equals_expression ... 37
7.4.11 And_expression ... 37
7.4.12 Or_expression ... 37
7.4.13 Comparison_expression ... 38
7.4.14 Comparison_equal ... 39
7.4.15 Comparison_greater ... 39
7.4.16 Comparison_greater_equal ... 39
7.4.17 Comparison_less ... 40
7.4.18 Comparison_less_equal ... 40
7.4.19 Comparison_not_equal ... 40
7.4.20 Like_expression ... 41
7.4.21 Interval_expression ... 41
7.4.22 Boolean_defined_function ... 42
7.5 String_expression ... 43
7.5.1 Simple_string_expression ... 43
7.5.2 String_literal ... 43
7.5.3 String_variable ... 44
7.5.4 Index_expression ... 44
7.5.5 Substring_expression ... 45
7.5.6 Concat_expression ... 46
7.5.7 Format_function ... 46
7.5.8 String_defined_function ... 47
7.6 Functions to determine properties of the expression ... 47
7.6.1 Is_int_expr ... 48
7.6.2 Is_SQL_mappable ... 50
7.6.3 Used_functions ... 53

Annex A (normative) Short names of entities ... 56

Annex B (normative) Information object registration ... 58

B.1 Document identification ... 58

B.2 Schema identification ... 58
B.2.1 ISO13584_generic_expressions_schema ... 58
B.2.2 ISO13584_expressions_schema ... 58

Annex C (informative) EXPRESS-G diagrams ... 59

Annex D (informative) Use of the ISO13584_expressions_schema ... 73

D.1 Introduction ... 73

D.2 Interpretation function and variable semantics ... 73

D.3 Representation of the interpretation function in ISO 13584 Part 20 ... 73

D.4 Use of the variable_semantics entity to define the semantic of new variables ... 74
D.4.1 Use of a particular subtype of the variable_semantics entity ... 74
D.4.2 Multiple inheritance of the variable_semantics entity and of another entity ... 75
D.4.3 Defining a concept not represented in the model ... 77

Annex E (informative) Specialisation of the schemata ... 78

E.1 Introduction ... 78

Page
E.2 Specialisation of the ISO13584_generic_expressions_schema 78
E.3 Specialisation of the ISO13584_expressions_schema 78
E.4 Methodology for specialisation of ISO 13584 part 20 79
E.5 Example of specialisation of the ISO13584_generic_expressions_schema schema 80
E.6 Example of specialisation of the ISO13584_expressions_schema schema 82
Annex F (informative) Static analysis of expressions 83
F.1 Introduction 83
F.2 is_acyclic function 83
F.3 Used_variables and used_functions functions 83
F.4 Is_SQL_mappable function 84
F.5 Type control and type synthesis 84
Index 85

Figures

Figure D.1 — Syntax and semantics association for variables 74
Figure D.2 — Specialisation of the semantics by subtyping of the variable_semantics entity 75
Figure D.3 — Specialisation of the semantics by subtyping the variable_semantics entity and another entity 76
Figure D.4 — Example of the definition of a concept not represented in the model : coordinates 77

Table

Table A.1 — Short names of entities 56

INTRODUCTION

ISO 13584 is an International Standard for the computer-interpretable representation and exchange of part library data. The objective is to provide a neutral mechanism capable of transferring parts library data, independent of any application that is using a parts library data system. The nature of this description makes it suitable not only for the exchange of files containing parts, but also as a basis for implementing and sharing databases of parts library data.

ISO 13584 is organised as a series of parts, each published separately. The parts of ISO 13854 fall into one of the following series: conceptual descriptions, logical resources, implementation resources, description methodology, conformance testing, view exchange protocol, and standardised content. The series are described in ISO 13584-1. This part of ISO 13584 is a member of the logical resources series.

This part of ISO 13584 provides the general purpose EXPRESS resource constructs needed for expression modelling. These EXPRESS resource constructs are intended to be detailed in other parts of ISO 13584. They are also intended to be used outside ISO 13584 wherever EXPRESS information models of expressions prove to be useful.

NOTES

AUSTRALIAN STANDARD

Industrial automation systems and integration — Parts library — Part 20: Logical resource: Logical model of expressions

1 Scope

This part of ISO 13584 specifies:

— an EXPRESS schema for generic expressions;

— an EXPRESS schema for expressions, that models the subset of the allowed expressions in the EXPRESS language defined in ISO 10303-11 that corresponds to integer, real, Boolean and string data types. This schema uses the resources defined in the generic expression schema.

The following are within the scope of this part of ISO 13584:

— the exchange of expressions that involve both constants and variables;

— the function that checks whether or not a numeric expression should evaluate to an integer value;

— the constraints which ensure that an expression is semantically correct;

— the computation of the variables or functions used in an expression;

— the function that checks if an expression may be mapped on to the SQL query language.

The following are outside the scope of this part of ISO 13584:

— the assignment of values to variables within some context;

— the triggering mechanism that computes the value of an expression in a given context.

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of ISO 13584. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of ISO 13584 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references the latest edition of the normative document referred to applies. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO/IEC 9075: 1992, *Information technology — Database languages — SQL.*

ISO 10303-11: 1994, *Industrial automation systems and integration — Product data representation and exchange — Part 11: Description methods: The EXPRESS language reference manual.*

© Standards Australia