AS ISO/IEC 19794.4:2025
ISO/IEC 19794-4:2011
ISO/IEC 19794-4:2011/Cor 1:2012
ISO/IEC 19794-4:2011/Amd 1:2013
ISO/IEC 19794-4:2011/Amd 2:2015

Australian STANDARD®

STANDARDS Australia

Information technology — Biometric data interchange formats

Part 4: Finger image data



AS ISO/IEC 19794.4:2025

This Australian Standard® was prepared by IT-032, Biometrics and Identification. It was approved on behalf of Standards Australia's Standards Development and Accreditation Committee on 28 May 2025.

This Standard was published on 27 June 2025.

The following are represented on Committee IT-032:

Department of Defence (Australian Government)
Department of Foreign Affairs and Trade (DFAT)
Department of Home Affairs - Digital and Technology Policy Division
Photo Marketing Association
SITA

This Standard was issued for comment as DR AS ISO/IEC 19794.4:2025

Keeping Standards up-to-date

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals and new products by visiting:

www.standards.org.au

ISBN: 978 1 76175 262 9

AS ISO/IEC 19794.4:2025

ISO/IEC 19794-4:2011
ISO/IEC 19794-4:2011/Cor 1:2012
ISO/IEC 19794-4:2011/Amd 1:2013
ISO/IEC 19794-4:2011/Amd 2:2015

Australian Standard®

Information technology — Biometric data interchange formats

Part 4: Finger image data

Originated as AS ISO/IEC 19794.4—2007.
Second edition 2025.

© ISO/IEC 2025 — All rights reserved
© Standards Australia Limited 2025

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

How to read this Standard

This page explains the meaning of the language and structure of this Standard.

Refer to Standards Australia's Standardisation Guide 006 for more details about drafting rules.

Australian and Australian/New Zealand Standards are voluntary unless they are referenced in legislation or called up in contracts.

Requirements

To conform to a Standard, all requirements in the Standard need to be met.

A requirement is any statement in the Standard which uses the word "shall".

Recommendations, permissions and possibilities

The following words are commonly used in Standards, but statements using them do not have to be followed to conform to the Standard:

(a) "should" means that something is recommended.

(b) "may" means that something is permitted.

(c) "can" means that something is possible.

Structure of Standards

A Standard always has the following parts:

(i) The Preface states who developed the Standard, what the Standard is aiming to do, and how it relates to other documents.

(ii) The Scope states what the Standard is about, what it covers and what it does not cover.

(iii) The Normative references clause lists other documents that are referenced in the Standard as part of requirements.

(iv) The Terms and definitions clause defines important terms to help with understanding the Standard.

A Standard may also include other parts, such as the following:

(1) A normative appendix sets additional requirements that need to be conformed to.

(2) An informative appendix provides additional information or guidance. An informative appendix provides additional information or guidance. They usually do not contain requirements. If an informative appendix does contain requirements, the Standard will explain when those requirements apply.

(3) A Bibliography lists documents referenced in the Standard but not as part of requirements.

Many Standards include notes. Notes provide recommendations and/or guidance only. They never contain requirements.

Preface

This Standard was prepared by the Standards Australia Committee IT-032, Biometrics and Identification, to supersede AS ISO/IEC 19794.4:2007.

The objective of this document is to specify a data record interchange format for storing, recording, and transmitting the information from one or more finger or palm image areas. This can be used for the exchange and comparison of finger image data. It defines the content, format, and units of measurement for the exchange of finger image data that may be used in the verification or identification process of a subject. The information consists of a variety of mandatory and optional items, including scanning parameters, compressed or uncompressed images and vendor-specific information. This information is intended for interchange among organizations that rely on automated devices and systems for identification or verification purposes based on the information from finger image areas. Information compiled and formatted in accordance with this document can be recorded on machine-readable media or may be transmitted by data communication facilities.

This document is identical to, and has been reproduced from, ISO/IEC 19794-4:2011, *Information technology — Biometric data interchange formats — Part 4: Finger image data* and its Corrigendum No. 1 (2012), its Amendment No. 1 (2013), and its Amendment No. 2 (2015), which have been added at the end of the source text.

As this document has been reproduced from an international document, the following apply:

(a) In the source text “this part of ISO/IEC 19794” is to be read as “this document”.

(b) A comma is to be read as a full point when referring to a decimal marker.

Australian or Australian/New Zealand Standards that are identical adoptions of international normative references may be used interchangeably. Refer to the online catalogue for information on specific Standards.

The terms “normative” and “informative” are used in Standards to define the application of the appendices or annexes to which they apply. A “normative” appendix or annex is an integral part of a Standard, whereas an “informative” appendix or annex is only for information and guidance.

© Standards Australia Limited 2025

Contents

Page

Preface ..... **v**
Foreword ..... **viii**
Introduction ..... **ix**
1 Scope **1**
2 Conformance **1**
3 Normative references **1**
4 Terms and definitions **2**
5 Abbreviated terms **2**
6 Data conventions **3**
6.1 Byte and bit ordering 3
6.2 Scan sequence 3
7 Image acquisition requirements **3**
7.1 General 3
7.2 Pixel aspect ratio 3
7.3 Bit-depth 4
7.4 Grayscale data 4
7.5 Dynamic range 4
7.6 Capture device spatial sampling rate 4
7.7 Image spatial sampling rate 4
7.8 Fingerprint image location 4
7.9 Palm image location 5
8 Finger image record format **5**
8.1 Record structure 5
8.2 Finger image general header 6
8.2.1 Required fields 6
8.2.2 Format identifier 7
8.2.3 Version number 7
8.2.4 Length of record 8
8.2.5 Number of finger/palm representations 8
8.2.6 Device certification flag 8
8.2.7 Number of distinct finger/palm positions 8
8.3 Finger/palm image representation header 8
8.3.1 Required fields 8
8.3.2 Representation length 11
8.3.3 Capture date-time 12
8.3.4 Capture device technology ID 12
8.3.5 Capture device vendor identifier 13
8.3.6 Capture device type identifier 13
8.3.7 Finger/palm image quality 13
8.3.8 Capture device certifications 14
8.3.9 Finger/palm position 14
8.3.10 Representation number 15
8.3.11 Scale units 15
8.3.12 Capture device spatial sampling rate (horizontal) 16
8.3.13 Capture device spatial sampling rate (vertical) 16
8.3.14 Image spatial sampling rate (horizontal) 16
8.3.15 Image spatial sampling rate (vertical) 16
8.3.16 Bit-depth 16
8.3.17 Image compression algorithm 16
8.3.18 Impression type 17
8.3.19 Horizontal line length 17

© Standards Australia Limited 2025

8.3.20 Vertical line length 18
8.3.21 Image data length 18
8.3.22 Finger/palm image data 18
8.4 Extended data 19
8.4.1 Extended data block function 19
8.4.2 Extended data block structure 19
8.4.3 Segmentation data format 19
8.4.4 Annotation data format 22
8.4.5 Comment data format 22
9 Registered format type identifiers 23
Annex A (normative) **Conformance test methodology 24**
Annex B (normative) **Capture device certifications 25**
Annex C (informative) **Finger image data record example 48**
Annex D (informative) **Conditions for capturing finger image data 50**
Annex E (normative) **WSQ Gray-scale fingerprint image compression specification 59**
Bibliography 89
Technical Corrigendum 1 90
Amendment 1: Conformance testing methodology and clarification of defects 91
Annex A (normative) **Conformance testing methodology 92**
Amendment 2:XML encoding and clarification of defects 109

© Standards Australia Limited 2025

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75% of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 19794-4 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 37, *Biometrics*.

This second edition cancels and replaces the first edition (ISO/IEC 19794-4:2005). It reflects the harmonization across the second generation of ISO/IEC 19794. Clause 8 has been technically revised and contains descriptions of the harmonized general and representation headers. Annex A is under development and will contain an amendment for conformance testing methodology for this part of ISO/IEC 19794. Annex B contains capture device certifications for capturing finger image data. Annex B has been technically revised. Annex D describes conditions for capturing finger image data, and Annex E contains the WSQ Gray-scale fingerprint image compression specification. The former Annex A "Image Quality Specification" has been removed.

ISO/IEC 19794 consists of the following parts, under the general title *Information technology — Biometric data interchange formats*:

— *Part 1: Framework*

— *Part 2: Finger minutiae data*

— *Part 3: Finger pattern spectral data*

— *Part 4: Finger image data*

— *Part 5: Face image data*

— *Part 6: Iris image data*

— *Part 7: Signature/sign time series data*

— *Part 8: Finger pattern skeletal data*

— *Part 9: Vascular image data*

— *Part 10: Hand geometry silhouette data*

— *Part 11: Signature/sign processed dynamic data*

— *Part 13: Voice data*

— *Part 14: DNA data*

© Standards Australia Limited 2025

Introduction

In the forensic community, the capture and transmission of fingerprint images has been a common choice for the exchange of fingerprint information used by Automatic Fingerprint Identification Systems (AFIS) for the identification of individuals. However, little to no fingerprint information is being exchanged between equipment from different vendors in the biometric user verification and access community. This has been due in part to the lack of agreement between vendors on the amount and type of information to capture, the method of capture, and the information to be exchanged.

ISO/IEC 19794 is a series of International Standards being developed by ISO/IEC JTC 1/SC 37 that supports interoperability and data interchange among biometric applications and systems. The series specifies requirements that solve the complexities of applying biometrics to a wide variety of personal recognition applications, whether such applications operate in an open systems environment or consist of a single, closed system. Additional information regarding the series is provided in ISO/IEC 19794-1.

This part of ISO/IEC 19794 is intended for those applications requiring the exchange of raw or processed fingerprint and palm images that may not necessarily be limited by the amount of resources required for data storage or transmitting time. It can be used for the exchange of scanned fingerprints containing detailed image pixel information. This part of ISO/IEC 19794 can also be used to exchange processed fingerprint image data containing considerably fewer pixels per inch and/or a lesser number of grayscale levels. This is in contrast to other parts of ISO/IEC 19794 used for exchanging lists of fingerprint characteristics such as minutiae, patterns, or other variants. These formats require considerably less storage than a fingerprint image. However, by using any of the other parts of ISO/IEC 19794, information recorded in one standard format cannot be used by algorithms designed to operate with another type of information. In other words, minutiae data records cannot be compared with pattern skeletal data comparison subsystems.

Although the minutiae, pattern, or other approaches produce different intermediate outputs, all shall initially capture a reasonably high quality fingerprint image before reducing the size of the image (in bytes) or developing a list of characteristic data from the image. Use of the captured or processed image can provide interoperability among vendors relying on minutiae-based, pattern-based or other algorithms. As a result, data from the captured finger image offers the developer more freedom in choosing or combining comparison algorithms. For example, an enrolment image may be stored on a contactless chip located on an identification document. This will allow future verification of the holder of the document with systems that rely on either minutiae-based or pattern-based algorithms. Establishment of an image-based representation of fingerprint information will not rely on pre-established definitions of minutiae, patterns or other types. It will provide implementers with the flexibility to accommodate images captured from dissimilar devices, varying image sizes, spatial sampling rates, and different grayscale depths. Use of the fingerprint image will allow each vendor to implement their own algorithms to determine whether two fingerprint records are from the same finger.

© Standards Australia Limited 2025

NOTES