ASCE STANDARD

ASCE/SEI

72-21

Design of Steel Lighting System Support Pole Structures

ASCE
AMERICAN SOCIETY OF CIVIL ENGINEERS

SEI
ASCE
STRUCTURAL
ENGINEERING
INSTITUTE

ASCE STANDARD

ASCE/SEI

72-21

Design of Steel Lighting System Support Pole Structures

PUBLISHED BY THE AMERICAN SOCIETY OF CIVIL ENGINEERS

Library of Congress Cataloging-in-Publication Data

Names: American Society of Civil Engineers, author.
Title: Design of steel lighting system support pole structures.
Description: Reston : American Society of Civil Engineers, 2021. | "ASCE/SEI 72-XX." | Includes bibliographical references and index. | Summary: "Design of Steel Lighting System Support Pole Structures, ASCE/SEI 72-21, provides design parameters applicable to self-supporting structures, with base plates for installation on a concrete pier foundation, or as direct embedded, backfilled poles with the base section being either steel or concrete"– Provided by publisher.
Identifiers: LCCN 2021022255 | ISBN 9780784415597 (soft cover) | ISBN 9780784483015 (pdf)
Subjects: LCSH: Roads–Lighting–Supports–Design and construction–Standards. | Tubular steel structures–Design and construction–Standards.
Classification: LCC TE228 .A523 2021 | DDC 625.7/9–dc23
LC record available at https://lccn.loc.gov/2021022255

Published by American Society of Civil Engineers
1801 Alexander Bell Drive
Reston, Virginia, 20191-4382
www.asce.org/bookstore | ascelibrary.org

This standard was developed by a consensus standards development process that has been accredited by the American National Standards Institute (ANSI). Accreditation by ANSI, a voluntary accreditation body representing public and private sector standards development organizations in the United States and abroad, signifies that the standards development process used by ASCE has met the ANSI requirements for openness, balance, consensus, and due process.

While ASCE's process is designed to promote standards that reflect a fair and reasoned consensus among all interested participants, while preserving the public health, safety, and welfare that is paramount to its mission, it has not made an independent assessment of and does not warrant the accuracy, completeness, suitability, or utility of any information, apparatus, product, or process discussed herein. ASCE does not intend, nor should anyone interpret, ASCE's standards to replace the sound judgment of a competent professional, having knowledge and experience in the appropriate field(s) of practice, nor to substitute for the standard of care required of such professionals in interpreting and applying the contents of this standard.

ASCE has no authority to enforce compliance with its standards and does not undertake to certify products for compliance or to render any professional services to any person or entity.

ASCE disclaims any and all liability for any personal injury, property damage, financial loss, or other damages of any nature whatsoever, including without limitation any direct, indirect, special, exemplary, or consequential damages, resulting from any person's use of, or reliance on, this standard. Any individual who relies on this standard assumes full responsibility for such use.

ASCE and American Society of Civil Engineers—Registered in US Patent and Trademark Office.

Photocopies and permissions. Permission to photocopy or reproduce material from ASCE publications can be requested by sending an email to permissions@asce.org or by locating a title in ASCE's Civil Engineering Database (http://cedb.asce.org) or ASCE Library (http://ascelibrary.org) and using the "Permissions" link.

Errata: **Errata, if any, can be found at http://dx.doi.org/10.1061/9780784415597.**

Copyright © 2021 by the American Society of Civil Engineers.
All Rights Reserved.
ISBN 978-0-7844-1559-7 (soft cover)
ISBN 978-0-7844-8301-5 (PDF)

Manufactured in the United States of America.

27 26 25 24 23 22 1 2 3 4 5

ASCE STANDARDS

In 2016, the Board of Direction approved revisions to the ASCE Rules for Standards Committees to govern the writing and maintenance of standards developed by ASCE. All such standards are developed by a consensus standards process managed by the ASCE Codes and Standards Committee (CSC). The consensus process includes balloting by a balanced standards committee and reviewing during a public comment period. All standards are updated or reaffirmed by the same process every five to ten years. Requests for formal interpretations shall be processed in accordance with Section 7 of ASCE Rules for Standards Committees, which are available at www.asce.org. Errata, addenda, supplements, and interpretations, if any, for this standard can also be found at www.asce.org.

This standard has been prepared in accordance with recognized engineering principles and should not be used without the user's competent knowledge for a given application. The publication of this standard by ASCE is not intended to warrant that the information contained therein is suitable for any general or specific use, and ASCE takes no position respecting the validity of patent rights. The user is advised that the determination of patent rights or risk of infringement is entirely their own responsibility.

A complete list of currently available standards is available in the ASCE Library (http://ascelibrary.org/page/books/s-standards)

CONTENTS

PREFACE . . . ix

ACKNOWLEDGMENTS . . . xi

1 GENERAL . . . 1
1.1 Scope . . . 1
1.2 Definitions . . . 1

2 LOADS . . . 3
2.1 Scope . . . 3
2.2 Symbols for Construction Load . . . 3
2.3 Classification of Structures . . . 3
2.4 Combinations of Loads . . . 3
2.5 Dead Load . . . 3
2.6 Live Load . . . 3
2.7 Wind Load . . . 3
2.7.1 Scope . . . 3
2.7.2 Symbols for Wind Load . . . 3
2.7.3 General Requirements . . . 4
2.7.4 Shielding . . . 4
2.7.5 Strength Design of Supporting Structures . . . 4
2.7.5.1 Design Wind Force Applied to the Supporting Structure . . . 4
2.7.5.2 Design Wind Force Applied to Lightning Fixtures . . . 5
2.7.5.3 Design Wind Force Applied to Mounting Systems . . . 6
2.7.5.4 Design Wind Force Applied to Appurtenances . . . 6
2.7.6 Strength Design of Attachments . . . 7
2.8 Earthquake Load . . . 7
2.8.1 Scope . . . 7
2.8.2 Symbols for Earthquake Load . . . 7
2.8.3 General Requirements . . . 7
2.8.4 Analysis Considerations . . . 7
2.8.4.1 Structural Analysis Considerations . . . 7
2.8.4.2 Equivalent Lateral Force Procedure . . . 8
2.8.4.3 Modal Response Spectrum Analysis . . . 8
2.8.5 Overstrength Factor . . . 8
2.9 Fatigue Load . . . 9
2.9.1 Scope . . . 9
2.9.2 General Requirements . . . 9
2.10 Stiffness Requirement . . . 9
2.10.1 Scope . . . 9
2.10.2 General Requirements . . . 9

3 STEEL DESIGN . . . 11
3.1 Scope . . . 11
3.2 Symbols . . . 11
3.3 Analysis . . . 11
3.4 Design Strength . . . 11
3.5 Materials . . . 12
3.5.1 Prequalified Structural Steel Material . . . 12
3.5.1.1 Supplementary Requirements . . . 12
3.5.2 Other Structural Steel Material . . . 12
3.5.3 Fasteners . . . 12
3.5.4 Anchor Rods . . . 12
3.5.5 Test Reports . . . 12

3.6 Corrosion Control . . . 12
3.6.1 Members and Components. . . . 12
3.6.2 Fasteners . . . 12
3.6.3 Anchor Rods . . . 12
3.6.4 Direct Embed Foundations. . . . 12
3.7 Member Properties . . . 12
3.7.1 Round Members . . . 13
3.7.2 Multisided Members . . . 13
3.8 Effective Yield Strengths . . . 13
3.8.1 Tubular Round Members . . . 13
3.8.2 Multisided Members . . . 13
3.9 Tubular Pole Design Strength . . . 13
3.9.1 Combined Axial Force, Shear, and Moments . . . 13
3.9.1.1 Nominal Axial Compressive Strength . . . 13
3.9.1.2 Nominal Flexural Strength . . . 14
3.9.1.3 Nominal Shear and Torsional Strengths . . . 14
3.10 Connections . . . 14
3.10.1 Pole Slip Splices . . . 14
3.10.2 Flange Plates . . . 14
3.10.2.1 Socketed Connections . . . 15
3.10.2.2 Butt-Welded Connections . . . 15
3.11 Components and Attachments . . . 15
3.12 Anchor Rod Strength. . . . 15

4 FATIGUE DESIGN . . . 17
4.1 Scope . . . 17
4.2 Symbols . . . 17
4.3 Fatigue Analysis . . . 17
4.4 Fatigue Thresholds . . . 17
4.4.1 Pole Sections . . . 17
4.4.2 Slip Splices . . . 17
4.4.3 Circumferential Welds . . . 20
4.4.4 Welded Attachments . . . 20
4.4.5 Reinforced Holes and Cutouts . . . 20
4.4.6 Unreinforced Holes and Cutouts. . . . 20
4.4.7 Pole-to-Flange Plate Connections . . . 21
4.4.7.1 Effective Center Opening Diameter . . . 21
4.4.7.2 Stiffener Connection with Flange Plates. . . . 22
4.4.8 Anchor Rods . . . 22
4.4.9 Bolts . . . 22
4.5 Miscellaneous Fatigue Strength Requirements . . . 22
4.5.1 Pole Cross Sections . . . 22
4.5.2 Holes and Cutouts . . . 22
4.5.3 Flange Plates . . . 23
4.5.4 Butt-Welded Pole-to-Flange Plate Connections . . . 23
4.5.5 Socketed Pole-to-Flange Plate Connections . . . 23
4.5.6 Stiffened Pole-to-Flange Plate Connections . . . 23
4.5.7 Foundations . . . 23

5 FOUNDATION DESIGN . . . 25
5.1 Scope . . . 25
5.2 Symbols . . . 25
5.3 General . . . 25
5.3.1 Foundation Analysis . . . 25
5.3.2 Longitudinal Reinforcement . . . 25
5.3.3 Transverse Reinforcement . . . 26
5.3.4 Shrinkage and Temperature Reinforcement . . . 26
5.4 Site Investigation . . . 26
5.4.1 Concrete Mix Design . . . 26
5.4.2 Frost Depth. . . . 26
5.4.3 Expansive Soil . . . 26
5.4.4 High Water Table . . . 27

5.5 Drilled Shaft and Direct Embed Foundations . . . 27
5.5.1 Direct Embed Effective Foundation Diameter . . . 27
5.6 Mat Foundations . . . 27
5.7 Corrosion Control . . . 27
5.7.1 Direct Embed Steel Sections. . . . 27
5.7.1.1 Ground Sleeves. . . . 28
5.7.2 Direct Embed Precast Concrete Sections . . . 28
5.8 Design Strength of Soil or Rock . . . 28
5.9 Development of Anchor Rods . . . 28
5.9.1 Deformed Anchor Rods . . . 28
5.9.2 Headed Anchor Rods . . . 28
5.10 Seismic Considerations. . . . 29
5.10.1 Longitudinal Reinforcement . . . 29
5.10.2 Transverse Reinforcement . . . 29
5.10.3 Batter Piles . . . 29

6 FABRICATION . . . 31
6.1 Scope . . . 31
6.2 General . . . 31
6.3 Materials . . . 31
6.4 Welding. . . . 31
6.4.1 Tack Welds. . . . 31
6.4.2 Seam Welds . . . 31
6.4.3 Backing. . . . 31
6.4.4 Fit-Up . . . 31
6.4.5 Anchor Rods . . . 31
6.4.6 Weld Inspections . . . 32
6.4.6.1 Ultrasonic Testing . . . 32
6.5 Shearing . . . 32
6.6 Burning . . . 32
6.7 Punching Holes. . . . 32
6.8 Forming. . . . 32
6.9 Galvanizing . . . 32
6.10 Additional Coatings . . . 32
6.11 Fabrication Tolerances . . . 33

7 INSTALLATION . . . 35
7.1 Scope . . . 35
7.2 General . . . 35
7.3 Direct Embed Foundations . . . 35
7.4 Drilled Shaft Foundations . . . 35
7.5 Anchor Rods . . . 35
7.5.1 Anchor Rod Tightening . . . 36
7.6 Pole Slip Splices . . . 36
7.7 Pole Flange Plate Splices . . . 36
7.8 Miscellaneous Bolted Connections . . . 37
7.9 Installation Tolerances . . . 37

8 INSPECTIONS, ASSESSMENTS, AND MAINTENANCE . . . 39
8.1 Scope . . . 39
8.2 Initial Construction Inspections . . . 39
8.3 Periodic Condition Assessments . . . 39
8.3.1 Evaluation of Dents in Steel Poles . . . 40
8.4 Damage Assessments . . . 40
8.5 Additional Examination Requirements . . . 40
8.6 Maintenance . . . 40
8.6.1 Grouted Base Flange Plates . . . 40

APPENDIX A GEOTECHNICAL INVESTIGATIONS . . . 43

APPENDIX B DAMAGE AND CONDITION ASSESSMENT EXAMPLES . . . 45

COMMENTARY TO STANDARD ASCE/SEI 72-21 . . . 49
C1 General . . . 49
C1.1 Scope . . . 49
C2 Loads . . . 51
C2.1 Scope . . . 51
C2.3 Classification of Structures . . . 51
C2.4 Combinations of Loads . . . 51
C2.7.1 Scope . . . 51
C2.7.3 General Requirements . . . 51
C2.7.5 Strength Design of Supporting Structures . . . 51
C2.7.5.2.1 Effective Projected Area of Fixtures . . . 51
C2.7.5.3 Design Wind Force Applied to Mounting Systems . . . 51
C2.9.1 Scope . . . 51
C2.9.2 General Requirements . . . 51
C3 Steel Design . . . 53
C3.3 Analysis . . . 53
C3.4 Design Strength . . . 53
C3.5 Materials . . . 53
C3.6.3 Anchor Rods . . . 53
C3.12 Anchor Rod Strength . . . 53
C4 Fatigue Design . . . 55
C4.1 Scope . . . 55
C4.3 Fatigue Analysis . . . 55
C4.4.7.2 Stiffener Connection with Flange Plates . . . 55
C4.4.8 Anchor Rods . . . 55
C4.4.9 Bolts . . . 55
C4.5.6 Stiffened Pole-to-Flange-Plate Connections . . . 55
C5 Foundation Design . . . 57
C5.3 General . . . 57
C5.4 Site Investigation . . . 57
C5.10 Seismic Considerations . . . 57
C6 Fabrication . . . 59
C6.3 Materials . . . 59
C6.4.6 Weld Inspections . . . 59
C6.7 Punching Holes . . . 59
C6.8 Forming . . . 59
C6.9 Galvanizing . . . 59
C6.10 Additional Coatings . . . 60
C7 Installation . . . 61
C7.2 General . . . 61
C7.3 Direct Embed Foundations . . . 61
C7.5 Anchor Rods . . . 61
C7.5.1 Anchor Rod Tightening . . . 61
C7.9 Installation Tolerances . . . 61
C8 Inspections, Assessments, and Maintenance . . . 63
C8.1 Scope . . . 63
C8.3 Periodic Condition Assessments . . . 63
C8.3.1 Evaluation of Dents in Steel Poles . . . 63
C8.5 Additional Examination Requirements . . . 63
C8.6 Maintenance . . . 64
C8.6.1 Grouted Base Flange Plates . . . 64

REFERENCES . . . 65

INDEX . . . 67

PREFACE

Lighting system support structures (primarily cold-formed single- and multi-pole tubular steel structures) differ from buildings in many performance-related characteristics. But, like buildings, lighting systems support structures are a critical public safety issue if they are not properly specified, designed, fabricated, installed, and actively inspected and routinely maintained by competent professionals. Current practices related to support structures of this type have been inconsistently developed and even more inconsistently applied, rendering many of those practices confusing—and even worse—ill-advised. The catastrophic failure of dozens of lighting system support structures around the country and the removal from service of hundreds more as a precaution in view of faulty or incomplete specifications for design, fabrication, installation, or ongoing maintenance prompted several members of ASCE's Structural Engineering Institute to begin development of this document in the interest of improving public safety related to these structures. This consensus standard has been specifically written to unify the core body of best practice knowledge available in the structural engineering community and to provide public and private agencies, practicing engineers, installers, and facility owners a consistent roadmap for the safe specification, design, fabrication, installation, and ongoing maintenance of structural supports of this type.

The standard includes design parameters applicable to self-supporting structures, with base plates for installation on a concrete pier foundation, or as direct embedded, backfilled poles with the base section being either steel or concrete. The standard provides for the proper specification and/or development of the various loads and load combinations to be applied to support structures of this type, as well as safe load resistance requirements. Special design issues for these structures include structure deflection, vibration, and fatigue. Issues related to fabrication and installation, as well as critical ongoing inspection and maintenance best practices, are also addressed.

ACKNOWLEDGMENTS

The Structural Engineering Institute of ASCE acknowledges the devoted efforts of the Design of Steel Lighting System Support Structures Committee of the Codes and Activities Division. This group was composed of individuals with a variety of backgrounds and interests, including structure supply, consulting engineering, construction, and academic and education, who have contributed many hundreds of volunteer hours to develop this important standard.

These committee members participated in developing this standard:

Brian R. Reese, *Chair*
Carl J. Macchietto, *Vice-Chair*
Beth L. McCoy, *Secretary*
George H. Brammer
David G. Brinker
Mark Dejong
Martin L. De la Rosa
John R. Erichsen
Jerrod K. Franklin
Travis Haskin
David W. Hawkins
Patrick Joyce
Carl Kempkes
Simon W. Leland
Corey Lines
Ajay Kumar Mallik
E. Mark Malouf
Dylan Menes
Michael R. Morel
Vichien Nopratvarakorn
Wesley J. Oliphant
Aaron C. Poot
Sougata Roy
Tom Schepke
James R. Sutphen
Zach Thiemann

CHAPTER 1
GENERAL

1.1 SCOPE

Lighting system support structures have unique design and performance-related characteristics.

This standard provides recognized literature for the structural design, fabrication, installation, inspection, and maintenance of cold-formed single and multiple-section tubular steel lighting system support pole structures.

The standard is applicable to self-supporting poles with base plates supported on foundations with anchor rods, and to poles without a base plate supported on direct embedded, backfilled steel or concrete sections. This standard applies to round and symmetrical multisided cross section galvanized steel poles.

Minimum design criteria are specified, including combinations of loadings, strength requirements, deflection limitations, and fatigue strength considerations. Guidelines for fabrication, installation, inspection, and maintenance are also provided.

The design, fabrication, and installation provisions of this standard are intended for new structures.

Means and methods for construction are not within the scope of this standard.

1.2 DEFINITIONS

Azimuth of Lighting Fixture: Direction in a horizontal plane that a lighting fixture is pointed to result in the desired lighting intensity.

Ballast: Electrical device used for starting and regulating lighting fixtures, either integral to a lighting fixture or mounted remotely.

Corrosive Soil: Soil identified in a geotechnical report as being corrosive to concrete or steel.

Design Strength: Product of nominal strength and a resistance factor.

Direct Embed Foundation: Steel pole or precast concrete section extending below grade and acting as the foundation.

Discrete Appurtenance: Remote ballasts, speakers, signs, anticlimbing devices, or other similar attached items that may be modeled as a concentrated load.

Effective Projected Area: Projected area of an object multiplied by a drag coefficient.

Elastic Structural Analysis: Structural analysis based on the members of the structural model not exceeding their yield strength, resulting in the structure returning to its original geometry after the removal of loading.

Equivalent Constant-Amplitude Stress Range: Constant-amplitude nominal stress range that is theoretically equivalent, with respect to fatigue damage, to a lifetime of variable cyclic stress ranges from wind loading.

Fatigue Failure: Visible crack growth from cyclic loading to an extent that the structure cannot be safely used in service.

Fatigue Limit State Static Pressure Range: Damage-equivalent wind pressure for determining nominal stresses in structural members and components for the investigation of fatigue strength.

Fatigue Threshold: Stress range below which a particular detail can withstand an infinite number of stress cycles without fatigue failure.

Fixture Projected Area: Maximum fixture area projected onto a vertical plane within the range of working tilt angles prescribed by the fixture manufacturer.

Flange Plate: Base or intermediate exterior flange welded to a tubular pole structure.

Foundation: Substructure or extension of the superstructure designed to transmit reactions to the underlying soil or rock.

Headed Anchor Rod: Deformed or a smooth bar with an attached end plate or nut.

High-Risk Seismic Location: Location where the spectral response acceleration parameter at short periods defined by ASCE 7-16 exceeds 1.0.

Lens: Surface from which light is emitted from a lighting fixture.

Lighting Fixture: Enclosure with a lens to focus light in a specific direction.

Lighting Fixture Mounting Plane: Vertical plane generally containing a group of lighting fixtures, or, for a single lighting fixture, the vertical plane normal to the azimuth of the lighting fixture.

Lighting System: Combination of lighting fixtures and support members.

Linear Appurtenance: Coax, conduit, lines, ladders, safety climb devices, step bolts, brackets, or other continuous or regularly spaced attachments that may be modeled as a distributed load.

Mounting Components: Components used to mount a lighting fixture to a mounting pipe, frame, or other mounting system.

Mounting System: Structural members used to support lighting fixtures on a supporting structure.

Nominal Strength: Capacity of a structure or member to resist the effect of loads without a resistance factor applied.

Nominal Stress: Stress in a member or component based on its cross-sectional properties without the use of magnification or stress concentration factors.

Resistance Factor: Factor applied to the nominal strength to obtain the design strength that accounts for the unavoidable deviations of the nominal strength from the actual strength and for the manner and consequence of failure. Also referred to as a strength reduction factor.

Service Basket: Mounting system that accommodates service personnel.

Tilt Angle: Acute angle in a vertical plane between a line normal to a lens of a mounted lighting fixture and the horizon.

Visor: Component used to minimize light scatter and/or to improve the aerodynamic profile of a lighting fixture.