ASCE Manuals and Reports on Engineering Practice No. 114



Performance-Based Design of Structural Steel for Fire Conditions

A CALCULATION METHODOLOGY

ASCE

SEI
Structural Engineering Institute
of the American Society of Civil Engineers

ASCE Manuals and Reports on Engineering Practice No. 114

Performance-Based Design of Structural Steel for Fire Conditions

A Calculation Methodology

Prepared by the
Special Design Issues—Fire Protection Committee of the
Structural Engineering Institute of the
American Society of Civil Engineers

Edited by
David L. Parkinson, P.Eng., FPE
Venkatesh Kodur, Ph.D., P.E.
Paul D. Sullivan, P.E., FPE

ASCE American Society of Civil Engineers

SEI Structural Engineering Institute of the American Society of Civil Engineers

Library of Congress Cataloging-in-Publication Data

Performance-based design of structural steel for fire conditions: a calculation methodology /prepared by the Special Design Issues—Fire Protection Committee of the Structural Engineering Institute of the American Society of Civil Engineers; edited by David L. Parkinson, Venkatesh Kodur, Paul D. Sullivan.

p. cm.

Includes bibliographical references and index.

ISBN 978-0-7844-0963-3

1. Building, Fireproof—Mathematics. 2. Building, Iron and Steel—Mathematics. 3. Structural engineering—Mathematics. 4. Steel, Structural—Mathematical models. 5. Buildings, Performance—Mathematical models. 6. Engineering mathematics—Formulae. 7. Numerical calculations. I. Parkinson, David L. II. Kodur, Venkatesh. III. Sullivan, Paul D. (Paul David) IV. Structural Engineering Institute. Special Design Issues—Fire Protection Committee.

TH1088.56.P47 2008

693.8'2—dc22

2008036681

Published by American Society of Civil Engineers
1801 Alexander Bell Drive
Reston, Virginia 20191

www.pubs.asce.org

Any statements expressed in these materials are those of the individual authors and do not necessarily represent the views of ASCE, which takes no responsibility for any statement made herein. No reference made in this publication to any specific method, product, process, or service constitutes or implies an endorsement, recommendation, or warranty thereof by ASCE. The materials are for general information only and do not represent a standard of ASCE, nor are they intended as a reference in purchase specifications, contracts, regulations, statutes, or any other legal document.

ASCE makes no representation or warranty of any kind, whether express or implied, concerning the accuracy, completeness, suitability, or utility of any information, apparatus, product, or process discussed in this publication, and assumes no liability therefor. This information should not be used without first securing competent advice with respect to its suitability for any general or specific application. Anyone utilizing this information assumes all liability arising from such use, including but not limited to infringement of any patent or patents.

ASCE and American Society of Civil Engineers—Registered in U.S. Patent and Trademark Office.

Photocopies and reprints. You can obtain instant permission to photocopy ASCE publications by using ASCE's online permission service (http://pubs.asce.org/permissions/requests/). Requests for 100 copies or more should be submitted to the Reprints Department, Publications Division, ASCE (address above); e-mail: permissions@asce.org. A reprint order form can be found at http://pubs.asce.org/support/reprints/.

Copyright © 2009 by the American Society of Civil Engineers.
All Rights Reserved.
ISBN 13: 978-0-7844-0963-3
Manufactured in the United States of America.

16 15 14 13 12 11 10 09 1 2 3 4 5

MANUALS AND REPORTS ON ENGINEERING PRACTICE

(As developed by the ASCE Technical Procedures Committee, July 1930, and revised March 1935, February 1962, and April 1982)

A manual or report in this series consists of an orderly presentation of facts on a particular subject, supplemented by an analysis of limitations and applications of these facts. It contains information useful to the average engineer in his or her everyday work, rather than findings that may be useful only occasionally or rarely. It is not in any sense a "standard," however; nor is it so elementary or so conclusive as to provide a "rule of thumb" for nonengineers.

Furthermore, material in this series, in distinction from a paper (which expresses only one person's observations or opinions), is the work of a committee or group selected to assemble and express information on a specific topic. As often as practicable, the committee is under the direction of one or more of the Technical Divisions and Councils, and the product evolved has been subjected to review by the Executive Committee of the Division or Council. As a step in the process of this review, proposed manuscripts are often brought before the members of the Technical Divisions and Councils for comment, which may serve as the basis for improvement. When published, each work shows the names of the committees by which it was compiled and indicates clearly the several processes through which it has passed in review, in order that its merit may be definitely understood.

In February 1962 (and revised in April 1982) the Board of Direction voted to establish a series entitled "Manuals and Reports on Engineering Practice," to include the Manuals published and authorized to date, future Manuals of Professional Practice, and Reports on Engineering Practice. All such Manual or Report material of the Society would have been refereed in a manner approved by the Board Committee on Publications and would be bound, with applicable discussion, in books similar to past Manuals. Numbering would be consecutive and would be a continuation of present Manual numbers. In some cases of reports of joint committees, bypassing of Journal publications may be authorized.

MANUALS AND REPORTS ON ENGINEERING PRACTICE CURRENTLY AVAILABLE

No	*Title*
40	Ground Water Management
45	Consulting Engineering: A Guide for the Engagement of Engineering Services
49	Urban Planning Guide
50	Planning and Design Guidelines for Small Craft Harbors
54	Sedimentation Engineering
57	Management, Operation and Maintenance of Irrigation and Drainage Systems
60	Gravity Sanitary Sewer Design and Construction, Second Edition
62	Existing Sewer Evaluation and Rehabilitation
66	Structural Plastics Selection Manual
67	Wind Tunnel Studies of Buildings and Structures
68	Aeration: A Wastewater Treatment Process
71	Agricultural Salinity Assessment and Management
73	Quality in the Constructed Project: A Guide for Owners, Designers, and Constructors
77	Design and Construction of Urban Stormwater Management Systems
80	Ship Channel Design
81	Guidelines for Cloud Seeding to Augment Precipitation
82	Odor Control in Wastewater Treatment Plants
84	Mechanical Connections in Wood Structures
85	Quality of Ground Water
91	Design of Guyed Electrical Transmission Structures

No.	*Title*
93	Crane Safety on Construction Sites
94	Inland Navigation: Locks, Dams, and Channels
95	Urban Subsurface Drainage
97	Hydraulic Modeling: Concepts and Practice
98	Conveyance of Residuals from Water and Wastewater Treatment
100	Groundwater Contamination by Organic Pollutants: Analysis and Remediation
101	Underwater Investigations
103	Guide to Hiring and Retaining Great Civil Engineers
104	Recommended Practice for Fiber-Reinforced Polymer Products for Overhead Utility Line Structures
105	Animal Waste Containment in Lagoons
106	Horizontal Auger Boring Projects
107	Ship Channel Design and Operation
108	Pipeline Design for Installation by Horizontal Directional Drilling
109	Biological Nutrient Removal (BNR) Operation in Wastewater Treatment Plants
110	Sedimentation Engineering: Processes, Measurements, Modeling, and Practice
111	Reliability-Based Design of Utility Pole Structures
112	Pipe Bursting Projects
113	Substation Structure Design Guide
114	Performance-Based Design of Structural Steel for Fire Conditions
115	Pipe Ramming Projects
116	Navigation Engineering Practice and Ethical Standards

CONTENTS

FOREWORD . . . . . **vii**

1 DESIGN MANUAL **1**

1.1 Selection of Compartments or Areas to Design 1
1.2 Determination of Compartment Fuel Loads 2
1.3 Predicted Compartment Fire Time–Temperature Relationship 3
1.4 Predicted Steel Time–Temperature Relationship 5
1.5 Worked Example 7

2 CURRENT APPROACH TO STRUCTURAL FIRE SAFETY **23**

2.1 History of the Standard Test Methods 25

3 THE PERFORMANCE-BASED DESIGN PHILOSOPHY **29**

4 FIRE SCENARIO DEVELOPMENT **35**

4.1 Compartment Fires 35
4.2 Ventilation-Controlled Vs. Fuel-Controlled Fires 39
4.3 Room Fuel Load 40

5 FULLY DEVELOPED FIRE MODELING **45**

5.1 T-Equivalent Concept 45
5.2 Parametric Fire Curves 49

6 BASIC CONCEPTS OF STRUCTURAL FIRE DESIGN 65

6.1 Role of the Structural Engineer Vs. the Fire Protection Engineer 65
6.2 Specific Calculation Requirements. 66
6.3 Behavior of Steel under Fire Conditions. 67
6.4 Critical Temperatures 68
6.5 Time–Temperature History of Fire-Exposed Members 69

7 FUTURE WORK 79

APPENDIX A REVIEW OF THE STANDARD TEST 81

A.1 Influence of Standard Fire Test Time–Temperature Curve on Test Specimen 81
A.2 Influence of Loading and Restraint of the Structural Member in the Test Chamber 82
A.3 Influence of Material Properties. 83
A.4 Influence of Furnace Construction. 84

APPENDIX B DERIVATION OF ROOM FUEL LOAD EQUATION 85

APPENDIX C FUNDAMENTAL HEAT BALANCE EQUATIONS FOR A COMPARTMENT FIRE. 109

C.1 Fundamental Heat Balance Equation 109
C.2 $\dot{q}_R$: Rate of Radiative Heat Loss through the Ventilation Opening 110
C.3 $\dot{q}_W$: Rate of Heat Loss through Compartment Boundaries 110
C.4 $\dot{q}_L$: Rate of Convective Heat Loss Out Opening. 114
C.5 $\dot{q}_C$: Rate of Combustion Heat Release 115

APPENDIX D CALCULATION OF PLENUM TEMPERATURE FOR STRUCTURAL STEEL PROTECTED BY A SUSPENDED CEILING 117

D.1 Calculation of Plenum Temperatures 117

REFERENCES 119

INDEX 123

FOREWORD

Currently the designers of buildings in North America rely on the results of standard fire tests to ensure that building structures meet the fire resistance rating (FRR) requirements prescribed by national building codes. Under this approach there is generally no requirement to engineer a solution to the required structural fire safety of a building (i.e., a designer need merely demonstrate compliance with the solutions prescribed in the national building codes). In other areas of building design such as mechanical and structural, designers are permitted to rely on "good engineering practices." With the development of performance-based building codes throughout North America, it is important that the design community has the tools necessary to take advantage of these new codes, which should enable the fire protection design of structural systems based on "good engineering practices." In Europe, New Zealand, and Australia, performance-based requirements have been in place for several years. The benefit provided by these codes is to enable designers to create buildings that meet the implied safety standards of the historical prescriptive codes, which might otherwise prove to be a difficult task without a performance-based framework in place. Advanced research and development has resulted in the development of engineering tools that provide a real understanding of the structural response to fire. This allows a robust approach to designing structures to withstand fire.

In order to provide structural engineers with these tools, a method is being proposed here that will facilitate the design of structural steel for fire conditions using a performance-based approach. This approach is simplistic in nature and only considers a two-dimensional thermal response of structural steel to the fire. There are models available for the determination of the three-dimensional thermostructural response to fire that have been used in other areas of the world for many years. However, building designers and Authorities Having Jurisdiction in these areas

have had more time to become familiar with the use of performance-based designs. It is felt that the use of a method that predicts performance on the basis of limiting temperature alone will be conservative. Attempts to predict the likelihood of failure through more complicated mechanical interactions could produce more exact results but may complicate the process at this initial stage in the transformation to a performance-based regime in North America. In time, these matters may be incorporated into the framework of this approach as they become more accepted.

The mathematical models presented here are not new and some date back to the 1960s; however, they do offer a simple engineering approach to building structural fire safety. These approaches have been shown in the past to correlate well to experimental data. The method proposed here allows the designer to predict the time–temperature relationship expected in a compartment fire with a reasonable level of conservatism. Based on the compartment fire time–temperature relationship, the time for structural steel to reach the critical temperature can be calculated for comparison to the FRRs prescribed in the building codes. This, in turn, can be used to determine the required level of protection so that the time taken to reach the critical temperature is greater than the prescribed FRR. Also, a method is presented here that will allow the user to predict the expected maximum suspended ceiling temperature, to verify that the ceiling will remain intact for the duration of the fire. Finally, a method is presented here to calculate the required FRR for non-load-bearing partitions that form part of a fire-rated partition.

Donald O. Dusenberry, P.E.
Senior Principal
Simpson Gumpertz & Heger

CHAPTER 1
DESIGN MANUAL

This chapter summarizes the calculation methodology proposed for the design of structural steel for fire conditions using a performance-based approach. It should be noted, however, that this chapter only summarizes the final equations to be used in a step-by-step manner. For a full derivation of the methodology, Chapters 2 through 7 and the appendices, which provide significant detail into the development of the methodology, should be reviewed. Nomenclature for all terms is at the end of this chapter.

1.1 SELECTION OF COMPARTMENTS OR AREAS TO DESIGN

For a proposed or existing building, the structural and fire protection engineers must collaborate to develop a list of possible locations where the start of a fire could lead to significant impact on the structural integrity of the building. To do this, the structural engineer must describe the structural system design approach to identify particular structural components that may be critical to the building's stability. At the same time the fire protection engineer must, with an understanding of the expected occupancy, determine the areas where fuel loads and the probability of flashover may be high.

It is unlikely that the area with the most critical structural nature will be the same as the area with the highest potential fire risk. Therefore, multiple compartments should be analyzed with a view to predict the range of fire scenarios that might reasonably be expected at any point throughout the building, thereby developing a range of possible structural fire scenarios. By doing this the designers can be assured that when the analysis is complete, the structural system has been adequately designed for probable and realistic fire scenarios.