## CONTENTS

FOREWORD ..... 10
1 PURPOSE ..... 12
2 SCOPE ..... 12
3 DEFINITIONS ..... 12
3.1 Terms Adopted from International Standards ..... 12
3.2 Terms Defined for this Standard ..... 13
3.3 Abbreviations and Acronyms Used in this Standard ..... 19
4 BACnet PROTOCOL ARCHITECTURE ..... 22
4.1 The BACnet Collapsed Architecture ..... 23
4.2 BACnet Network Topology ..... 25
4.3 Security ..... 25
5 THE APPLICATION LAYER ..... 27
5.1 The Application Layer Model ..... 27
5.2 Segmentation of BACnet Messages ..... 32
5.3 Transmission of BACnet APDUs ..... 33
5.4 Application Protocol State Machines ..... 37
5.5 Application Protocol Time Sequence Diagrams ..... 54
5.6 Application Layer Service Conventions ..... 62
6 THE NETWORK LAYER ..... 63
6.1 Network Layer Service Specification ..... 63
6.2 Network Layer PDU Structure ..... 65
6.3 Messages for Multiple Recipients ..... 71
6.4 Network Layer Protocol Messages ..... 71
6.5 Network Layer Procedures ..... 75
6.6 BACnet Routers ..... 77
6.7 Point-To-Point Half-Routers ..... 82
7 DATA LINK/PHYSICAL LAYERS: Ethernet (ISO 8802-3) LAN ..... 86
7.1 The Use of ISO 8802-2 Logical Link Control (LLC) ..... 86
7.2 Parameters Required by the LLC Primitives ..... 86
7.3 Parameters Required by the MAC Primitives ..... 86
7.4 Physical Media ..... 86
8 DATA LINK/PHYSICAL LAYERS: ARCNET (ATA 878.1) LAN ..... 87
8.1 The Use of ISO 8802-2 Logical Link Control (LLC) ..... 87
8.2 Parameters Required by the LLC Primitives ..... 87
8.3 Mapping the LLC Services to the ARCNET MAC Layer ..... 87
8.4 Parameters Required by the MAC Primitives ..... 87
8.5 Physical Media ..... 87
9 DATA LINK/PHYSICAL LAYERS: MULTIDROP SERIAL BUS/TOKEN PASSING (MS/TP) LAN ..... 89
9.1 Service Specification ..... 89
9.2 Physical Layer ..... 91
9.3 MS/TP Frame Format ..... 102
9.4 Overview of the MS/TP Network ..... 104
9.5 MS/TP Medium Access Control ..... 105
9.6 Cyclic Redundancy Check (CRC) ..... 124
9.7 Interfacing MS/TP LANs with Other BACnet LANs ..... 126
9.8 Responding BACnet User Processing of Messages from MS/TP ..... 126
9.9 Repeaters ..... 126
9.10 COBS (Consistent Overhead Byte Stuffing) Encoding ..... 128
9.11 Documenting MS/TP Node Design Choices ..... 131
10 DATA LINK/PHYSICAL LAYERS: POINT-TO-POINT (PTP) ..... 133
10.1 Overview ..... 133
10.2 Service Specification ..... 133
10.3 Point-to-Point Frame Format ..... 137
10.4 PTP Medium Access Control Protocol ..... 140
11 DATA LINK/PHYSICAL LAYERS: LonTalk (ISO/IEC 14908.1) LAN ..... 161

11.1 The Use of ISO 8802-2 Logical Link Control (LLC) ..... 161
11.2 Parameters Required by the LLC Primitives ..... 161
11.3 Mapping the LLC Services to the LonTalk Application Layer ..... 161
11.4 Parameters Required by the Application Layer Primitives ..... 161
11.5 Physical Media ..... 162
12 MODELING CONTROL DEVICES AS A COLLECTION OF OBJECTS ..... 163
12.1 Object Characteristics and Requirements ..... 163
12.2 Analog Input Object Type ..... 170
12.3 Analog Output Object Type ..... 177
12.4 Analog Value Object Type ..... 184
12.5 Averaging Object Type ..... 192
12.6 Binary Input Object Type ..... 196
12.7 Binary Output Object Type ..... 203
12.8 Binary Value Object Type ..... 211
12.9 Calendar Object Type ..... 219
12.10 Command Object Type ..... 221
12.11 Device Object Type ..... 227
12.12 Event Enrollment Object Type ..... 242
12.13 File Object Type ..... 251
12.14 Group Object Type ..... 254
12.15 Life Safety Point Object Type ..... 256
12.16 Life Safety Zone Object Type ..... 263
12.17 Loop Object Type ..... 270
12.18 Multi-state Input Object Type ..... 280
12.19 Multi-state Output Object Type ..... 286
12.20 Multi-state Value Object Type ..... 293
12.21 Notification Class Object Type ..... 300
12.22 Program Object Type ..... 306
12.23 Pulse Converter Object Type ..... 313
12.24 Schedule Object Type ..... 320
12.25 Trend Log Object Type ..... 327
12.26 Access Door Object Type ..... 337
12.27 Event Log Object Type ..... 346
12.28 Load Control Object Type ..... 353
12.29 Structured View Object Type ..... 363
12.30 Trend Log Multiple Object Type ..... 368
12.31 Access Point Object Type ..... 377
12.32 Access Zone Object Type ..... 394
12.33 Access User Object Type ..... 402
12.34 Access Rights Object Type ..... 406
12.35 Access Credential Object Type ..... 412
12.36 Credential Data Input Object Type ..... 421
12.37 CharacterString Value Object Type ..... 427
12.38 DateTime Value Object Type ..... 434
12.39 Large Analog Value Object Type ..... 440
12.40 BitString Value Object Type ..... 448
12.41 OctetString Value Object Type ..... 454
12.42 Time Value Object Type ..... 458
12.43 Integer Value Object Type ..... 464
12.44 Positive Integer Value Object Type ..... 472
12.45 Date Value Object Type ..... 480
12.46 DateTime Pattern Value Object Type ..... 486
12.47 Time Pattern Value Object Type ..... 492
12.48 Date Pattern Value Object Type ..... 498
12.49 Deleted Clause ..... 504
12.50 Global Group Object Type ..... 505

12.51 Notification Forwarder Object Type ..... 512
12.52 Alert Enrollment Object Type ..... 519
12.53 Channel Object Type ..... 523
12.54 Lighting Output Object Type ..... 533
12.55 Binary Lighting Output Object Type ..... 550
12.56 Network Port Object Type ..... 561
12.57 Timer Object Type ..... 601
12.58 Elevator Group Object Type ..... 613
12.59 Lift Object Type ..... 617
12.60 Escalator Object Type ..... 629
12.61 Accumulator Object Type ..... 636
12.62 Staging Object Type ..... 645
12.63 Audit Reporter Object Type ..... 654
12.64 Audit Log Object Type ..... 659
12.65 Color Object Type ..... 666
12.66 Color Temperature Object Type ..... 672
13 ALARM AND EVENT SERVICES ..... 679
13.1 Change of Value Reporting ..... 679
13.2 Event Reporting ..... 684
13.3 Event Algorithms ..... 696
13.4 Fault Algorithms ..... 725
13.5 AcknowledgeAlarm Service ..... 732
13.6 ConfirmedCOVNotification Service ..... 734
13.7 UnconfirmedCOVNotification Service ..... 736
13.8 ConfirmedEventNotification Service ..... 737
13.9 UnconfirmedEventNotification Service ..... 740
13.10 GetAlarmSummary Service ..... 743
13.11 GetEnrollmentSummary Service ..... 745
13.12 GetEventInformation Service ..... 748
13.13 LifeSafetyOperation Service ..... 750
13.14 SubscribeCOV Service ..... 752
13.15 SubscribeCOVProperty Service ..... 755
13.16 SubscribeCOVPropertyMultiple Service ..... 758
13.17 ConfirmedCOVNotificationMultiple Service ..... 763
13.18 UnconfirmedCOVNotificationMultiple Service ..... 766
13.19 AuditLogQuery ..... 768
13.20 ConfirmedAuditNotification ..... 772
13.21 UnconfirmedAuditNotification ..... 773
14 FILE ACCESS SERVICES ..... 774
14.1 AtomicReadFile Service ..... 774
14.2 AtomicWriteFile Service ..... 777
15 OBJECT ACCESS SERVICES ..... 780
15.1 AddListElement Service ..... 780
15.2 RemoveListElement Service ..... 782
15.3 CreateObject Service ..... 784
15.4 DeleteObject Service ..... 787
15.5 ReadProperty Service ..... 788
15.6 Deleted Clause ..... 790
15.7 ReadPropertyMultiple Service ..... 791
15.8 ReadRange Service ..... 794
15.9 WriteProperty Service ..... 801
15.10 WritePropertyMultiple Service ..... 803
15.11 WriteGroup Service ..... 806
16 REMOTE DEVICE MANAGEMENT SERVICES ..... 808
16.1 DeviceCommunicationControl Service ..... 808
16.2 ConfirmedPrivateTransfer Service ..... 810

16.3 UnconfirmedPrivateTransfer Service ..... 812
16.4 ReinitializeDevice Service ..... 813
16.5 ConfirmedTextMessage Service ..... 815
16.6 UnconfirmedTextMessage Service ..... 817
16.7 TimeSynchronization Service ..... 818
16.8 UTCTimeSynchronization Service ..... 819
16.9 Who-Has and I-Have Services ..... 820
16.10 Who-Is and I-Am Services ..... 822
16.11 Who-Am-I and You-Are Services ..... 824
17 AUTHENTICATION AND AUTHORIZATION SERVICES ..... 826
17.1 Overview ..... 826
17.2 Trust of Intermediaries ..... 827
17.3 Authentication ..... 828
17.4 Authorization ..... 830
17.5 Conformance Requirements ..... 836
17.6 AuthRequest Service ..... 838
18 ERROR, REJECT, and ABORT CODES ..... 841
18.1 Error Class - DEVICE ..... 841
18.2 Error Class - OBJECT ..... 841
18.3 Error Class - PROPERTY ..... 842
18.4 Error Class - RESOURCES ..... 844
18.5 Error Class - SECURITY ..... 844
18.6 Error Class - SERVICES ..... 845
18.7 Error Class - COMMUNICATION ..... 847
18.8 Error Class - VT ..... 851
18.9 Reject Reason ..... 852
18.10 Abort Reason ..... 853
18.11 Confirmed Service Common Errors ..... 853
19 BACnet PROCEDURES ..... 854
19.1 Backup and Restore ..... 854
19.2 Command Prioritization ..... 859
19.3 Device Restart Procedure ..... 864
19.4 Determining Maximum Conveyable APDU ..... 865
19.5 Value Source Mechanism ..... 867
19.6 Audit Logging ..... 869
19.7 Unconfigured Device Discovery and Address Assignment ..... 879
19.8 Replacing Certificates in a BACnet/SC Network ..... 880
19.9 Device Address Proxying ..... 882
20 ENCODING BACnet PROTOCOL DATA UNITS ..... 886
20.1 Encoding the Fixed Part of BACnet APDUs ..... 887
20.2 Encoding the Variable Part of BACnet APDUs ..... 898
21 FORMAL DESCRIPTION OF APPLICATION PROTOCOL DATA UNITS ..... 913
21.1 APDU Definitions ..... 913
21.2 Confirmed Service Productions ..... 915
21.3 Unconfirmed Service Productions ..... 925
21.4 Error Productions ..... 929
21.5 Application Types ..... 941
21.6 Base Types ..... 943
22 CONFORMANCE AND INTEROPERABILITY ..... 1026
22.1 Conformance to BACnet ..... 1026
22.2 BACnet Interoperability ..... 1027
23 EXTENDING BACnet TO ACCOMMODATE VENDOR PROPRIETARY INFORMATION ..... 1029
23.1 Extending Enumeration Values ..... 1029
23.2 Using the PrivateTransfer Services to Invoke Non-Standardized Services ..... 1030
23.3 Adding Proprietary Properties to a Standardized Object ..... 1030
23.4 Adding Proprietary Object Types to BACnet ..... 1031

23.5 Restrictions on Extending BACnet ..... 1031
24 DELETED CLAUSE ..... 1032
25 REFERENCES ..... 1033
ANNEX A - PROTOCOL IMPLEMENTATION CONFORMANCE STATEMENT (NORMATIVE) ..... 1038
ANNEX B - GUIDE TO SPECIFYING BACnet DEVICES (INFORMATIVE) ..... 1042
ANNEX C - Removed ..... 1043
ANNEX D - Removed ..... 1044
ANNEX E - EXAMPLES OF BACnet APPLICATION SERVICES (INFORMATIVE) ..... 1045
E.1 Alarm and Event Services ..... 1045
E.2 File Access Services ..... 1049
E.3 Object Access Services ..... 1051
E.4 Remote Device Management Services ..... 1057
E.5 Virtual Terminal Services ..... 1061
ANNEX F - EXAMPLES OF APDU ENCODING (INFORMATIVE) ..... 1063
F.1 Example Encodings for Alarm and Event Services ..... 1063
F.2 Example Encodings for File Access Services ..... 1074
F.3 Example Encodings for Object Access Services ..... 1076
F.4 Example Encodings for Remote Device Management Services ..... 1086
F.5 Example Encodings for Virtual Terminal Services ..... 1092
ANNEX G - CALCULATION OF CRC (INFORMATIVE) ..... 1095
G.1 Calculation of the Header CRC ..... 1095
G.2 Calculation of the Data CRC ..... 1101
G.3 Calculation of the Encoded CRC-32K ..... 1105
ANNEX H - COMBINING BACnet NETWORKS WITH NON-BACnet NETWORKS (NORMATIVE) ..... 1109
H.1 BACnet Gateways ..... 1109
H.2 Requirements and Best Practices for BACnet Gateway Implementations ..... 1109
H.3 Using BACnet with the DARPA Internet Protocols ..... 1111
H.4 Using BACnet with the IPX Protocol ..... 1113
H.5 Using BACnet with EIB/KNX ..... 1114
H.6 Using BACnet with the Former BACnet/WS Web Services Interface Defined by Annex N ..... 1123
H.7 Virtual MAC Addressing ..... 1125
ANNEX I - COMMANDABLE PROPERTIES WITH MINIMUM ON AND OFF TIMES (INFORMATIVE) ..... 1127
ANNEX J - BACnet/IP (NORMATIVE) ..... 1129
J.1 General ..... 1129
J.2 BACnet Virtual Link Layer ..... 1129
J.3 BACnet/IP Directed Messages ..... 1133
J.4 BACnet/IP Broadcast Messages ..... 1133
J.5 Addition of Foreign B/IP Devices to an Existing B/IP Network ..... 1135
J.6 Routing Between B/IP and non-B/IP BACnet Networks ..... 1136
J.7 Routing Between Two B/IP BACnet Networks ..... 1137
J.8 Use of IP Multicast within BACnet/IP ..... 1142
ANNEX K - BACnet INTEROPERABILITY BUILDING BLOCKS (BIBBs) (NORMATIVE) ..... 1144
K.1 Data Sharing BIBBs ..... 1144
K.2 Alarm and Event Management BIBBs ..... 1162
K.3 Scheduling BIBBs ..... 1174
K.4 Trending BIBBs ..... 1178
K.5 Device Management BIBBs ..... 1181
K.6 Network Management BIBBs ..... 1188
K.7 Gateway BIBBs ..... 1192
K.8 Audit Reporting BIBBs ..... 1192
K.9 Authentication and Authorization BIBBs ..... 1195
ANNEX L - DESCRIPTIONS AND PROFILES OF STANDARDIZED BACnet DEVICES (NORMATIVE) ..... 1196
L.1 Operator Interface Profiles ..... 1196
L.2 Life Safety Operator Interface Profiles ..... 1198
L.3 Access Control Operator Interface Profiles ..... 1201
L.4 Controller Profiles ..... 1203

L.5 Life Safety Controller Profiles ..... 1206
L.6 Access Control Controller Profiles ..... 1207
L.7 Miscellaneous Profiles ..... 1209
L.8 BACnet General (B-GENERAL) Profile ..... 1212
L.9 Lighting Operator Interface Profiles ..... 1213
L.10 Lighting Control Station Profiles ..... 1215
L.11 Lighting Controller Profiles ..... 1216
L.12 Elevator Operator Interface Profiles ..... 1217
L.13 Elevator Controller Profiles ..... 1219
L.14 Authentication and Authorization Profiles ..... 1221
ANNEX M - GUIDE TO EVENT NOTIFICATION PRIORITY ASSIGNMENTS (INFORMATIVE) ..... 1222
M.1 Life Safety Message Group (0 - 31) ..... 1222
M.2 Property Safety Message Group (32 - 63) ..... 1223
M.3 Supervisory Message Group (64 - 95) ..... 1223
M.4 Trouble Message Group (96 - 127) ..... 1224
M.5 Miscellaneous Higher Priority Message Group (128 - 191) ..... 1224
M.6 Miscellaneous Lower Priority Message Group (192 - 255) ..... 1225
ANNEX N - FORMER BACnet/WS WEB SERVICES INTERFACE (INFORMATIVE) ..... 1226
N.1 Data Model ..... 1226
N.2 Paths ..... 1227
N.3 Normalized Points ..... 1227
N.4 Reference Nodes ..... 1228
N.5 Localization ..... 1228
N.6 Security ..... 1228
N.7 Sessions ..... 1229
N.8 Attributes ..... 1229
N.9 Standard Nodes ..... 1234
N.10 Encodings ..... 1234
N.11 Service Options ..... 1235
N.12 Services ..... 1238
N.13 Errors ..... 1254
N.14 Extending BACnet/WS ..... 1255
ANNEX O - BACnet OVER ZigBee AS A DATA LINK LAYER (NORMATIVE) ..... 1256
O.1 General ..... 1256
O.2 ZigBee Overview ..... 1256
O.3 Definitions ..... 1257
O.4 Unicast Addressing ..... 1257
O.5 Broadcast Addressing ..... 1257
O.6 BACnet/ZigBee Data Link Layer (BZLL) ..... 1257
O.7 Maximum Payload Size ..... 1260
O.8 Vendor Specific Commands ..... 1260
ANNEX P - BACnet ENCODING OF STANDARD AUTHENTICATION FACTOR FORMATS (NORMATIVE) ..... 1261
ANNEX Q - XML DATA FORMATS (NORMATIVE) ..... 1266
Q.1 Introduction ..... 1266
Q.2 XML Document Structure ..... 1269
Q.3 Expressing Data ..... 1273
Q.5 Expressing Values ..... 1274
Q.6 Binary Encoding and Access Rules ..... 1275
Q.7 Extensibility ..... 1276
Q.8 BACnet URI Scheme ..... 1276
ANNEX R - MAPPING NETWORK LAYER ERRORS (NORMATIVE) ..... 1278
ANNEX S - Removed ..... 1279
ANNEX T - COBS (CONSISTENT OVERHEAD BYTE STUFFING) FUNCTIONS (INFORMATIVE) ..... 1280
T.1 Preparing a COBS-Encoded MS/TP Frame for Transmission ..... 1280
T.2 Decoding an Extended MS/TP Frame upon Reception ..... 1282
T.3 Example COBS-Encoded Frame - Who-Has Service ..... 1284

ANNEX U - BACnet/IPv6 (NORMATIVE) ..... 1286
U.1 General ..... 1286
U.2 BACnet/IPv6 BACnet Virtual Link Layer ..... 1287
U.3 BACnet/IPv6 Directed Messages ..... 1291
U.4 BACnet/IPv6 Broadcast Messages ..... 1291
U.5 BACnet /IPv6 VMAC Table Management ..... 1296
ANNEX V - MIGRATION FROM SOAP SERVICES (INFORMATIVE) ..... 1297
V.1 Services ..... 1297
V.2 Service Options ..... 1299
ANNEX W - BACnet/WS RESTful WEB SERVICES INTERFACE (NORMATIVE) ..... 1300
W.1 Data Model ..... 1300
W.2 Paths ..... 1300
W.3 Security ..... 1301
W.4 Sessions ..... 1310
W.5 Standard Data Items ..... 1310
W.6 Metadata ..... 1314
W.7 Functions ..... 1314
W.8 Query Parameters ..... 1316
W.9 Representation of Data ..... 1318
W.10 Representation of Metadata ..... 1319
W.11 Representation of Logs ..... 1319
W.12 Filtering Items ..... 1324
W.13 Limiting Number of Items ..... 1326
W.14 Selecting Children ..... 1326
W.15 Controlling Content of Data Representations ..... 1327
W.16 Specifying Ranges ..... 1330
W.17 Localized Values ..... 1332
W.18 Accessing Individual Tags and Bits ..... 1332
W.19 Semantics ..... 1333
W.20 Links and Relationships ..... 1333
W.21 Foreign XML and Other Media Types ..... 1333
W.22 Logical Modeling ..... 1334
W.23 Mapped Modeling ..... 1334
W.24 Commandability ..... 1334
W.25 Writability and Visibility ..... 1335
W.26 Working with Optional Data ..... 1336
W.27 Working with Optional Metadata ..... 1337
W.28 Creating Data ..... 1337
W.29 Setting Data ..... 1338
W.30 Deleting Data ..... 1340
W.31 Parentally Inherited Values ..... 1340
W.32 Concurrency Control ..... 1340
W.33 Server Support for Data Definitions ..... 1341
W.34 Server Support for Metadata ..... 1341
W.35 Client Implementation Guidelines ..... 1342
W.36 Subscriptions ..... 1342
W.37 Reading Multiple Resources ..... 1344
W.38 Writing Multiple Resources ..... 1345
W.39 Mapping of BACnet Systems ..... 1346
W.40 Errors ..... 1349
W.41 Examples ..... 1351
ANNEX X - EXTENDED DISCOVERY OF DEVICES, PROFILES, AND VIEWS (NORMATIVE) ..... 1379
X.1 Profiles ..... 1379
X.2 xdd Files ..... 1380
X.3 Example of Definition of Objects, Properties, and Datatypes ..... 1381
X.4 Views ..... 1383

X.5 PICS Declarations ..... 1388
ANNEX Y - ABSTRACT DATA MODEL (NORMATIVE) ..... 1389
Y.1 Model Components ..... 1389
Y.2 Trees ..... 1391
Y.3 Base Types ..... 1393
Y.4 Common Metadata ..... 1393
Y.5 Named Values ..... 1406
Y.6 Named Bits ..... 1409
Y.7 Primitive Values ..... 1410
Y.8 Range Restrictions ..... 1412
Y.9 Engineering Units ..... 1414
Y.10 Length Restrictions ..... 1415
Y.11 Collections ..... 1416
Y.12 Primitive Data ..... 1419
Y.13 Constructed Data ..... 1422
Y.14 Data of Undefined Type ..... 1426
Y.15 Logical Modeling ..... 1426
Y.16 Links ..... 1426
Y.17 Change Indications ..... 1428
Y.18 Definitions, Types, Instances, and Inheritance ..... 1428
Y.19 Data Revisions ..... 1434
Y.20 BACnet-Specific Base Types ..... 1437
Y.21 BACnet-Specific Metadata ..... 1438
ANNEX Z - JSON DATA FORMATS (NORMATIVE) ..... 1440
Z.1 Introduction ..... 1440
Z.2 JSON Document Structure ..... 1443
Z.3 Expressing Data ..... 1446
Z.4 Expressing Metadata ..... 1447
Z.5 Expressing Values ..... 1448
Z.6 Extensibility ..... 1450
ANNEX AA –FILE FORMATS ..... 1452
AA.1 Time Series Data Exchange File Format (NORMATIVE) ..... 1452
AA.2 Certificate Authority Requirements Interchange File Format (NORMATIVE) ..... 1454
ANNEX AB – BACnet Secure Connect (NORMATIVE) ..... 1457
AB.1 BACnet Secure Connect Data link ..... 1457
AB.2 BACnet/SC Virtual Link Layer Messages ..... 1463
AB.3 BACnet/SC Node Operation ..... 1475
AB.4 Node Switch and Direct Connections ..... 1477
AB.5 Hub Function and Hub Connector ..... 1479
AB.6 BACnet/SC Connections ..... 1483
AB.7 Application of WebSockets in BACnet/SC ..... 1487
ANNEX AC - EXAMPLES OF AUTHENTICATION AND AUTHORIZATION (INFORMATIVE) ..... 1493
AC.1 Authentication Examples ..... 1493
AC.2 Authorization Examples ..... 1495
ANNEX AD - BACNET ENERGY SERVICES INTERFACE (NORMATIVE) ..... 1500
AD.1 Introduction to BACnet ESI ..... 1500
AD.2 BACnet ESI Data Classes ..... 1501
AD.3 Data Access ..... 1502
AD.4 Data Definitions ..... 1503
AD.5 Examples ..... 1505
HISTORY OF REVISIONS ..... 1506

**NOTE**

**Approved addenda, errata, or interpretations for this standard can be downloaded free of charge from the ASHRAE Web site at www.ashrae.org/technology.**

**© 2024 ASHRAE**
180 Technology Parkway · Peachtree Corners, GA 30092 · www.ashrae.org · All rights reserved.

ASHRAE is a registered trademark of the American Society of Heating, Refrigerating and Air-Conditioning Engineers, Inc.

ANSI is a registered trademark of the American National Standards Institute.

BACnet is a registered trademark in the U.S. Patent & Trademark Office, owned by the American Society of Heating, Refrigerating, and Air-Conditioning Engineers, Inc.

**(This foreword is not part of this standard. It is merely informative and does not contain requirements necessary for conformance to the standard. It has not been processed according to the ANSI requirements for a standard and may contain material that has not been subject to public review or a consensus process. Unresolved objectors on informative material are not offered the right to appeal at ASHRAE or ANSI.)**

## FOREWORD

*BACnet, the ASHRAE building automation and control networking protocol, has been designed specifically to meet the communication needs of building automation and control systems for applications such as heating, ventilating, and air-conditioning control, lighting control, access control, and fire detection systems. The BACnet protocol provides mechanisms by which computerized equipment of arbitrary function may exchange information, regardless of the particular building service it performs. As a result, the BACnet protocol may be used by head-end computers, general-purpose direct digital controllers, and application specific or unitary controllers with equal effect.*

*The motivation for this Standard was the widespread desire of building owners and operators for "interoperability," the ability to integrate equipment from different vendors into a coherent automation and control system - and to do so competitively. To accomplish this, the Standard Project Committee (SPC) solicited and received input from dozens of interested firms and individuals; reviewed all relevant national and international data communications standards, whether de facto or the result of committee activity; and spent countless hours in debate and discussion of the pros and cons of each element of the protocol.*

*What has emerged from the committee deliberations is a network protocol model with these principal characteristics:*

*(a) All network devices (except MS/TP subordinates) are peers, but certain peers may have greater privileges and responsibilities than others.*

*(b) Each network device is modeled as a collection of network-accessible, named entities called "objects." Each object is characterized by a set of attributes or "properties." While this Standard prescribes the most widely applicable object types and their properties, implementors are free to create additional object types if desired. Because the object model can be easily extended, it provides a way for BACnet to evolve in a backward compatible manner as the technology and building needs change.*

*(c) Communication is accomplished by reading and writing the properties of particular objects and by the mutually acceptable execution of other protocol "services." While this Standard prescribes a comprehensive set of services, mechanisms are also provided for implementors to create additional services if desired.*

*(d) Because of this Standard's adherence to the ISO concept of a "layered" communication architecture, the same messages may be exchanged using various network access methods and physical media. This means that BACnet networks may be configured to meet a range of speed and throughput requirements with commensurately varying cost. Multiple BACnet networks can be interconnected within the same system forming an internetwork of arbitrarily large size. This flexibility also provides a way for BACnet to embrace new networking technologies as they are developed.*

*BACnet was designed to gracefully improve and evolve as both computer technology and demands of building automation systems change. Upon its original publication in 1995, a Standing Standards Project Committee was formed to deliberate enhancements to the protocol under ASHRAE rules for "continuous maintenance." Much has happened since the BACnet standard was first promulgated. BACnet has been translated into Chinese, Japanese, and Korean, and embraced across the globe. BACnet devices have been designed, built and deployed on all seven continents. Suggestions for enhancements and improvements have been continually received, deliberated, and, ultimately, subjected to the same consensus process that produced the original standard. This publication is the result of those deliberations and brings together all of the corrections, refinements, and improvements that have been adopted.*

*Among the features that have been added to BACnet are: increased capabilities to interconnect systems across wide area networks using Internet Protocols, new objects and services to support fire detection, other life safety applications, lighting, physical access control, and elevator monitoring, capabilities to backup and restore devices, standard ways to collect trend data, new tools to make specifying BACnet systems easier, a mechanism for making interoperable extensions to the standard visible, and many others. The successful addition of these features demonstrates that the concept of a protocol deliberately crafted to permit extension of its capabilities over time as technology and needs change is viable and sound.*

*The latest update to this standard includes many new capabilities and several clarifications. These new capabilities include a BACnet/SC Certificate Authority Requirements Interchange File Format, support for BACnet/SC configuration including certificate management, Device Proxying, Authentication and Authorization, new Color Object concepts and modernization of language used for defining to MS/TP.*

*All communication protocols are, in the end, a collection of arbitrary solutions to the problems of information exchange and all are subject to change as time and technology advance. BACnet is no exception. Still, it is the hope of those who have contributed their time, energies, and talents to this work that BACnet will help to fulfill, in the area of building automation and control, the promise of the information age for the public good!*

# 1 PURPOSE

The purpose of this standard is to define data communication services and protocols for computer equipment used for monitoring and control of HVAC&R and other building systems and to define, in addition, an abstract, object-oriented representation of information communicated between such equipment, thereby facilitating the application and use of digital control technology in buildings.

# 2 SCOPE

**2.1** This protocol provides a comprehensive set of messages for conveying encoded binary, analog, and alphanumeric data between devices including, but not limited to:

(a) hardware binary input and output values,
(b) hardware analog input and output values,
(c) software binary and analog values,
(d) text string values,
(e) schedule information,
(f) alarm and event information,
(g) files, and
(h) control logic.

**2.2** This protocol models each building automation and control computer as a collection of data structures called "objects," the properties of which represent various aspects of the hardware, software, and operation of the device. These objects provide a means of identifying and accessing information without requiring knowledge of the details of the device's internal design or configuration.

# 3 DEFINITIONS

## 3.1 Terms Adopted from International Standards

The following terms used in this standard are defined by international standards or draft standards for open system interconnection (OSI). The definitions are repeated here and a reference to the appropriate standard is provided. Clause 25 contains the titles of all national and international standards referenced in this clause and elsewhere in this standard. Words or phrases in italics refer to terms defined elsewhere in this clause.

**abstract syntax:** the specification of application layer data or application-protocol-control-information by using notation rules which are independent of the encoding technique used to represent them (ISO 8822).

**application:** a set of a USER's information processing requirements (ISO 8649).

**application-entity:** the aspects of an application-process pertinent to OSI (ISO 7498).

**application-process:** an element within a real open system which performs the information processing for a particular application (ISO 7498).

**application-protocol-control-information:** information exchanged between application-entities, using presentation services, to coordinate their joint operation (ISO 9545).

**application-protocol-data-unit:** a unit of data specified in an application protocol and consisting of application-protocol-control-information and possibly application-user-data (ISO 9545).

**application-service-element:** that part of an application-entity which provides an OSI environment capability, using underlying services when appropriate (ISO 7498).

**concrete syntax:** those aspects of the rules used in the formal specification of data which embody a specific representation of that data (ISO 7498).