PD IEC TR 63246-4:2022



BSI Standards Publication

Configurable car infotainment services (CCIS)

Part 4: Protocol

bsi.

National foreword

This Published Document is the UK implementation of IEC 63246-4:2022.

The UK participation in its preparation was entrusted to Technical Committee EPL/100, Audio-visual equipment.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

This publication is not to be regarded as a British Standard.

© The British Standards Institution 2023
Published by BSI Standards Limited 2023

ISBN 978 0 539 17719 0

ICS 33.160.99; 43.040.15

Compliance with a Published Document cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 January 2023.

Amendments/corrigenda issued since publication

Date	Text affected



IEC TR 63246-4

Edition 1.0 2022-12

TECHNICAL REPORT

Configurable car infotainment services (CCIS) – Part 4: Protocol

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.160.99; 43.040.15

ISBN 978-2-8322-6225-2

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

This page is left deliberately blank.

CONTENTS

FOREWORD 5
INTRODUCTION 7
1 Scope 8
2 Normative references 8
3 Terms and definitions 8
4 General 8
5 Message 9
5.1 Message format 9
5.1.1 General 9
5.1.2 Version 10
5.1.3 Message type 10
5.1.4 Payload length 10
5.1.5 Sequence number 10
5.1.6 Cookie 10
5.1.7 Payload 10
5.2 Message type 10
5.2.1 Format 10
5.2.2 Service 10
5.2.3 Class 11
5.2.4 Operation 11
5.2.5 Types of CCIS messages 12
6 Parameters 13
6.1 General 13
6.2 Broadcasting – Broadcasting_Master_Information 13
6.3 Authority and Certification 13
6.3.1 General 13
6.3.2 Certification_Information_Request 13
6.3.3 Certification_Information_Response 13
6.3.4 Authority_Check_Request 14
6.3.5 Authority_Check_Response 14
6.3.6 Authority_Check_Confirmation 14
6.4 Client registration 14
6.4.1 General 14
6.4.2 Client_Registration_Request 14
6.4.3 Client_Registration_Response 14
6.5 Device registration 15
6.5.1 General 15
6.5.2 Device_Identity_Notification 15
6.5.3 Device_Discovery_Notification 15
6.5.4 Device_Registration_Authentication 15
6.5.5 Device_Registration_Request 15
6.5.6 Device_Registration_Response 16
6.5.7 Device_Registration_Confirmation 16
6.6 Device monitoring 16
6.6.1 General 16
6.6.2 Device_Status_Report 16

6.6.3 Device_Status_Request 17
6.6.4 Device_Status_Response 17
6.6.5 Device_Status_Query 17
6.7 Device control 17
6.7.1 General 17
6.7.2 Device_Occupation_Request 17
6.7.3 Device_Occupation_Response 18
6.7.4 Device_Control_Request 18
6.7.5 Device_Control_Transmission 18
6.7.6 Device_Control_Confirmation 18
6.7.7 Device_Control_Response 18
6.8 Content delivery 18
6.8.1 General 18
6.8.2 Contents_Delivery_Request 19
6.8.3 Contents_Delivery_Notification 19
6.8.4 Contents_Delivery_Confirmation 20
6.8.5 Contents_Delivery_Response 20
7 Procedures 20
7.1 General 20
7.2 CCIS user 20
7.3 CCIS device 21
7.4 CCIS master 22
7.4.1 Initialization 22
7.4.2 Client registration and certification 22
7.4.3 Device registration 23
7.4.4 Device monitoring 24
7.4.5 Device control 25
7.4.6 Content delivery 25
Bibliography 27

Figure 1 – Protocol stack for CCIS 9
Figure 2 – Message format of CCIS protocol 9
Figure 3 – Format of message type field 10
Figure 4 – State transitions of CCIS users 21
Figure 5 – State transitions of CCIS device 22
Figure 6 – State transition of CCIS master in initialization process 22
Figure 7 – States transitions of CCIS master in client registration and certification 23
Figure 8 – State transitions of CCIS master in device registration 23
Figure 9 – State transitions of CCIS master in device monitoring 24
Figure 10 – State transitions of CCIS master in device control 25
Figure 11 – State transitions of CCIS master in content delivery 26

Table 1 – Services indicated by message type 11
Table 2 – Classes indicated by message type 11
Table 3 – Operations indicated by message type 12
Table 4 – Messages used for CCIS protocol 12

Table 5 – Messages and parameters for authority and certification 13
Table 6 – Messages and parameters for client registration 14
Table 7 – Messages and parameters for device registration 15
Table 8 – Messages and parameters for device monitoring 16
Table 9 – Messages and parameters for device control 17
Table 10 – Messages and parameters for content delivery 19

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

CONFIGURABLE CAR INFOTAINMENT SERVICES (CCIS) –

Part 4: Protocol

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TR 63246 has been prepared by the technical area 17: Multimedia systems and equipment for vehicles, of IEC technical committee 100: Audio, video and multimedia systems and equipment. It is a Technical Report.

The text of this Technical Report is based on the following documents:

Draft	Report on voting
100/3638/DTR	100/3823/RVDTR

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Report is English.

A list of all parts in the IEC 63246 series, published under the general title *Configurable car infotainment services (CCIS)*, can be found on the IEC website.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

The market for car infotainment services (also known as "in-vehicle infotainment systems") has been growing rapidly, as reflected by the growth of the associated industries. It is expected that a variety of car infotainment (or multimedia) devices and services will be developed in the future. Such devices include navigation, cameras, speakers, headrest displays, air-conditioners, thermometers, heated seats, and lights. It is also expected that some devices will be developed to provide 4-dimensional experiences for users.

Car infotainment systems typically include A/V features (such as standard radio and CD players), and two-way communications tools, as well as hands-free phone connections, vehicle voice commands, and other types of interactive audios or videos. Car infotainment systems have evolved to allow passengers to watch movies and other visual media (for example, DVD players installed on the rear seats). Another distinctive feature of future car infotainment systems is mobile device connectivity. Newer vehicles provide a wide range of systems that allow devices (e.g. smartphones and laptops) to be connected to a variety of services embedded in the vehicle.

From this observation, there is a crucial need for standardization to provide car infotainment users with more enhanced services so as to easily manage and control infotainment devices as well as content within a car.

The purpose of the IEC 63246 series is to specify the general considerations, requirements, framework, and protocols to provide car users with the functionality of managing and controlling device and content resources within a car.

The IEC 63246 series consists of the following parts:

– Part 1: General;
– Part 2: Requirements;
– Part 3: Framework; and
– Part 4: Protocol.

IEC 63246-1 describes the general considerations of CCIS, which includes the CCIS system model and the types of CCIS users with the associated service flows.

IEC 63246-2 describes the requirements for CCIS, which include the CCIS functional entities, the communication model, and the functional requirements.

IEC 63246-3 describes the CCIS framework, which includes the information flows between functional entities and the CCIS operations, such as registration, device monitoring and control, and data transfer.

IEC 63246-4 describes the CCIS protocol, which includes the protocol messages and parameters, protocol procedures, implementation guidelines, etc.

CONFIGURABLE CAR INFOTAINMENT SERVICES (CCIS) –

Part 4: Protocol

1 Scope

This part of IEC 63246 describes the CCIS protocol, which includes the protocol messages, parameters and procedures performed by protocol entities. This part is informative; its intent is to provide information that can be considered in order to implement the CCIS protocol.

2 Normative references

The following document is referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 63246-1, *Configurable Car Infotainment Services (CCIS) – Part 1: General*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 63246-1 apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

4 General

The CCIS services are provided in collaboration with the protocol entities: CCIS users, CCIS master, and CCIS devices. CCIS master manages and controls the CCIS services by interaction with CCIS users and devices. CCIS devices can support multimedia contents for CCIS services.

To provide CCIS services, a set of CCIS functional operations are performed by the protocol entities, which include registration, authentication, device control, device monitoring, profile management, and content delivery. These functional operation flows are described in IEC 63246-3. This document describes the protocol for CCIS services (represented as the CCIS protocol), which are based on the other parts of CCIS (IEC 63246-1, IEC 63246-2 and IEC 63246-3).

Figure 1 describes a reference protocol stack for CCIS among the protocol entities. The CCIS protocol is an application-layer protocol that can be used to provide the CCIS services. The well-known Transmission Control Protocol (TCP) and Internet Protocol (IP) can be used as the underlying protocol for delivery of CCIS messages in the networks. Any other transport protocol can be used for delivery of CCIS messages, instead of TCP/IP. For example, a low-power CCIS device can use its own dedicated protocol for message delivery, or it can deliver the CCIS message by using the lower-layer protocol, without using the TCP/IP protocols. As for the lower-layer protocols, any kinds of Medium Access Control (MAC) and Physical layer protocol (PHY) can be used, which can typically include the IEEE 802.11 Wireless Local Area Network (WLAN) and the IEEE 802.15 Wireless Personal Area Network (WPAN) technologies.