INTERNATIONAL STANDARD

ISO 20106

First edition
2015-08-15

Space data and information transfer systems — Mission operations common object model

Systèmes de transfert des informations et données spatiales — Modèle d'objet commun des opérations de mission

Reference number
ISO 20106:2015(E)

© ISO 2015



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 20106 was prepared by the Consultative Committee for Space Data Systems (CCSDS) (as CCSDS 521.1-B-1, November 2012) and was adopted (without modifications except those stated in clause 2 of this International Standard) by Technical Committee ISO/TC 20, *Aircraft and space vehicles*, Subcommittee SC 13, *Space data and information transfer systems*.

© ISO 2015 – All rights reserved

The Consultative Committee for Space Data Systems

Recommendation for Space Data System Standards

MISSION OPERATIONS COMMON OBJECT MODEL

RECOMMENDED STANDARD

CCSDS 521.1-B-1

BLUE BOOK

February 2014

AUTHORITY

Issue:	Recommended Standard, Issue 1
Date:	February 2014
Location:	Washington, DC, USA

This document has been approved for publication by the Management Council of the Consultative Committee for Space Data Systems (CCSDS) and represents the consensus technical agreement of the participating CCSDS Member Agencies. The procedure for review and authorization of CCSDS documents is detailed in *Organization and Processes for the Consultative Committee for Space Data Systems* (CCSDS A02.1-Y-3), and the record of Agency participation in the authorization of this document can be obtained from the CCSDS Secretariat at the address below.

This document is published and maintained by:

CCSDS Secretariat
Space Communications and Navigation Office, 7L70
Space Operations Mission Directorate
NASA Headquarters
Washington, DC 20546-0001, USA

© ISO 2015 – All rights reserved

STATEMENT OF INTENT

The Consultative Committee for Space Data Systems (CCSDS) is an organization officially established by the management of its members. The Committee meets periodically to address data systems problems that are common to all participants, and to formulate sound technical solutions to these problems. Inasmuch as participation in the CCSDS is completely voluntary, the results of Committee actions are termed **Recommended Standards** and are not considered binding on any Agency.

This **Recommended Standard** is issued by, and represents the consensus of, the CCSDS members. Endorsement of this **Recommendation** is entirely voluntary. Endorsement, however, indicates the following understandings:

- Whenever a member establishes a CCSDS-related **standard**, this **standard** will be in accord with the relevant **Recommended Standard**. Establishing such a **standard** does not preclude other provisions which a member may develop.
- Whenever a member establishes a CCSDS-related **standard**, that member will provide other CCSDS members with the following information:
  - -- The **standard** itself.
  - -- The anticipated date of initial operational capability.
  - -- The anticipated duration of operational service.
- Specific service arrangements shall be made via memoranda of agreement. Neither this **Recommended Standard** nor any ensuing **standard** is a substitute for a memorandum of agreement.

No later than three years from its date of issuance, this **Recommended Standard** will be reviewed by the CCSDS to determine whether it should: (1) remain in effect without change; (2) be changed to reflect the impact of new technologies, new requirements, or new directions; or (3) be retired or canceled.

In those instances when a new version of a **Recommended Standard** is issued, existing CCSDS-related member standards and implementations are not negated or deemed to be non-CCSDS compatible. It is the responsibility of each member to determine when such standards or implementations are to be modified. Each member is, however, strongly encouraged to direct planning for its new standards and implementations towards the later version of the Recommended Standard.

© ISO 2015 – All rights reserved

FOREWORD

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CCSDS shall not be held responsible for identifying any or all such patent rights.

Through the process of normal evolution, it is expected that expansion, deletion, or modification of this document may occur. This Recommended Standard is therefore subject to CCSDS document management and change control procedures, which are defined in *Organization and Processes for the Consultative Committee for Space Data Systems* (CCSDS A02.1-Y-3). Current versions of CCSDS documents are maintained at the CCSDS Web site:

http://www.ccsds.org/

Questions relating to the contents or status of this document should be addressed to the CCSDS Secretariat at the address indicated on page i.

© ISO 2015 – All rights reserved

At time of publication, the active Member and Observer Agencies of the CCSDS were:

Member Agencies

- Agenzia Spaziale Italiana (ASI)/Italy.
- Canadian Space Agency (CSA)/Canada.
- Centre National d'Etudes Spatiales (CNES)/France.
- China National Space Administration (CNSA)/People's Republic of China.
- Deutsches Zentrum für Luft- und Raumfahrt (DLR)/Germany.
- European Space Agency (ESA)/Europe.
- Federal Space Agency (FSA)/Russian Federation.
- Instituto Nacional de Pesquisas Espaciais (INPE)/Brazil.
- Japan Aerospace Exploration Agency (JAXA)/Japan.
- National Aeronautics and Space Administration (NASA)/USA.
- UK Space Agency/United Kingdom.

Observer Agencies

- Austrian Space Agency (ASA)/Austria.
- Belgian Federal Science Policy Office (BFSPO)/Belgium.
- Central Research Institute of Machine Building (TsNIIMash)/Russian Federation.
- China Satellite Launch and Tracking Control General, Beijing Institute of Tracking and Telecommunications Technology (CLTC/BITTT)/China.
- Chinese Academy of Sciences (CAS)/China.
- Chinese Academy of Space Technology (CAST)/China.
- Commonwealth Scientific and Industrial Research Organization (CSIRO)/Australia.
- Danish National Space Center (DNSC)/Denmark.
- Departamento de Ciência e Tecnologia Aeroespacial (DCTA)/Brazil.
- European Organization for the Exploitation of Meteorological Satellites (EUMETSAT)/Europe.
- European Telecommunications Satellite Organization (EUTELSAT)/Europe.
- Geo-Informatics and Space Technology Development Agency (GISTDA)/Thailand.
- Hellenic National Space Committee (HNSC)/Greece.
- Indian Space Research Organization (ISRO)/India.
- Institute of Space Research (IKI)/Russian Federation.
- KFKI Research Institute for Particle & Nuclear Physics (KFKI)/Hungary.
- Korea Aerospace Research Institute (KARI)/Korea.
- Ministry of Communications (MOC)/Israel.
- National Institute of Information and Communications Technology (NICT)/Japan.
- National Oceanic and Atmospheric Administration (NOAA)/USA.
- National Space Agency of the Republic of Kazakhstan (NSARK)/Kazakhstan.
- National Space Organization (NSPO)/Chinese Taipei.
- Naval Center for Space Technology (NCST)/USA.
- Scientific and Technological Research Council of Turkey (TUBITAK)/Turkey.
- South African National Space Agency (SANSA)/Republic of South Africa.
- Space and Upper Atmosphere Research Commission (SUPARCO)/Pakistan.
- Swedish Space Corporation (SSC)/Sweden.
- Swiss Space Office (SSO)/Switzerland.
- United States Geological Survey (USGS)/USA.

© ISO 2015 – All rights reserved

DOCUMENT CONTROL

Document	Title	Date	Status
CCSDS 521.1-B-1	Mission Operations Common Object Model, Recommended Standard, Issue 1	February 2014	Original issue

© ISO 2015 – All rights reserved

CONTENTS

Section Page

1 INTRODUCTION 1-1

1.1 GENERAL 1-1
1.2 PURPOSE AND SCOPE 1-1
1.3 DOCUMENT STRUCTURE 1-1
1.4 DEFINITION OF TERMS 1-2
1.5 CONVENTIONS 1-3
1.6 REFERENCES 1-4

2 OVERVIEW 2-1

2.1 GENERAL 2-1
2.2 COMMON OBJECT MODEL 2-2
2.3 THE SUPPORT SERVICES 2-3
2.4 EVENT SERVICE 2-4
2.5 ARCHIVE SERVICE 2-4
2.6 ACTIVITY TRACKING SERVICE 2-6
2.7 COM SERVICE SPECIFICATIONS 2-15

3 SPECIFICATION: COM 3-1

3.1 GENERAL 3-1
3.2 REQUIREMENTS 3-1
3.3 SERVICE: EVENT 3-1
3.4 SERVICE: ARCHIVE 3-4
3.5 SERVICE: ACTIVITYTRACKING 3-17

4 DATA TYPES 4-1

4.1 AREA DATA TYPES: COM 4-1
4.2 SERVICE DATA TYPES: ARCHIVE 4-4
4.3 SERVICE DATA TYPES: ACTIVITYTRACKING 4-10

5 ERROR CODES 5-1

6 SERVICE SPECIFICATION XML 6-1

ANNEX A SECURITY, SANA, AND PATENT CONSIDERATIONS (INFORMATIVE) A-1
ANNEX B DEFINITION OF ACRONYMS (INFORMATIVE) B-1
ANNEX C INFORMATIVE REFERENCES (INFORMATIVE) C-1

© ISO 2015 – All rights reserved

CONTENTS (continued)

Figure Page

2-1 Mission Operations Services Concept Document Set 2-1
2-2 COM Structure 2-2
2-3 Activity Relay Example 2-6
2-4 Activity Chaining Example 2-9
2-5 Activity Proxy Example 2-10
2-6 Activity Single-Hop Example 2-11
2-7 Activity Single-Hop Sequence 2-12
2-8 Activity Multi-Hop Example 2-13
2-9 Activity Multi-Hop Sequence 2-15

Table

2-1 MAL Interaction Activity Mapping 2-8
3-1 Event Service Operations 3-2
3-2 Archive Service Operations 3-5
3-3 Archive Service Events 3-6
3-4 ActivityTracking Service Operations 3-17
3-5 ActivityTracking Service Object Types 3-18
3-6 ActivityTracking Service Events 3-19
5-1 COM Error Codes 5-1

© ISO 2015 – All rights reserved

1 INTRODUCTION

1.1 GENERAL

This Recommended Standard defines the Mission Operations (MO) Common Object Model (COM) in conformance with the service framework specified in annex B of Mission Operations Services Concept (reference [C1]).

The MO COM is a generic service template that provides a Common Object Model to the Mission Operation services defined in reference [C1]. These Mission Operations services are defined in terms of the COM and the Message Abstraction Layer (MAL) (reference [2]).

1.2 PURPOSE AND SCOPE

This Recommended Standard defines, in an abstract manner, the COM in terms of:

a) the operations necessary to provide the service;

b) the parameter data associated with each operation;

c) the required behaviour of each operation;

d) the use of the model.

It does not specify:

a) individual implementations or products;

b) the implementation of entities or interfaces within real systems;

c) the methods or technologies required for communications.

1.3 DOCUMENT STRUCTURE

This Recommended Standard is organised as follows:

a) section 1 provides purpose and scope, and lists definitions, conventions, and references used throughout the Recommended Standard;

b) section 2 presents an overview of the concepts;

c) section 3 presents the COM specification;

d) section 4 is a formal specification of the COM data structures;

e) section 5 is a formal specification of the COM errors;

f) section 6 details the location of the formal service specification Extensible Markup Language (XML) schema.

© ISO 2015 – All rights reserved

1.4 DEFINITION OF TERMS

Software Component (component)**:** A software unit supporting the business function. Components offer their function as Services, which can either be used internally or which can be made available for use outside the component through Provided Service Interfaces. Components may also depend on services provided by other components through Consumed Service Interfaces.

Hardware Component: A complex physical entity (such as a spacecraft, a tracking system, or a control system) or an individual physical entity of a system (such as an instrument, a computer, or a piece of communications equipment). A Hardware Component may be composed from other Hardware Components. Each Hardware Component may host one or more Software Components. Each Hardware Component has one or more ports where connections to other Hardware Component are made. Any given Port on the Hardware Component may expose one or more Service Interfaces.

Service: A set of capabilities that a component provides to another component via an interface. A Service is defined in terms of the set of operations that can be invoked and performed through the Service Interface. Service specifications define the capabilities, behaviour and external interfaces, but do not define the implementation.

Service Interface: A set of interactions provided by a component for participation with another component for some purpose, along with constraints on how they can occur. A Service Interface is an external interface of a Service where the behaviour of the Service Provider Component is exposed. Each Service will have one defined 'Provided Service Interface', and may have one or more 'Consumed Service Interface' and one 'Management Service Interface'.

Provided Service Interface: A Service Interface that exposes the Service function contained in a component for use by Service Consumers. It receives the MAL messages from a Consumed Service Interface and maps them into API calls on the Provider component.

Consumed Service Interface: The API presented to the consumer component that maps from the Service operations to one or more service data units contained in MAL messages that are transported to the Provided Service Interface.

Management Service Interface: A Service Interface that exposes management functions of a Service function contained in a component for use by Service Consumers.

Service System: The set of Hardware and Software Components used to implement a Service in a real system. Service Systems may be implemented using one or more Hardware and Software Components.

Service Provider (provider)**:** A component that offers a Service to another by means of one of its Provided Service Interfaces.

© ISO 2015 – All rights reserved