IEC 60068-2-14

Edition 7.0 2023-07
REDLINE VERSION

INTERNATIONAL STANDARD

colour inside

Environmental testing –
Part 2-14: Tests – Test N: Change of temperature



IEC 60068-2-14:2023-07 RLV(en)

THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC 60068-2-14

Edition 7.0 2023-07
REDLINE VERSION

INTERNATIONAL STANDARD

colour inside

Environmental testing –
Part 2-14: Tests – Test N: Change of temperature

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 19.040

ISBN 978-2-8322-7338-8

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 4
INTRODUCTION 6
1 Scope 7
2 Normative references 7
3 Terms and definitions 7
4 Symbols 8
5 General 8
5.1 Field conditions of changing temperature 8
5.2 Design of ~~change of temperature~~ tests with temperature change 9
5.3 Test parameters 9
5.4 Purpose and choice of the tests 10
5.5 Choice of ~~the duration of~~ the exposure time to each conditioning temperature 10
5.6 Choice of the duration of the transfer time t_2 11
5.7 Applicability limits of change of temperature tests 12
~~5 Guidance for the selection of the kind of test ....~~
6 Initial and final measurements 13
6.1 General 13
6.2 Initial measurements 13
6.3 Final measurements 13
7 Test Na: Rapid change of temperature ~~with prescribed time of transfer~~ 13
7.1 General description of the test 13
7.2 Testing procedure 13
7.2.1 Testing chamber 13
7.2.2 Mounting or supporting of the test specimen 16
7.2.3 Severities 16
7.2.4 ~~Conditioning~~ Preconditioning 18
7.2.5 Test cycle 18
7.3 Recovery 21
~~7.4 Information to be given in the relevant specification ....~~
8 Test Nb: Change of temperature with specified rate of change 22
8.1 General description of the test 22
8.2 Testing procedure 22
8.2.1 Testing chamber 22
8.2.2 Mounting or supporting structure of the test specimen 23
8.2.3 Severities 23
8.2.4 Tolerance 24
8.2.5 ~~Conditioning~~ Preconditioning 25
8.3 Test cycle 25
8.4 Recovery 27
~~8.4 Information to be given in the relevant specification ....~~
9 Test Nc: Rapid change of temperature, two-fluid-bath method 27
9.1 General description of the test 27
9.2 Testing procedure 28
9.2.1 Testing equipment 28
9.2.2 Severities 28

9.2.3 Conditioning 28
9.3 Test cycle 28
9.4 Recovery 30
~~9.5 Information to be given in the relevant specification~~ .....
10 Information to be given in the test report 31
Annex A (informative) Potential consequences of improper severities 33
Annex B (informative) Thermal responsiveness of different materials and geometries 34
Annex C (normative) Auxiliary table with exemplary temperature tolerances ±σT for preferred combinations of high and low conditioning temperatures and rates of temperature change (Test Nb) 35
Bibliography 41

Figure 1 – Determination of ~~test duration time (t_1)~~ the exposure time t_1 of the specimen to each conditioning temperature 11
Figure 2 – Schematic representation of examples of thermal test cabinets and test procedure with two separate test chambers 14
Figure 3 – Schematic representation of examples of thermal test cabinets with one test chamber 15
Figure 4 – Possibility of condensation during rapid temperature change 16
Figure 5 – Possibility of condensation during transfer of the specimen 16
Figure 6 – Increased severity of Test Na 17
~~Figure 2 – Na test cycle~~ .....
Figure 7 – Na test cycle, one-chamber method 19
Figure 8 – Na test cycle, two-chamber method 21
Figure 9 – Tolerance for fluctuation of test temperatures 25
Figure 10 – Nb test cycle 26
Figure 11 – Test times for intermediate operation of specimens 27
Figure 12 – Nc test cycle 30
Figure A.1 – Delayed temperature change of the specimen 33
Figure B.1 – Rate of temperature change of specimen with differing thermal responsiveness 34
Figure C.1 – Tolerance for fluctuation of test temperatures for exemplary test parameters 36

Table C.1 – Applicable temperature tolerances $\pm\sigma_T$ in K for preferred combinations of high and low conditioning temperatures and rates of temperature change dT_R 37

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

ENVIRONMENTAL TESTING –

Part 2-14: Tests – Test N: Change of temperature

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch or www.iso.org/patents. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 60068-2-14:2009. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 60068-2-14 has been prepared by IEC technical committee 104: Environmental conditions, classification and methods of test. It is an International Standard.

This seventh edition cancels and replaces the sixth edition published in 2009. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) updating of the figures for clarification purposes;
b) updating of specimen temperature(s) and severities as well as tolerances for change of temperature tests;
c) revision of standardized requirements for test reports for Tests Na and Nb.

The text of this International Standard is based on the following documents:

Draft	Report on voting
104/991/FDIS	104/1016/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 60068 series, published under the general title *Environmental testing*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

A change of temperature test is intended to determine the effect on the specimen of a change of temperature or a succession of changes of temperature.

It is not intended to show effects that are ~~due only to high or low temperatures~~ caused by low or high temperature exposure. For these effects, the cold test or the dry heat test, as specified in IEC 60068-2-1 and IEC 60068-2-2, should be used.

The effect of ~~such~~ change of temperature tests is determined by

– values of high and low conditioning temperature between which the change is to be ~~effected~~ affected,
– the conditioning times for which the test specimen is kept at these temperatures,
– the rate of change between these temperatures,
– the number of cycles of conditioning,
– the amount of heat transfer into or from the specimen,
– the thermal conductivity and the materials of the specimen,
– the rate of change of the specimen's temperature on its surface (respectively in relevant positions) or in its core.

Guidance on the choice of suitable test parameters for inclusion in the detail specification is given throughout this document.

ENVIRONMENTAL TESTING –

Part 2-14: Tests – Test N: Change of temperature

1 Scope

~~This part of IEC 60068 provides a test to determine the ability of components, equipment or other articles to withstand rapid changes of ambient temperature. The exposure times adequate to accomplish this will depend upon the nature of the specimen.~~

This document provides tests with specified ambient temperature changes to analyse their impacts on specimens.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

~~IEC 60068 (all parts), *Environmental testing*~~

IEC 60068-2-1, *Environmental testing – Part 2-1: Tests – Test A: Cold*

IEC 60068-2-2, *Environmental testing – Part 2-2: Tests – Test B: Dry heat*

~~IEC 60068-2-17, *Environmental testing – Part 2-17: Tests – Test Q: Sealing*~~

~~IEC Guide 104, *The preparation of safety publications and the use of basic safety publications and group safety publications*~~

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60068-2-1 and IEC 60068-2-2 apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp