IEC 60086-2-2

Edition 1.0 2026-06

INTERNATIONAL STANDARD

COMMENTED VERSION

Primary batteries -
Part 2-2: Physical and electrical specifications of lithium batteries

ICS 29.220.10

ISBN 978-2-8327-1297-9

IEC 60086-2-2:2026-06 CMV(en)

THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2026 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD 3
INTRODUCTION 5
1 Scope 6
2 Normative references 6
3 Terms and definitions 6
4 Battery dimensions – Symbols 8
5 Dimensional stability 8
6 Validity of testing 8
7 Constitution of the battery specification tables 9
8 Physical and electrical specifications 10
8.1 Category 1 batteries 10
8.1.1 General 10
8.1.2 Category 1 – Void 11
8.1.3 Category 1 – Specification: FR10G445 11
8.1.4 Category 1 – Specification: FR14505 12
8.2 Category 2 batteries – Specifications: CR14250, CR15H270, CR17345, CR17450, BR17335 13
8.3 Category 3 battery – Specification: CR11108 14
8.4 Category 4 batteries 15
8.4.1 General 15
8.4.2 Category 4 – Specifications: CR1025, CR1216, CR1220, CR1225, CR1616, CR2012, CR1620, CR2016, CR2412, CR1632, CR2025, CR2320, CR2032, CR2330, CR2430, CR2354, CR3032, CR2450, CR2477, BR1225, BR2016, BR2320, BR2325, BR3032 15
8.5 Category 5 battery – Specification: 2CR13252 18
8.6 Category 6 batteries 19
8.6.1 Category 6 – Specification: CR-P2 19
8.6.2 Category 6 – Specification: 2CR5 20
Annex A (informative) Tabulation of batteries by application 22
Annex B (informative) Cross-reference index 24
Annex C (informative) Index reference to subclause 26
Bibliography 27
List of comments 28

Figure 1 – Dimensional drawing: Category 1 10
Figure 2 – Dimensional drawing: FR10G445 11
Figure 3 – Dimensional drawing: FR14505 12
Figure 4 – Dimensional drawing: CR14250, CR15H270, CR17345, CR17450, BR17335 13
Figure 5 – Dimensional drawing: CR11108 14
Figure 6 – Dimensional drawing: Category 4 15
Figure 7 – Dimensional drawing: CR1025, CR1216, CR1220, CR1225, CR1616, CR2012, CR1620, CR2016, CR2412, CR1632, CR2025, CR2320, CR2032, CR2330, CR2430, CR2354, CR3032, CR2450, CR2477, BR1225, BR2016, BR2320, BR2325, BR3032 16
Figure 8 – Dimensional drawing: 2CR13252 18

Figure 9 – Dimensional drawing: CR-P2 19
Figure 10 – Dimensional drawing: 2CR5 20

Table 1 – Voltage and application test requirements for FR10G445 11
Table 2 – Voltage and application test requirements for FR14505 12
Table 3 – Voltage and application test requirements for CR14250, CR15H270, CR17345, CR17450 and BR17335 13
Table 4 – Voltage and application test requirements for CR11108 14
Table 5 – Voltage and application test requirements for CR1025, CR1216, CR1220, CR1225, CR1616, CR2012, CR1620, CR2016, CR2412, CR1632, CR2025, CR2320, CR2032, CR2330, CR2430, CR2354, CR3032, CR2450, CR2477, BR1225, BR2016, BR2320, BR2325 and BR3032 17
Table 6 – Voltage and application test requirements for 2CR13252 18
Table 7 – Voltage and application test requirements for CR-P2 20
Table 8 – Voltage and application test requirements for 2CR5 21
Table A.1 – Digital audio 22
Table A.2 – Digital still camera 22
Table A.3 – Electronic key 22
Table A.4 – High intensity lighting 22
Table A.5 – Photo 22
Table A.6 – Portable lighting (LED) 23
Table A.7 – Radio/clock/remote control 23
Table A.8 – Toy (motor) 23
Table B.1 – Category 1 batteries 24
Table B.2 – Category 2 batteries 24
Table B.3 – Category 4 batteries 25
Table B.4 – Category 6 batteries 25
Table C.1 – Index 26

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

Primary batteries -
Part 2-2: Physical and electrical specifications of lithium batteries

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This commented version (CMV) of the official standard IEC 60086-2-2:2026 edition 1.0 provides the user with comments from IEC TC 35 experts explaining the reasons for the most relevant changes made to IEC 60086-2:2021. These changes are listed in the Foreword.

Experts' comments are identified by a blue-background number. Mouse over a number to display a pop-up note containing the comment.

This publication contains both the CMV and the official standard. The full list of comments is available at the end of the CMV.

IEC 60086-2-2 has been prepared by IEC technical committee 35: Primary cells and batteries. It is an International Standard.

This first edition cancels and replaces the fourteenth edition of IEC 60086-2 published in 2021. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) the physical and electrical specifications of IEC 60086-2:2021 were divided into two new standards based on their electrolyte types. IEC 60086-2-1 provides specifications for standardized primary batteries containing aqueous electrolyte. IEC 60086-2-2 covers specifications for standardized lithium-based primary batteries; **1**

b) maximum open circuit voltage of FR10G445 and FR14505 was changed from 1,83 to 1,90 V; **2**

c) load of digital audio test for FR10G445 was changed from 50 mA to 75 mA and MAD was modified;

d) portable lighting test was added for FR10G445; **3**

e) motor/toy and radio /clock /remote control test was added for FR14505; **4**

f) in Clause 3, terms were reordered according to their functions: basic terms, electrochemical systems, electrical characteristics and specifications; **5**

g) Annex D for common designation of IEC 60086-2:2021 was moved to IEC 60086-1:2026, as Annex H; **6**

h) Annex E for Compliance checklist of IEC 60086-2:2021 was removed and merged into Annex J of IEC 60086-1:2026. **7**

The text of this International Standard is based on the following documents:

Draft	Report on voting
35/1592/FDIS	35/1598/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 60086 series, under the general title *Primary batteries*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

– reconfirmed,

– withdrawn, or

– revised.

INTRODUCTION

The technical content of this part of IEC 60086 provides physical dimensions, discharge test conditions and discharge performance requirements. IEC 60086-2-1 and IEC 60086-2-2 complement the general information and requirements of IEC 60086-1. Safety information of IEC 60086-2-2 is available in IEC 60086-4 and IEC 62281.

This document was prepared to benefit primary battery users, device designers and battery manufacturers by furnishing the specifics of form, fit and function for individual standardized primary cells and batteries. Over the years, this document has been changed to improve its contents and might again be revised in due course in the light of comments made by national committees and experts on the basis of practical experience and changing technology.

1 Scope

This part of IEC 60086 is applicable to primary batteries which are based on standardised lithium (non-aqueous) electrochemical systems.

It specifies

– the physical dimensions,
– the discharge test conditions and discharge performance requirements.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60086-1:2026, *Primary batteries - Part 1: General*

ISO 1101, *Geometrical product specifications (GPS) - Geometrical tolerancing - Tolerances of form, orientation, location and run-out*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60086-1:2026 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

– IEC Electropedia: available at https://www.electropedia.org/
– ISO Online browsing platform: available at https://www.iso.org/obp

3.1
primary cell
primary battery
cell or battery that is not designed to be electrically recharged

3.2
round cell
round battery
cell or battery with circular cross section

3.3
button cell
button battery
small round cell or battery where the overall height is less than the diameter, containing aqueous electrolyte

Note 1 to entry: For the specifications, refer to IEC 60086-2-1.