IEC 60384-14

Edition 5.1 2025-07

INTERNATIONAL STANDARD

CONSOLIDATED VERSION

Fixed capacitors for use in electronic equipment -
Part 14: Sectional specification - Fixed capacitors for electromagnetic interference suppression and connection to the supply mains

ICS 31.060.10

ISBN 978-2-8327-0571-1

IEC 60384-14:2023-01+AMD1:2025-07 CSV(en)

CONTENTS

FOREWORD 7
1 Scope 9
2 Normative references 9
3 Terms and definitions and classification 10
3.1 Terms and definitions 10
3.2 Classifications 15
3.2.1 Classification of X capacitors 15
3.2.2 Classification of Y capacitors 15
4 Preferred ratings and characteristics 16
4.1 Preferred climatic categories 16
4.2 Preferred values of ratings 17
4.2.1 Nominal capacitance (C_N) 17
4.2.2 Tolerance on nominal capacitance 17
4.2.3 Selection of rated voltages (U_R) 17
4.2.4 Nominal resistance (R_N) 17
4.2.5 Rated temperature 17
4.2.6 Passive flammability 17
4.3 Requirements for sleeving, tape, tubing and wire insulation 17
5 Test and measurement procedures, and performance requirements 18
5.1 General 18
5.2 Visual examination and check of dimensions 18
5.2.1 General 18
5.2.2 Creepage distances and clearances 18
5.3 Electrical tests 19
5.3.1 Voltage proof 19
5.3.2 Capacitance 21
5.3.3 Tangent of loss angle 21
5.3.4 Resistance (Equivalent Series Resistance (ESR)) (for RC units only) 21
5.3.5 Insulation resistance 22
5.4 Robustness of terminations 23
5.5 Resistance to soldering heat 23
5.5.1 General 23
5.5.2 Test conditions 23
5.5.3 Final inspection, measurements, and requirements 24
5.6 Solderability 24
5.6.1 General 24
5.6.2 Test conditions 24
5.6.3 Requirements 24
5.7 Rapid change of temperature 24
5.7.1 General 24
5.7.2 Final inspection 25
5.8 Vibration 25
5.8.1 General 25
5.8.2 Test conditions 25
5.8.3 Final inspection 25
5.9 Repetitive shock (bump) 25

5.9.1 General 25
5.9.2 Test conditions 25
5.9.3 Final inspection, measurements, and requirements 25
5.10 Shock 26
5.10.1 General 26
5.10.2 Test conditions 26
5.10.3 Final inspection, measurements, and requirements 26
5.11 Container sealing 27
5.11.1 General 27
5.11.2 Test conditions 27
5.11.3 Requirements 27
5.12 Climatic sequence 27
5.12.1 General 27
5.12.2 Initial measurements 27
5.12.3 Dry heat 27
5.12.4 Damp heat, cyclic, test Db, first cycle 27
5.12.5 Cold 27
5.12.6 Damp heat, cyclic, test Db, remaining cycles 27
5.12.7 Final inspection, measurements, and requirements 27
5.13 Damp heat, steady state (DHSS) 28
5.13.1 General 28
5.13.2 Initial measurements 28
5.13.3 Test conditions 28
5.13.4 Final inspection, measurements, and requirements 29
5.13.5 Sample size summary for humidity tests 30
5.14 Impulse voltage 30
5.14.1 General 30
5.14.2 Initial measurements 30
5.14.3 Test conditions 31
5.14.4 Requirements 31
5.15 Endurance 32
5.15.1 General 32
5.15.2 Test conditions 32
5.15.3 Sampling 32
5.15.4 Initial measurements 32
5.15.5 Endurance for Class X capacitors and RC units containing Class X capacitors 32
5.15.6 Endurance for Class Y capacitors and RC units containing Class Y capacitors 33
5.15.7 Endurance for the lead-through arrangements 33
5.15.8 Test conditions – Combined voltage/current tests 34
5.15.9 Final inspection, measurements, and requirements 34
5.16 Charge and discharge 34
5.16.1 General 34
5.16.2 Initial measurements 34
5.16.3 Test conditions 35
5.16.4 Final measurements and requirements 35
5.17 Radiofrequency characteristics 36
5.18 Passive flammability test 36

5.18.1 Testing according to IEC 60384-1 36
5.18.2 Alternative passive flammability test 36
5.19 Active flammability test 37
5.19.1 Test condition 37
5.19.2 Adjustment of U_i 39
5.19.3 Requirements 39
5.20 Component solvent resistance (if applicable) 39
5.21 Solvent resistance of the marking 39
6 Marking 39
6.1 General 39
6.2 Information for marking 39
6.3 Marking of capacitors 40
6.4 Marking of packaging 40
6.5 Additional marking 40
7 Information to be given in a detail specification 40
7.1 General 40
7.2 Outline drawing and dimensions 40
7.3 Mounting 41
7.4 Ratings and characteristics 41
7.4.1 General 41
7.4.2 Nominal capacitance range 41
7.4.3 Nominal resistance range (if applicable) 41
7.4.4 Particular characteristics 41
8 Assessment procedures 41
8.1 Primary stage of manufacture 41
8.2 Structurally similar components 42
8.3 Certified records of released lots 42
8.4 Approval testing 42
8.4.1 Safety tests only qualification approval 42
8.4.2 Qualification approval based on safety and performance testing 42
8.4.3 Qualification approval based on the fixed sample size procedure 42
8.5 Quality conformance inspection 47
8.5.1 General 47
8.5.2 Formation of inspection lots 48
8.5.3 Test schedule for safety tests only approval 49
8.5.4 Delayed delivery 49
8.5.5 Assessment level 49
Annex A (normative) Circuit for the impulse voltage test 51
Annex B (normative) Circuit for the endurance test 53
Annex C (normative) Circuit for the charge and discharge test 54
Annex D (normative) Declaration of design (confidential to the manufacturer and the certification body) 55
Annex E (informative) Pulse test circuits 56
E.1 General 56
E.2 Test circuits 56
E.3 Charging of the capacitor 56
E.4 Discharging of the capacitor 57
E.4.1 Discharging in resistive circuit 57

E.4.2 Discharging in inductive circuit 57
Annex F (normative) Particular requirements for safety test of surface mount capacitors 59
F.1 General 59
F.2 Test and measurement procedures 59
Annex G (informative) Capacitance ageing of fixed capacitors of ceramic dielectric, Class 2 62
G.1 Overview 62
G.2 Law of capacitance ageing 62
G.3 Capacitance measurements and capacitance tolerance 63
G.4 Special preconditioning 63
Annex H (normative) Use of safety approved AC rated capacitors in DC applications 65
H.1 Overview 65
H.2 Background 65
H.3 Additional requirement for use of X- and Y-capacitors in DC applications 65
H.4 Creepage and clearance distances 66
Annex I (normative) Humidity robustness grades for applications, where high stability under high humidity operating conditions is required 67
I.1 Overview 67
I.2 Humidity robustness grades 67
I.2.1 General 67
I.2.2 Grade (I) robustness under humidity 67
I.2.3 Grade (II) robustness under high humidity 67
I.2.4 Grade (III) high robustness under high humidity 67
I.3 Test description 68
I.4 Indication of humidity robustness grades 68
Annex J (normative) Description of creepage/clearance distance measurement for cased and conformal coated capacitors 69
J.1 Measurement of creepage distances and clearance – general 69
J.1.1 General 69
J.1.2 Capacitor styles 69
J.1.3 Capacitor body and terminal insulation 69
J.1.4 Measurement principle 70
J.2 Measurement 71
J.2.1 Creepage distance between terminals 71
J.2.2 Clearance between terminals 72
J.2.3 Clearance in mounted stage 72
J.2.4 Conductors between terminals 74
J.3 Precautions in handling 74
Annex K (normative) Safety and performance tests qualification approval 75
K.1 Overview 75
K.2 Qualification approval 75
K.3 Quality conformance inspection 81
K.3.1 General 81
K.3.2 Groups A and B inspection 81
K.3.3 Group C inspection 81
K.3.4 Test schedule for qualification approval 81
Annex X (informative) Cross-references to the previous edition of this document 83
Bibliography 87

Figure 1 – Two-terminal EMI suppression capacitor 10
Figure 2 – RC unit 11
Figure 3 – Lead-through capacitor (coaxial) 11
Figure 4 – Lead-through capacitors 12
Figure 5 – By-pass capacitors 13
Figure 6 – Impulse wave form 31
Figure 7 – Typical circuit for pulse loading of capacitors under AC voltage 38
Figure 8 – Fundamental AC wave with randomly, not synchronized, superimposed high-voltage pulse 38
Figure 9 – Increased voltage for tests below 2 seconds 48
Figure A.1 – Impulse voltage test circuit 51
Figure B.1 – Endurance test circuit 53
Figure C.1 – Charge and discharge test circuit 54
Figure E.1 – Resistive pulse test circuit 56
Figure E.2 – Inductive pulse test circuit 56
Figure E.3 – Charge waveform for both circuits 57
Figure E.4 – Discharge waveform for resistive circuit 57
Figure E.5 – Discharge waveform for inductive circuit 58
Figure F.1 – Example of test substrate for safety test according to Table F.1 61
Figure J.1 – Example of a cased capacitor 69
Figure J.2 – Example of a conformal coated capacitor 69
Figure J.3 – Cased and conformal coated types 70
Figure J.4 – Description 71
Figure J.5 – Creepage distance – cased style 71
Figure J.6 – Creepage distance – conformal coated style 72
Figure J.7 – Clearance between terminals 72
Figure J.8 – Clearance in mounted stage – cased style 73
Figure J.9 – Clearance – capacitor body larger than lead pitch 73
Figure J.10 – Clearance – capacitor body smaller than lead pitch 73

Table 1 – Classification of Class X capacitors 15
Table 2 – Classification of Class Y capacitors 16
Table 3 – Creepage distances and clearances 19
Table 4 – Voltage proof 20
Table 5 – Insulation resistance – Safety tests only 22
Table 6 – Insulation resistance – Safety and performance tests 23
Table 7 – Resistance to soldering heat – Requirements 24
Table 8 – Shock test preferred severities 26
Table 9 – Climatic sequence – Requirements 28
Table 10 – Damp heat, steady state – Requirements for samples tested without voltage applied 29
Table 11 – Damp heat, steady state – Requirements for samples tested with voltage applied 30
Table 12 – Sample sizes for humidity tests 30

Table 13 – Endurance – Requirements 34
Table 14 – Charge and discharge – Requirements 35
Table 15 – Sampling plan – Tests concerning safety requirements only 44
Table 16 – Test schedule and sampling plan for lot-by-lot tests 45
Table 17 – Test schedule for safety tests only 45
Table 18 – Assessment level 50
Table A.1 – Values of C_X, C_T, R_P, R_S, C_p 51
Table A.2 – Values and tolerances of C_X, t_r, t_d 52
Table F.1 – Test schedule and sampling plan for safety test of surface mount capacitors 60
Table H.1 – ~~Additional test conditions~~ Test conditions for the additional samples 66
Table I.1 – Requirements 68
Table K.1 – Sampling plan – Safety and performance tests qualification approval – Assessment level DZ 75
Table K.2 – Test schedule and sampling plan for lot-by-lot tests 77
Table K.3 – Test schedule for safety and performance tests qualification approval Assessment level DZ 77
Table K.4 – Assessment level 82
Table X.1 – Reference to IEC 60384-14 for clause/subclause or annex 83
Table X.2 – Reference to IEC 60384-14 for figure/table 86

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

Fixed capacitors for use in electronic equipment - Part 14: Sectional specification - Fixed capacitors for electromagnetic interference suppression and connection to the supply mains

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 60384-14 edition 5.1 contains the fifth edition (2023-01) [documents 40/2985/FDIS and 40/3022/RVD], it corrigendum 1 (2024-10), and its amendment 1 (2025-07) [documents 40/3220/FDIS and 40/3234/RVD].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

IEC 60384-14 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment. It is an International Standard.

This fifth edition cancels and replaces the fourth edition published in 2013 and Amendment 1:2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) in damp heat steady state test, all capacitor types are tested both with and without rated voltage; the number of test pieces has been increased;
b) tangent of loss angle is added In Group 0 tests, in safety tests only;
c) qualification approval based on safety and performance tests has been removed from the main text to a normative annex;
d) the range of rated voltages is given instead of exact rated voltage values;
e) normative annex for description of capacitor styles and of creepage/clearance distance measurement has been added;
f) the importance of mechanical failures (cracks) in component encapsulation as a safety feature is highlighted in handling instructions and requirements after all relevant tests.

The text of this International Standard is based on the following documents:

Draft	Report on voting
40/2985/FDIS	40/3022/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

A list of all the parts of the IEC 60384 series, published under the general title *Fixed capacitors for use in electronic equipment,* can be found on the IEC website.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

1 Scope

This part of IEC 60384 applies to capacitors and resistor-capacitor combinations intended to be connected to AC mains or other supply with a nominal voltage not exceeding 1 000 V AC (RMS), and with a nominal frequency not exceeding 100 Hz. This document includes also additional specific conditions and requirements for the connection to DC supplies with a rated voltage not exceeding 1 500 V DC.

The principal object of this part of IEC 60384 is to prescribe preferred ratings and characteristics and to select, from IEC 60384-1, the appropriate quality assessment procedures, tests and measuring methods and to give general performance requirements for this type of capacitor. Test severities and requirements prescribed in detail specifications referring to this sectional specification are of equal or higher performance level; lower performance levels are not permitted.

This document also provides a schedule of safety tests to be used by national testing stations in countries where approval by such stations is required.

The overvoltage categories in combination with the AC mains voltages for the capacitors classified in this document are to be taken from IEC 60664-1.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60060-1:2010, *High-voltage test techniques – Part 1: General definitions and test requirements*

IEC 60063, *Preferred number series for resistors and capacitors*

IEC 60068-1:2013, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-17, *Basic environmental testing procedures – Part 2-17: Tests – Test Q: Sealing*

IEC 60384-1:2021, *Fixed capacitors for use in electronic equipment – Part 1: Generic specification*

IEC 60664-1, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements, and tests*

IEC 60695-11-10, *Fire hazard testing – Part 11-10: Test flames – 50 W horizontal and vertical flame test methods*

IEC 61193-2:2007, *Quality assessment systems – Part 2: Selection and use of sampling plans for inspection of electronic components and packages*

IEC 61210, *Connecting devices – Flat quick-connect terminations for electrical copper conductors – Safety requirements*

CISPR 17, *Methods of measurement of the suppression characteristics of passive EMC filtering devices*

ISO 7000*, Graphical symbols for use on equipment* (available at http://www.graphical-symbols.info/equipment)

CONTENTS

FOREWORD 7
1 Scope 9
2 Normative references 9
3 Terms and definitions and classification 10
3.1 Terms and definitions 10
3.2 Classifications 15
3.2.1 Classification of X capacitors 15
3.2.2 Classification of Y capacitors 15
4 Preferred ratings and characteristics 16
4.1 Preferred climatic categories 16
4.2 Preferred values of ratings 17
4.2.1 Nominal capacitance (C_N) 17
4.2.2 Tolerance on nominal capacitance 17
4.2.3 Selection of rated voltages (U_R) 17
4.2.4 Nominal resistance (R_N) 17
4.2.5 Rated temperature 17
4.2.6 Passive flammability 17
4.3 Requirements for sleeving, tape, tubing and wire insulation 17
5 Test and measurement procedures, and performance requirements 18
5.1 General 18
5.2 Visual examination and check of dimensions 18
5.2.1 General 18
5.2.2 Creepage distances and clearances 18
5.3 Electrical tests 19
5.3.1 Voltage proof 19
5.3.2 Capacitance 21
5.3.3 Tangent of loss angle 21
5.3.4 Resistance (Equivalent Series Resistance (ESR)) (for RC units only) 21
5.3.5 Insulation resistance 22
5.4 Robustness of terminations 23
5.5 Resistance to soldering heat 23
5.5.1 General 23
5.5.2 Test conditions 23
5.5.3 Final inspection, measurements, and requirements 24
5.6 Solderability 24
5.6.1 General 24
5.6.2 Test conditions 24
5.6.3 Requirements 24
5.7 Rapid change of temperature 24
5.7.1 General 24
5.7.2 Final inspection 25
5.8 Vibration 25
5.8.1 General 25
5.8.2 Test conditions 25
5.8.3 Final inspection 25
5.9 Repetitive shock (bump) 25

5.9.1 General 25
5.9.2 Test conditions 25
5.9.3 Final inspection, measurements, and requirements 25
5.10 Shock 26
5.10.1 General 26
5.10.2 Test conditions 26
5.10.3 Final inspection, measurements, and requirements 26
5.11 Container sealing 27
5.11.1 General 27
5.11.2 Test conditions 27
5.11.3 Requirements 27
5.12 Climatic sequence 27
5.12.1 General 27
5.12.2 Initial measurements 27
5.12.3 Dry heat 27
5.12.4 Damp heat, cyclic, test Db, first cycle 27
5.12.5 Cold 27
5.12.6 Damp heat, cyclic, test Db, remaining cycles 27
5.12.7 Final inspection, measurements, and requirements 27
5.13 Damp heat, steady state (DHSS) 28
5.13.1 General 28
5.13.2 Initial measurements 28
5.13.3 Test conditions 28
5.13.4 Final inspection, measurements, and requirements 29
5.13.5 Sample size summary for humidity tests 30
5.14 Impulse voltage 30
5.14.1 General 30
5.14.2 Initial measurements 30
5.14.3 Test conditions 31
5.14.4 Requirements 31
5.15 Endurance 32
5.15.1 General 32
5.15.2 Test conditions 32
5.15.3 Sampling 32
5.15.4 Initial measurements 32
5.15.5 Endurance for Class X capacitors and RC units containing Class X capacitors 32
5.15.6 Endurance for Class Y capacitors and RC units containing Class Y capacitors 33
5.15.7 Endurance for the lead-through arrangements 33
5.15.8 Test conditions – Combined voltage/current tests 34
5.15.9 Final inspection, measurements, and requirements 34
5.16 Charge and discharge 34
5.16.1 General 34
5.16.2 Initial measurements 34
5.16.3 Test conditions 35
5.16.4 Final measurements and requirements 35
5.17 Radiofrequency characteristics 36
5.18 Passive flammability test 36

5.18.1 Testing according to IEC 60384-1 36
5.18.2 Alternative passive flammability test 36
5.19 Active flammability test 37
5.19.1 Test condition 37
5.19.2 Adjustment of U_i 39
5.19.3 Requirements 39
5.20 Component solvent resistance (if applicable) 39
5.21 Solvent resistance of the marking 39
6 Marking 39
6.1 General 39
6.2 Information for marking 39
6.3 Marking of capacitors 40
6.4 Marking of packaging 40
6.5 Additional marking 40
7 Information to be given in a detail specification 40
7.1 General 40
7.2 Outline drawing and dimensions 40
7.3 Mounting 41
7.4 Ratings and characteristics 41
7.4.1 General 41
7.4.2 Nominal capacitance range 41
7.4.3 Nominal resistance range (if applicable) 41
7.4.4 Particular characteristics 41
8 Assessment procedures 41
8.1 Primary stage of manufacture 41
8.2 Structurally similar components 42
8.3 Certified records of released lots 42
8.4 Approval testing 42
8.4.1 Safety tests only qualification approval 42
8.4.2 Qualification approval based on safety and performance testing 42
8.4.3 Qualification approval based on the fixed sample size procedure 42
8.5 Quality conformance inspection 47
8.5.1 General 47
8.5.2 Formation of inspection lots 48
8.5.3 Test schedule for safety tests only approval 49
8.5.4 Delayed delivery 49
8.5.5 Assessment level 49
Annex A (normative) Circuit for the impulse voltage test 51
Annex B (normative) Circuit for the endurance test 53
Annex C (normative) Circuit for the charge and discharge test 54
Annex D (normative) Declaration of design (confidential to the manufacturer and the certification body) 55
Annex E (informative) Pulse test circuits 56
E.1 General 56
E.2 Test circuits 56
E.3 Charging of the capacitor 56
E.4 Discharging of the capacitor 57
E.4.1 Discharging in resistive circuit 57

E.4.2 Discharging in inductive circuit 57
Annex F (normative) Particular requirements for safety test of surface mount capacitors 59
F.1 General 59
F.2 Test and measurement procedures 59
Annex G (informative) Capacitance ageing of fixed capacitors of ceramic dielectric, Class 2 62
G.1 Overview 62
G.2 Law of capacitance ageing 62
G.3 Capacitance measurements and capacitance tolerance 63
G.4 Special preconditioning 63
Annex H (normative) Use of safety approved AC rated capacitors in DC applications 65
H.1 Overview 65
H.2 Background 65
H.3 Additional requirement for use of X- and Y-capacitors in DC applications 65
H.4 Creepage and clearance distances 66
Annex I (normative) Humidity robustness grades for applications, where high stability under high humidity operating conditions is required 67
I.1 Overview 67
I.2 Humidity robustness grades 67
I.2.1 General 67
I.2.2 Grade (I) robustness under humidity 67
I.2.3 Grade (II) robustness under high humidity 67
I.2.4 Grade (III) high robustness under high humidity 67
I.3 Test description 68
I.4 Indication of humidity robustness grades 68
Annex J (normative) Description of creepage/clearance distance measurement for cased and conformal coated capacitors 69
J.1 Measurement of creepage distances and clearance – general 69
J.1.1 General 69
J.1.2 Capacitor styles 69
J.1.3 Capacitor body and terminal insulation 69
J.1.4 Measurement principle 70
J.2 Measurement 71
J.2.1 Creepage distance between terminals 71
J.2.2 Clearance between terminals 72
J.2.3 Clearance in mounted stage 72
J.2.4 Conductors between terminals 74
J.3 Precautions in handling 74
Annex K (normative) Safety and performance tests qualification approval 75
K.1 Overview 75
K.2 Qualification approval 75
K.3 Quality conformance inspection 81
K.3.1 General 81
K.3.2 Groups A and B inspection 81
K.3.3 Group C inspection 81
K.3.4 Test schedule for qualification approval 81
Annex X (informative) Cross-references to the previous edition of this document 83
Bibliography 87

Figure 1 – Two-terminal EMI suppression capacitor 10
Figure 2 – RC unit 11
Figure 3 – Lead-through capacitor (coaxial) 11
Figure 4 – Lead-through capacitors 12
Figure 5 – By-pass capacitors 13
Figure 6 – Impulse wave form 31
Figure 7 – Typical circuit for pulse loading of capacitors under AC voltage 38
Figure 8 – Fundamental AC wave with randomly, not synchronized, superimposed high-voltage pulse 38
Figure 9 – Increased voltage for tests below 2 seconds 48
Figure A.1 – Impulse voltage test circuit 51
Figure B.1 – Endurance test circuit 53
Figure C.1 – Charge and discharge test circuit 54
Figure E.1 – Resistive pulse test circuit 56
Figure E.2 – Inductive pulse test circuit 56
Figure E.3 – Charge waveform for both circuits 57
Figure E.4 – Discharge waveform for resistive circuit 57
Figure E.5 – Discharge waveform for inductive circuit 58
Figure F.1 – Example of test substrate for safety test according to Table F.1 61
Figure J.1 – Example of a cased capacitor 69
Figure J.2 – Example of a conformal coated capacitor 69
Figure J.3 – Cased and conformal coated types 70
Figure J.4 – Description 71
Figure J.5 – Creepage distance – cased style 71
Figure J.6 – Creepage distance – conformal coated style 72
Figure J.7 – Clearance between terminals 72
Figure J.8 – Clearance in mounted stage – cased style 73
Figure J.9 – Clearance – capacitor body larger than lead pitch 73
Figure J.10 – Clearance – capacitor body smaller than lead pitch 73

Table 1 – Classification of Class X capacitors 15
Table 2 – Classification of Class Y capacitors 16
Table 3 – Creepage distances and clearances 19
Table 4 – Voltage proof 20
Table 5 – Insulation resistance – Safety tests only 22
Table 6 – Insulation resistance – Safety and performance tests 23
Table 7 – Resistance to soldering heat – Requirements 24
Table 8 – Shock test preferred severities 26
Table 9 – Climatic sequence – Requirements 28
Table 10 – Damp heat, steady state – Requirements for samples tested without voltage applied 29
Table 11 – Damp heat, steady state – Requirements for samples tested with voltage applied 30
Table 12 – Sample sizes for humidity tests 30

Table 13 – Endurance – Requirements 34
Table 14 – Charge and discharge – Requirements 35
Table 15 – Sampling plan – Tests concerning safety requirements only 44
Table 16 – Test schedule and sampling plan for lot-by-lot tests 45
Table 17 – Test schedule for safety tests only 45
Table 18 – Assessment level 50
Table A.1 – Values of C_X, C_T, R_P, R_S, C_p 51
Table A.2 – Values and tolerances of C_X, t_r, t_d 52
Table F.1 – Test schedule and sampling plan for safety test of surface mount capacitors 60
Table H.1 – Test conditions for the additional samples 66
Table I.1 – Requirements 68
Table K.1 – Sampling plan – Safety and performance tests qualification approval – Assessment level DZ 75
Table K.2 – Test schedule and sampling plan for lot-by-lot tests 77
Table K.3 – Test schedule for safety and performance tests qualification approval Assessment level DZ 77
Table K.4 – Assessment level 82
Table X.1 – Reference to IEC 60384-14 for clause/subclause or annex 83
Table X.2 – Reference to IEC 60384-14 for figure/table 86

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

Fixed capacitors for use in electronic equipment - Part 14: Sectional specification - Fixed capacitors for electromagnetic interference suppression and connection to the supply mains

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 60384-14 edition 5.1 contains the fifth edition (2023-01) [documents 40/2985/FDIS and 40/3022/RVD], it corrigendum 1 (2024-10), and its amendment 1 (2025-07) [documents 40/3220/FDIS and 40/3234/RVD].

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

IEC 60384-14 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment. It is an International Standard.

This fifth edition cancels and replaces the fourth edition published in 2013 and Amendment 1:2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) in damp heat steady state test, all capacitor types are tested both with and without rated voltage; the number of test pieces has been increased;
b) tangent of loss angle is added In Group 0 tests, in safety tests only;
c) qualification approval based on safety and performance tests has been removed from the main text to a normative annex;
d) the range of rated voltages is given instead of exact rated voltage values;
e) normative annex for description of capacitor styles and of creepage/clearance distance measurement has been added;
f) the importance of mechanical failures (cracks) in component encapsulation as a safety feature is highlighted in handling instructions and requirements after all relevant tests.

The text of this International Standard is based on the following documents:

Draft	Report on voting
40/2985/FDIS	40/3022/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

A list of all the parts of the IEC 60384 series, published under the general title *Fixed capacitors for use in electronic equipment,* can be found on the IEC website.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

1 Scope

This part of IEC 60384 applies to capacitors and resistor-capacitor combinations intended to be connected to AC mains or other supply with a nominal voltage not exceeding 1 000 V AC (RMS), and with a nominal frequency not exceeding 100 Hz. This document includes also additional specific conditions and requirements for the connection to DC supplies with a rated voltage not exceeding 1 500 V DC.

The principal object of this part of IEC 60384 is to prescribe preferred ratings and characteristics and to select, from IEC 60384-1, the appropriate quality assessment procedures, tests and measuring methods and to give general performance requirements for this type of capacitor. Test severities and requirements prescribed in detail specifications referring to this sectional specification are of equal or higher performance level; lower performance levels are not permitted.

This document also provides a schedule of safety tests to be used by national testing stations in countries where approval by such stations is required.

The overvoltage categories in combination with the AC mains voltages for the capacitors classified in this document are to be taken from IEC 60664-1.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60060-1:2010, *High-voltage test techniques – Part 1: General definitions and test requirements*

IEC 60063, *Preferred number series for resistors and capacitors*

IEC 60068-1:2013, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-17, *Basic environmental testing procedures – Part 2-17: Tests – Test Q: Sealing*

IEC 60384-1:2021, *Fixed capacitors for use in electronic equipment – Part 1: Generic specification*

IEC 60664-1, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements, and tests*

IEC 60695-11-10, *Fire hazard testing – Part 11-10: Test flames – 50 W horizontal and vertical flame test methods*

IEC 61193-2:2007, *Quality assessment systems – Part 2: Selection and use of sampling plans for inspection of electronic components and packages*

IEC 61210, *Connecting devices – Flat quick-connect terminations for electrical copper conductors – Safety requirements*

CISPR 17, *Methods of measurement of the suppression characteristics of passive EMC filtering devices*

ISO 7000*, Graphical symbols for use on equipment* (available at http://www.graphical-symbols.info/equipment)