IEC 60384-25

Edition 3.0 2021-07
REDLINE VERSION

INTERNATIONAL STANDARD

colour inside

Fixed capacitors for use in electronic equipment – Part 25: Sectional specification – Fixed aluminium electrolytic surface mount capacitors with conductive polymer solid electrolyte

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.060.40; 31.060.50

ISBN 978-2-8322-1005-0

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD....5
1 Scope....7
2 Normative references....7
3 Terms and definitions....8
4 Preferred ratings and characteristics....8
4.1 Preferred characteristics....8
4.2 Preferred values of ratings....8
4.2.1 Nominal capacitance (C_N)....8
4.2.2 Tolerance on nominal capacitance....8
4.2.3 Rated voltage (U_R)....9
4.2.4 Category voltage (U_C)....9
4.2.5 Surge voltage (U_{RS})....9
4.2.6 Rated temperature....9
5 Test and measurement procedures....9
5.1 General....9
5.2 Preliminary drying....9
5.3 Measuring conditions....9
5.4 Mounting....9
5.4.1 General....9
5.4.2 Initial inspections....10
5.4.3 Test conditions....10
5.4.4 Final inspections and requirements....10
5.5 Visual examination and check of dimensions....10
5.5.1 General....10
5.5.2 Visual examination and check of dimensions....10
5.5.3 Requirements....10
5.6 Electrical tests....10
5.6.1 Leakage current....10
5.6.2 Capacitance....11
5.6.3 Tangent of loss angle (tan δ)....11
5.6.4 Equivalent series resistance (ESR) (if required)....11
5.6.5 Impedance (if required)....12
5.7 Resistance to soldering heat....12
5.7.1 General....12
5.7.2 Initial inspections....12
5.7.3 Test conditions....12
5.7.4 Recovery....12
5.7.5 Final inspections and requirements....12
5.8 Solderability....13
5.8.1 General....13
5.8.2 Final inspections and requirements....13
5.9 Shear test (if required)....13
5.10 Substrate bending test (if required)....13
5.10.1 General....13
5.10.2 Initial inspections....13
5.10.3 Test conditions....13

5.10.4 Final inspections and requirements 13
5.11 Rapid change of temperature 13
5.11.1 General 13
5.11.2 Initial inspections 13
5.11.3 Test conditions 13
5.11.4 Recovery 13
5.11.5 Final inspections and requirements 14
5.12 Climatic sequence 14
5.12.1 General 14
5.12.2 Initial inspections 14
5.12.3 Dry heat 14
5.12.4 Damp heat, cyclic, Test Db, first cycle 14
5.12.5 Cold 14
5.12.6 Damp heat, cyclic, Test Db, remaining cycles 14
5.12.7 Recovery 14
5.12.8 Final inspections and requirements 14
5.13 Damp heat, steady state 14
5.13.1 General 14
5.13.2 Initial inspections 14
5.13.3 Test conditions 14
5.13.4 Recovery 15
5.13.5 Final inspections and requirements 15
5.14 Characteristics at high and low temperature 15
5.14.1 General 15
5.14.2 Inspections and requirements 15
5.15 Surge voltage 15
5.15.1 General 15
5.15.2 Initial inspections 15
5.15.3 Test conditions 15
5.15.4 Recovery 16
5.15.5 Final inspections and requirements 16
5.16 Endurance 16
5.16.1 General 16
5.16.2 Initial inspections 16
5.16.3 Test conditions 16
5.16.4 Recovery 16
5.16.5 Final inspections and requirements 16
5.17 Storage at high temperature 16
5.17.1 General 16
5.17.2 Initial inspections 16
5.17.3 Test conditions 17
5.17.4 Recovery 17
5.17.5 Final inspections and requirements 17
5.18 Charge and discharge (if required) 17
5.18.1 General 17
5.18.2 Initial inspections 17
5.18.3 Test conditions 17
5.18.4 Final inspections and requirements 17
5.19 Component solvent resistance (if required) 17

5.20 Solvent resistance of marking (if required) 17
5.21 High surge current (if required) 18
5.21.1 General 18
5.21.2 Final inspections and requirements 18
6 Marking 18
6.1 General 18
6.2 Information for marking 18
6.3 Marking on capacitors 18
6.4 Marking on packaging 18
7 Information to be given in a detail specification 18
7.1 General 18
7.2 Outline drawing and dimensions 19
7.3 Mounting 19
7.4 Ratings and characteristics 19
7.4.1 General 19
7.4.2 Nominal capacitance range 19
7.4.3 Particular characteristics 19
7.4.4 Soldering 19
7.5 Marking 20
8 Quality assessment procedures 20
8.1 Primary stage of manufacture 20
8.2 Structurally similar components 20
8.3 Certified test records of released lots 20
8.4 Qualification approval (QA) procedures 20
8.4.1 General 20
8.4.2 Qualification approval on the basis of the fixed sample size procedure 20
8.4.3 Tests 21
8.5 Quality conformance inspections 28
8.5.1 Formation of inspection lots 28
8.5.2 Test schedule 29
8.5.3 Delayed delivery 29
8.5.4 Assessment levels 29
Annex X (informative) Cross-references to the prior edition of this document 31
Bibliography 32

Table 1 – Surge voltages 9
Table 2 – Sampling plan for qualification approval, assessment level EZ 22
Table 3 – Test schedule for qualification approval 23
Table 4 – Lot-by-lot inspection 29
Table 5 – Periodic inspection 30
Table X.1 – Reference to IEC 60384-25 for clauses/subclauses and tables 31

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT –

Part 25: Sectional specification – Fixed aluminium electrolytic surface mount capacitors with conductive polymer solid electrolyte

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 60384-25:2015. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

International Standard IEC 60384-25 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment.

This third edition cancels and replaces the second edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) Revision of the structure in accordance with ISO/IEC Directives, Part 2:2018, to the extent practicable, and harmonization between other similar kinds of documents.
b) In addition, Clause 5 and all the tables have been reviewed in order to prevent duplications and contradictions.

The text of this standard is based on the following documents:

FDIS	Report on voting
40/2850/FDIS	40/2861/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

A list of all parts in the IEC 60384 series, published under the general title *Fixed capacitors for use in electronic equipment*, can be found on the IEC website.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at http://www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT –

Part 25: Sectional specification – Fixed aluminium electrolytic surface mount capacitors with conductive polymer solid electrolyte

~~1 General~~

1 Scope

This part of IEC 60384 applies to fixed aluminium electrolytic surface mount capacitors with conductive polymer solid electrolyte, primarily intended for DC applications for use in electronic equipment.

Fixed aluminium electrolytic surface mount capacitors with solid (MnO_2) are not included but are covered by IEC 60384-18.

These capacitors are primarily intended for use in electronic equipment to be mounted directly on substrates for hybrid circuits or to printed boards.

Capacitors for special-purpose applications ~~may~~ can need additional requirements.

~~1.2 Object~~

The object of this document is to prescribe preferred ratings and characteristics and to select from IEC 60384-1:2016, the appropriate quality assessment procedures, tests and measuring methods and to give general performance requirements for this type of capacitor. ~~Test severities and requirements prescribed in detail specifications referring to this sectional specification shall be of equal or higher performance level, because lower performance levels are not permitted.~~

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60063, *Preferred number series for resistors and capacitors*

IEC 60068-1:2013, *Environmental testing – Part 1: General and guidance*

IEC 60384-1:~~2008~~2016, *Fixed capacitors for use in electronic equipment – Part 1: Generic specification*

IEC 61193-2:2007, *Quality assessment systems – Part 2: Selection and use of sampling plans for inspection of electronic components and packages*

~~ISO 3, *Preferred numbers – Series of preferred numbers*~~

IEC 60384-25

Edition 3.0 2021-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Fixed capacitors for use in electronic equipment –
Part 25: Sectional specification – Fixed aluminium electrolytic surface mount capacitors with conductive polymer solid electrolyte

Condensateurs fixes utilisés dans les équipements électroniques –
Partie 25: Spécification intermédiaire – Condensateurs fixes électrolytiques en aluminium pour montage en surface à électrolyte solide en polymère conducteur



IEC 60384-25:2021-07(en-fr)

CONTENTS

FOREWORD 5
1 Scope 7
2 Normative references 7
3 Terms and definitions 7
4 Preferred ratings and characteristics 8
4.1 Preferred characteristics 8
4.2 Preferred values of ratings 8
4.2.1 Nominal capacitance (C_N) 8
4.2.2 Tolerance on nominal capacitance 8
4.2.3 Rated voltage (U_R) 8
4.2.4 Category voltage (U_C) 8
4.2.5 Surge voltage (U_{RS}) 9
4.2.6 Rated temperature 9
5 Test and measurement procedures 9
5.1 General 9
5.2 Preliminary drying 9
5.3 Measuring conditions 9
5.4 Mounting 9
5.4.1 General 9
5.4.2 Initial inspections 9
5.4.3 Test conditions 9
5.4.4 Final inspections and requirements 9
5.5 Visual examination and check of dimensions 9
5.5.1 General 9
5.5.2 Visual examination and check of dimensions 10
5.5.3 Requirements 10
5.6 Electrical tests 10
5.6.1 Leakage current 10
5.6.2 Capacitance 10
5.6.3 Tangent of loss angle (tan δ) 11
5.6.4 Equivalent series resistance (ESR) (if required) 11
5.6.5 Impedance (if required) 11
5.7 Resistance to soldering heat 12
5.7.1 General 12
5.7.2 Initial inspections 12
5.7.3 Test conditions 12
5.7.4 Recovery 12
5.7.5 Final inspections and requirements 12
5.8 Solderability 12
5.8.1 General 12
5.8.2 Final inspections and requirements 12
5.9 Shear test (if required) 12
5.10 Substrate bending test (if required) 12
5.10.1 General 12
5.10.2 Initial inspections 13
5.10.3 Test conditions 13

5.10.4 Final inspections and requirements 13
5.11 Rapid change of temperature 13
5.11.1 General 13
5.11.2 Initial inspections 13
5.11.3 Test conditions 13
5.11.4 Recovery 13
5.11.5 Final inspections and requirements 13
5.12 Climatic sequence 13
5.12.1 General 13
5.12.2 Initial inspections 13
5.12.3 Dry heat 13
5.12.4 Damp heat, cyclic, Test Db, first cycle 14
5.12.5 Cold 14
5.12.6 Damp heat, cyclic, Test Db, remaining cycles 14
5.12.7 Recovery 14
5.12.8 Final inspections and requirements 14
5.13 Damp heat, steady state 14
5.13.1 General 14
5.13.2 Initial inspections 14
5.13.3 Test conditions 14
5.13.4 Recovery 14
5.13.5 Final inspections and requirements 14
5.14 Characteristics at high and low temperature 14
5.14.1 General 14
5.14.2 Inspections and requirements 15
5.15 Surge voltage 15
5.15.1 General 15
5.15.2 Initial inspections 15
5.15.3 Test conditions 15
5.15.4 Recovery 15
5.15.5 Final inspections and requirements 15
5.16 Endurance 16
5.16.1 General 16
5.16.2 Initial inspections 16
5.16.3 Test conditions 16
5.16.4 Recovery 16
5.16.5 Final inspections and requirements 16
5.17 Storage at high temperature 16
5.17.1 General 16
5.17.2 Initial inspections 16
5.17.3 Test conditions 16
5.17.4 Recovery 16
5.17.5 Final inspections and requirements 16
5.18 Charge and discharge (if required) 16
5.18.1 General 16
5.18.2 Initial inspections 17
5.18.3 Test conditions 17
5.18.4 Final inspections and requirements 17
5.19 Component solvent resistance (if required) 17

5.20 Solvent resistance of marking (if required) 17
5.21 High surge current (if required) 17
5.21.1 General 17
5.21.2 Final inspections and requirements 17
6 Marking 17
6.1 General 17
6.2 Information for marking 18
6.3 Marking on capacitors 18
6.4 Marking on packaging 18
7 Information to be given in a detail specification 18
7.1 General 18
7.2 Outline drawing and dimensions 18
7.3 Mounting 19
7.4 Ratings and characteristics 19
7.4.1 General 19
7.4.2 Nominal capacitance range 19
7.4.3 Particular characteristics 19
7.4.4 Soldering 19
7.5 Marking 19
8 Quality assessment procedures 19
8.1 Primary stage of manufacture 19
8.2 Structurally similar components 20
8.3 Certified test records of released lots 20
8.4 Qualification approval (QA) procedures 20
8.4.1 General 20
8.4.2 Qualification approval on the basis of the fixed sample size procedure 20
8.4.3 Tests 20
8.5 Quality conformance inspections 28
8.5.1 Formation of inspection lots 28
8.5.2 Test schedule 29
8.5.3 Delayed delivery 29
8.5.4 Assessment levels 29
Annex X (informative) Cross-references to the prior edition of this document 31
Bibliography 32

Table 1 – Surge voltages 9
Table 2 – Sampling plan for qualification approval, assessment level EZ 22
Table 3 – Test schedule for qualification approval 23
Table 4 – Lot-by-lot inspection 29
Table 5 – Periodic inspection 30
Table X.1 – Reference to IEC 60384-25 for clauses/subclauses and tables 31

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT –

Part 25: Sectional specification – Fixed aluminium electrolytic surface mount capacitors with conductive polymer solid electrolyte

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60384-25 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment.

This third edition cancels and replaces the second edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) Revision of the structure in accordance with ISO/IEC Directives, Part 2:2018, to the extent practicable, and harmonization between other similar kinds of documents.
b) In addition, Clause 5 and all the tables have been reviewed in order to prevent duplications and contradictions.

The text of this standard is based on the following documents:

FDIS	Report on voting
40/2850/FDIS	40/2861/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

A list of all parts in the IEC 60384 series, published under the general title *Fixed capacitors for use in electronic equipment*, can be found on the IEC website.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at http://www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT –

Part 25: Sectional specification – Fixed aluminium electrolytic surface mount capacitors with conductive polymer solid electrolyte

1 Scope

This part of IEC 60384 applies to fixed aluminium electrolytic surface mount capacitors with conductive polymer solid electrolyte, primarily intended for DC applications for use in electronic equipment.

Fixed aluminium electrolytic surface mount capacitors with solid (MnO_2) are not included but are covered by IEC 60384-18.

These capacitors are primarily intended for use in electronic equipment to be mounted directly on substrates for hybrid circuits or to printed boards.

Capacitors for special-purpose applications can need additional requirements.

The object of this document is to prescribe preferred ratings and characteristics and to select from IEC 60384-1:2016, the appropriate quality assessment procedures, tests and measuring methods and to give general performance requirements for this type of capacitor.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60063, *Preferred number series for resistors and capacitors*

IEC 60068-1:2013, *Environmental testing – Part 1: General and guidance*

IEC 60384-1:2016, *Fixed capacitors for use in electronic equipment – Part 1: Generic specification*

IEC 61193-2:2007, *Quality assessment systems – Part 2: Selection and use of sampling plans for inspection of electronic components and packages*

SOMMAIRE

AVANT-PROPOS 37
1 Domaine d'application 39
2 Références normatives 39
3 Termes et définitions 39
4 Valeurs assignées et caractéristiques préférentielles 40
4.1 Caractéristiques préférentielles 40
4.2 Valeurs préférentielles des caractéristiques assignées 40
4.2.1 Capacité nominale (C_N) 40
4.2.2 Tolérance sur la capacité nominale 40
4.2.3 Tension assignée (U_R) 40
4.2.4 Tension de catégorie (U_C) 41
4.2.5 Surtension (U_{RS}) 41
4.2.6 Température assignée 41
5 Procédures d'essai et de mesure 41
5.1 Généralités 41
5.2 Préséchage 41
5.3 Conditions de mesure 41
5.4 Montage 41
5.4.1 Généralités 41
5.4.2 Inspections initiales 41
5.4.3 Conditions d'essai 42
5.4.4 Inspections finales et exigences 42
5.5 Examen visuel et contrôle des dimensions 42
5.5.1 Généralités 42
5.5.2 Examen visuel et contrôle des dimensions 42
5.5.3 Exigences 42
5.6 Essais électriques 42
5.6.1 Courant de fuite 42
5.6.2 Capacité 43
5.6.3 Tangente de l'angle de perte (tan δ) 43
5.6.4 Résistance-série équivalente (RSE) (si cela est exigé) 43
5.6.5 Impédance (si cela est exigé) 44
5.7 Résistance à la chaleur de brasage 44
5.7.1 Généralités 44
5.7.2 Inspections initiales 44
5.7.3 Conditions d'essai 44
5.7.4 Reprise 44
5.7.5 Inspections finales et exigences 44
5.8 Brasabilité 44
5.8.1 Généralités 44
5.8.2 Inspections finales et exigences 45
5.9 Essai de cisaillement (si cela est exigé) 45
5.10 Essai de pliage du substrat (si cela est exigé) 45
5.10.1 Généralités 45
5.10.2 Inspections initiales 45

5.10.3 Conditions d'essai 45
5.10.4 Inspections finales et exigences 45
5.11 Variations rapides de température 45
5.11.1 Généralités 45
5.11.2 Inspections initiales 45
5.11.3 Conditions d'essai 45
5.11.4 Reprise 45
5.11.5 Inspections finales et exigences 45
5.12 Séquence climatique 46
5.12.1 Généralités 46
5.12.2 Inspections initiales 46
5.12.3 Chaleur sèche 46
5.12.4 Chaleur humide, cyclique, Essai Db, premier cycle 46
5.12.5 Froid 46
5.12.6 Chaleur humide, cyclique, Essai Db, cycles restants 46
5.12.7 Reprise 46
5.12.8 Inspections finales et exigences 46
5.13 Chaleur humide, régime établi 46
5.13.1 Généralités 46
5.13.2 Inspections initiales 46
5.13.3 Conditions d'essai 47
5.13.4 Reprise 47
5.13.5 Inspections finales et exigences 47
5.14 Caractéristiques à hautes et basses températures 47
5.14.1 Généralités 47
5.14.2 Inspections et exigences 47
5.15 Surtension 47
5.15.1 Généralités 47
5.15.2 Inspections initiales 47
5.15.3 Conditions d'essai 47
5.15.4 Reprise 48
5.15.5 Inspections finales et exigences 48
5.16 Endurance 48
5.16.1 Généralités 48
5.16.2 Inspections initiales 48
5.16.3 Conditions d'essai 48
5.16.4 Reprise 48
5.16.5 Inspections finales et exigences 48
5.17 Stockage à haute température 48
5.17.1 Généralités 48
5.17.2 Inspections initiales 49
5.17.3 Conditions d'essai 49
5.17.4 Reprise 49
5.17.5 Inspections finales et exigences 49
5.18 Charge et décharge (si cela est exigé) 49
5.18.1 Généralités 49
5.18.2 Inspections initiales 49
5.18.3 Conditions d'essai 49
5.18.4 Inspections finales et exigences 49

5.19 Résistance du composant aux solvants (si cela est exigé) 49
5.20 Résistance du marquage aux solvants (si cela est exigé) 50
5.21 Surintensités (si cela est exigé) 50
5.21.1 Généralités 50
5.21.2 Inspections finales et exigences 50
6 Marquage 50
6.1 Généralités 50
6.2 Informations pour le marquage 50
6.3 Marquage sur les condensateurs 50
6.4 Marquage sur l'emballage 50
7 Informations à spécifier dans une spécification particulière 50
7.1 Généralités 50
7.2 Dessin d'encombrement et dimensions 51
7.3 Montage 51
7.4 Valeurs assignées et caractéristiques 51
7.4.1 Généralités 51
7.4.2 Plage de capacités nominales 51
7.4.3 Caractéristiques particulières 52
7.4.4 Brasage 52
7.5 Marquage 52
8 Procédures d'assurance de la qualité 52
8.1 Étape initiale de fabrication 52
8.2 Composants de structure similaire 52
8.3 Enregistrements d'essais certifiés de lots livrés 52
8.4 Procédures d'homologation 52
8.4.1 Généralités 52
8.4.2 Homologation fondée sur la procédure avec un effectif d'échantillon fixe 52
8.4.3 Essais 53
8.5 Contrôles de conformité de la qualité 60
8.5.1 Formation des lots d'inspection 60
8.5.2 Programme d'essai 61
8.5.3 Remise différée 61
8.5.4 Niveaux d'assurance 61
Annexe X (informative) Référence croisée pour les références à la révision précédente du présent document 63
Bibliographie 64

Tableau 1 – Surtensions 41
Tableau 2 – Plan d'échantillonnage pour homologation – niveau d'assurance EZ 54
Tableau 3 – Programme d'essai pour homologation 55
Tableau 4 – Inspection lot par lot 61
Tableau 5 – Inspection périodique 62
Tableau X.1 – Référence à l'IEC 60384-25 pour les articles/paragraphes et les tableaux 63

COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

_____

CONDENSATEURS FIXES UTILISÉS DANS LES ÉQUIPEMENTS ÉLECTRONIQUES –

Partie 25: Spécification intermédiaire – Condensateurs fixes électrolytiques en aluminium pour montage en surface à électrolyte solide en polymère conducteur

AVANT-PROPOS

1) La Commission Électrotechnique Internationale (IEC) est une organisation mondiale de normalisation composée de l'ensemble des comités électrotechniques nationaux (Comités nationaux de l'IEC). L'IEC a pour objet de favoriser la coopération internationale pour toutes les questions de normalisation dans les domaines de l'électricité et de l'électronique. À cet effet, l'IEC – entre autres activités – publie des Normes internationales, des Spécifications techniques, des Rapports techniques, des Spécifications accessibles au public (PAS) et des Guides (ci-après dénommés "Publication(s) de l'IEC"). Leur élaboration est confiée à des comités d'études, aux travaux desquels tout Comité national intéressé par le sujet traité peut participer. Les organisations internationales, gouvernementales et non gouvernementales, en liaison avec l'IEC, participent également aux travaux. L'IEC collabore étroitement avec l'Organisation Internationale de Normalisation (ISO), selon des conditions fixées par accord entre les deux organisations.
2) Les décisions ou accords officiels de l'IEC concernant les questions techniques représentent, dans la mesure du possible, un accord international sur les sujets étudiés, étant donné que les Comités nationaux de l'IEC intéressés sont représentés dans chaque comité d'études.
3) Les Publications de l'IEC se présentent sous la forme de recommandations internationales et sont agréées comme telles par les Comités nationaux de l'IEC. Tous les efforts raisonnables sont entrepris afin que l'IEC s'assure de l'exactitude du contenu technique de ses publications; l'IEC ne peut pas être tenue responsable de l'éventuelle mauvaise utilisation ou interprétation qui en est faite par un quelconque utilisateur final.
4) Dans le but d'encourager l'uniformité internationale, les Comités nationaux de l'IEC s'engagent, dans toute la mesure possible, à appliquer de façon transparente les Publications de l'IEC dans leurs publications nationales et régionales. Toutes divergences entre toutes Publications de l'IEC et toutes publications nationales ou régionales correspondantes doivent être indiquées en termes clairs dans ces dernières.
5) L'IEC elle-même ne fournit aucune attestation de conformité. Des organismes de certification indépendants fournissent des services d'évaluation de conformité et, dans certains secteurs, accèdent aux marques de conformité de l'IEC. L'IEC n'est responsable d'aucun des services effectués par les organismes de certification indépendants.
6) Tous les utilisateurs doivent s'assurer qu'ils sont en possession de la dernière édition de cette publication.
7) Aucune responsabilité ne doit être imputée à l'IEC, à ses administrateurs, employés, auxiliaires ou mandataires, y compris ses experts particuliers et les membres de ses comités d'études et des Comités nationaux de l'IEC, pour tout préjudice causé en cas de dommages corporels et matériels, ou de tout autre dommage de quelque nature que ce soit, directe ou indirecte, ou pour supporter les coûts (y compris les frais de justice) et les dépenses découlant de la publication ou de l'utilisation de cette Publication de l'IEC ou de toute autre Publication de l'IEC, ou au crédit qui lui est accordé.
8) L'attention est attirée sur les références normatives citées dans cette publication. L'utilisation de publications référencées est obligatoire pour une application correcte de la présente publication.
9) L'attention est attirée sur le fait que certains des éléments de la présente Publication de l'IEC peuvent faire l'objet de droits de brevet. L'IEC ne saurait être tenue pour responsable de ne pas avoir identifié de tels droits de brevets et de ne pas avoir signalé leur existence.

La Norme internationale IEC 60384-25 a été établie par le comité d'études 40 de l'IEC: Condensateurs et résistances pour équipements électroniques.

Cette troisième édition annule et remplace la deuxième édition parue en 2015. Cette édition constitue une révision technique.

Cette édition inclut les modifications techniques majeures suivantes par rapport à l'édition précédente:

a) révision de la structure fondée sur les Directives ISO/IEC, Partie 2:2018 dans la mesure du possible, et harmonisation avec d'autres types de documents similaires;
b) en outre, révision de l'Article 5 et des tableaux pour éviter les redondances et les contradictions.

Le texte de cette Norme est issu des documents suivants:

FDIS	Rapport de vote
40/2850/FDIS	40/2861/RVD

Le rapport de vote indiqué dans le tableau ci-dessus donne toute information sur le vote ayant abouti à son approbation.

La langue employée pour l'élaboration de cette Norme internationale est l'anglais.

Une liste de toutes les parties de la série IEC 60384, publiées sous le titre général *Condensateurs fixes utilisés dans les équipements électroniques*, peut être consultée sur le site web de l'IEC.

Le présent document a été rédigé selon les Directives ISO/IEC, Partie 2, il a été développé selon les Directives ISO/IEC, Partie 1 et les Directives ISO/IEC, Supplément IEC, disponibles sous www.iec.ch/members_experts/refdocs. Les principaux types de documents développés par l'IEC sont décrits plus en détail sous http://www.iec.ch/standardsdev/publications.

Le comité a décidé que le contenu du présent document ne sera pas modifié avant la date de stabilité indiquée sur le site web de l'IEC sous webstore.iec.ch dans les données relatives au document recherché. À cette date, le document sera

- reconduit,
- supprimé,
- remplacé par une édition révisée, ou
- amendé.

CONDENSATEURS FIXES UTILISÉS DANS LES ÉQUIPEMENTS ÉLECTRONIQUES –

Partie 25: Spécification intermédiaire – Condensateurs fixes électrolytiques en aluminium pour montage en surface à électrolyte solide en polymère conducteur

1 Domaine d'application

La présente partie de l'IEC 60384 s'applique aux condensateurs fixes électrolytiques en aluminium pour montage en surface à électrolyte solide en polymère conducteur principalement destinés à des applications en courant continu pour être utilisés dans des équipements électroniques.

Les condensateurs fixes électrolytiques en aluminium pour montage en surface à électrolyte solide (MnO_2) ne sont pas inclus, mais ils sont couverts par l'IEC 60384-18.

Ces condensateurs sont principalement destinés à être utilisés dans des équipements électroniques et montés directement sur des substrats pour circuits hybrides ou sur des cartes imprimées.

Les condensateurs destinés à un usage spécial peuvent nécessiter des exigences supplémentaires.

Le présent document a pour objet de spécifier les valeurs assignées et caractéristiques préférentielles, de sélectionner, en se référant à l'IEC 60384-1:2016, les procédures d'assurance de la qualité, les essais et les méthodes de mesure appropriés et de donner les exigences de performance générales pour ce type de condensateur.

2 Références normatives

Les documents suivants sont cités dans le texte de sorte qu'ils constituent, pour tout ou partie de leur contenu, des exigences du présent document. Pour les références datées, seule l'édition citée s'applique. Pour les références non datées, la dernière édition du document de référence s'applique (y compris les éventuels amendements).

IEC 60063, *Séries de valeurs normales pour résistances et condensateurs*

IEC 60068-1:2013, *Essais d'environnement – Partie 1: Généralités et lignes directrices*

IEC 60384-1:2016, *Condensateurs fixes utilisés dans les équipements électroniques – Partie 1: Spécification générique*

IEC 61193-2:2007, *Quality assessment systems – Part 2: Selection and use of sampling plans for inspection of electronic components and packages* (disponible en anglais seulement)