IEC 60401-1

Edition 2.0 2020-04

REDLINE VERSION

colour inside

Terms and nomenclature for cores made of magnetically soft ferrites – Part 1: Terms used for physical irregularities and reference of dimensions

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.100.10

ISBN 978-2-8322-8218-2

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 5
1 Scope 7
2 Normative references 7
3 Terms and definitions 7
4 Physical irregularities 7
4.1 General overview 7
4.2 General terms for physical irregularities 8
4.3 Surface irregularities 9
4.3.1 Chip irregularities 9
4.3.2 Protruding (convex) irregularities 10
4.3.3 Edge irregularities 11
4.3.4 Crack irregularities 12
4.3.5 Colour irregularities 14
4.3.6 Machining-related irregularities 15
4.4 Interior irregularities 16
4.5 Shape irregularities (deformations) 17
4.5.1 Non-flat irregularities 17
4.5.2 Simple geometry irregularities 19
4.5.3 Grinding related irregularities 22
4.5.4 Other shape irregularities 22
~~5 Bulk irregularities~~ .....
5 Reference of dimensions 23
5.1 General specifications 23
5.2 Dimension descriptions 23
5.3 Core illustrations 24
Annex A (informative) Location related terms 28
A.1 General 28
A.2 Surfaces 28
A.3 Shape 29
A.4 Specific parts location qualifiers 29

Figure 1 – Surface chip 9
Figure 2 – Edge chip 9
Figure 3 – Corner chip 9
Figure 4 – Pull-out 10
Figure 5 – Pores 10
Figure 6 – Hump 11
Figure 7 – Attached particle 11
Figure 8 – Ragged edge 11
Figure 9 – Flash 11
Figure 10 – Single-surface narrow crack 12
Figure 11 – Single-surface broad crack 12
Figure 12 – Edge narrow crack 12
Figure 13 – Edge broad crack 13

Figure 14 – Inner channel crack 13
Figure 15 – Lamination 13
Figure 16 – Crazing 14
Figure 17 – Difference in colour tones 14
Figure 18 – Discoloration 14
Figure 19 – Stain 15
Figure 20 – Crystallite 15
Figure 21 – Roughness 15
Figure 22 – Short-ground surface 16
Figure 23 – Scratch 16
Figure 24 – Convexity 17
Figure 25 – Concavity 18
Figure 26 – Warping 18
Figure 27 – Deflection-out 18
Figure 28 – Deflection-in 19
Figure 29 – Transverse deflection 19
Figure 30 – Undulation 19
Figure 31 – Non-parallelism 19
Figure 32 – Non-perpendicularity 20
Figure 33 – Non-coplanarity 20
Figure 34 – Non-circularity 20
Figure 35 – Ovality 21
Figure 36 – Non-concentricity of co-planar circles 21
Figure 37 – Non-concentricity of circles lying on two planes 21
Figure 38 – Steplike ground surface 22
Figure 39 – Uneven grinding slant 22
Figure 40 – Un-matching 22
Figure 41 – Profile deformation 23
Figure 42 – Ring-cores 24
Figure 43 – E-core 24
Figure 44 – ETD- or EER-core 25
Figure 45 – EC-core 25
Figure 46 – Planar E-core 25
Figure 47 – Planar EL-core 25
Figure 48 – Planar ER-core 25
Figure 49 – Plate-core mating planar cores 25
Figure 50 – EFD-core 26
Figure 51 – Drum-core 26
Figure 52 – EP-core 26
Figure 53 – PQ-core 26
Figure 54 – Pot-core and half pot-core for inductive proximity switches 26
Figure 55 – PM-core 26
Figure 56 – RM-core 27

Figure 57 – U-core 27
Figure 58 – UR-core 27
Figure 59 – Balun-core 27
Figure 60 – Multi hole bead 27
Figure A.1 – E-core 33
Figure A.2 – RM-core 33

Table 1 – Ring-core dimension designations 23
Table 2 – Other ferrite shape dimension designations 24

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

TERMS AND NOMENCLATURE FOR CORES MADE OF MAGNETICALLY SOFT FERRITES –

Part 1: Terms used for physical irregularities and reference of dimensions

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER
This Redline version is not an official Standard and is intended to provide the user with an indication of what changes have been made to the previous version. Only the IEC International Standard provided in this package is to be considered the official Standard.

This Redline version provides you with a quick and easy way to compare all the changes between this standard and its previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

International Standard IEC 60401-1 has been prepared by IEC technical committee 51: Magnetic components, ferrite and magnetic powder materials.

This second edition cancels and replaces the first edition of IEC 60401-1 published in 2002 and the second edition of IEC 60401-2 published in 2009. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous editions of IEC 60401-1 and IEC 60401-2:

a) added the surface irregularity term “pores” in 4.3.1.6;
b) added the surface irregularity term “scratch” in 4.3.6.3;
c) removed the surface irregularity term “crater” in 4.1.5 of IEC 60401-1: 2002;
d) removed the bulk irregularity terms “superpores” in 5.1, “inclusions” in 5.2, “internal stratification” in 5.3 and “internal crack” in 5.4 of IEC 60401-1: 2002;
e) removed the contents related to “yoke ring cores” in 7.1.3 and 7.4 of IEC 60401-1:2002;
f) replaced the surface irregularity term “stratification” with “lamination” in 4.3.4.7;
g) replaced the location related terms “upper surface of back” with “bottom surface” and “lower surface of back” with “back surface” in Figure A.1;
h) changed Clause 7 of IEC 60401-1:2002 into Annex A.

The text of this International Standard is based on the following documents:

CDV	Report on voting
51/1313/CDV	51/1332/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60401 series, published under the general title *Terms and nomenclature for cores made of magnetically soft ferrites* can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

TERMS AND NOMENCLATURE FOR CORES MADE OF MAGNETICALLY SOFT FERRITES –

Part 1: Terms used for physical irregularities and reference of dimensions

1 Scope

This part of IEC 60401 provides a nomenclature of the most frequent surface, bulk and shape irregularities relevant to cores made of soft ferrites (magnetic oxides). Most irregularities are graphically exemplified as visual aids. A general recommendation is also given in Annex A for a consistent scheme for specifying the exact location of the irregularity, combining a general name for the location with more detailed qualifiers of the specified location. This document can also be useful as a terminology reference when preparing technical documentation, irregularity inspection specifications, etc.

This document also presents a method for defining the designation nomenclature for the major physical attributes of soft ferrite core shapes. The purpose of this document is to facilitate uniform usage of dimensional characters by manufacturers, specifiers, and users when describing core dimensions on drawings, in tables, and on catalogue specification sheets.

2 Normative references

There are no normative references in this document.

IEC 60401-1

Edition 2.0 2020-04

INTERNATIONAL STANDARD

Terms and nomenclature for cores made of magnetically soft ferrites – Part 1: Terms used for physical irregularities and reference of dimensions



IEC 60401-1:2020-04(en)

CONTENTS

FOREWORD 5
1 Scope 7
2 Normative references 7
3 Terms and definitions 7
4 Physical irregularities 7
4.1 General overview 7
4.2 General terms for physical irregularities 8
4.3 Surface irregularities 8
4.3.1 Chip irregularities 8
4.3.2 Protruding (convex) irregularities 10
4.3.3 Edge irregularities 11
4.3.4 Crack irregularities 11
4.3.5 Colour irregularities 13
4.3.6 Machining-related irregularities 15
4.4 Interior irregularities 16
4.5 Shape irregularities (deformations) 16
4.5.1 Non-flat irregularities 16
4.5.2 Simple geometry irregularities 18
4.5.3 Grinding related irregularities 20
4.5.4 Other shape irregularities 20
5 Reference of dimensions 21
5.1 General specifications 21
5.2 Dimension descriptions 21
5.3 Core illustrations 22
Annex A (informative) Location related terms 26
A.1 General 26
A.2 Surfaces 26
A.3 Shape 27
A.4 Specific parts location qualifiers 27

Figure 1 – Surface chip 9
Figure 2 – Edge chip 9
Figure 3 – Corner chip 9
Figure 4 – Pull-out 10
Figure 5 – Pores 10
Figure 6 – Hump 10
Figure 7 – Attached particle 10
Figure 8 – Ragged edge 11
Figure 9 – Flash 11
Figure 10 – Single-surface narrow crack 11
Figure 11 – Single-surface broad crack 12
Figure 12 – Edge narrow crack 12
Figure 13 – Edge broad crack 12
Figure 14 – Inner channel crack 13

Figure 15 – Lamination 13
Figure 16 – Crazing 13
Figure 17 – Difference in colour tones 14
Figure 18 – Discoloration 14
Figure 19 – Stain 14
Figure 20 – Crystallite 14
Figure 21 – Roughness 15
Figure 22 – Short-ground surface 15
Figure 23 – Scratch 15
Figure 24 – Convexity 16
Figure 25 – Concavity 16
Figure 26 – Warping 16
Figure 27 – Deflection-out 17
Figure 28 – Deflection-in 17
Figure 29 – Transverse deflection 17
Figure 30 – Undulation 18
Figure 31 – Non-parallelism 18
Figure 32 – Non-perpendicularity 18
Figure 33 – Non-coplanarity 18
Figure 34 – Non-circularity 19
Figure 35 – Ovality 19
Figure 36 – Non-concentricity of co-planar circles 19
Figure 37 – Non-concentricity of circles lying on two planes 20
Figure 38 – Steplike ground surface 20
Figure 39 – Uneven grinding slant 20
Figure 40 – Un-matching 21
Figure 41 – Profile deformation 21
Figure 42 – Ring-cores 22
Figure 43 – E-core 22
Figure 44 – ETD- or EER-core 23
Figure 45 – EC-core 23
Figure 46 – Planar E-core 23
Figure 47 – Planar EL-core 23
Figure 48 – Planar ER-core 23
Figure 49 – Plate-core mating planar cores 23
Figure 50 – EFD-core 24
Figure 51 – Drum-core 24
Figure 52 – EP-core 24
Figure 53 – PQ-core 24
Figure 54 – Pot-core and half pot-core for inductive proximity switches 24
Figure 55 – PM-core 24
Figure 56 – RM-core 25
Figure 57 – U-core 25

Figure 58 – UR-core 25
Figure 59 – Balun-core 25
Figure 60 – Multi hole bead 25
Figure A.1 – E-core 28
Figure A.2 – RM-core 28

Table 1 – Ring-core dimension designations 21
Table 2 – Other ferrite shape dimension designations 22

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

TERMS AND NOMENCLATURE FOR CORES MADE OF MAGNETICALLY SOFT FERRITES –

Part 1: Terms used for physical irregularities and reference of dimensions

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60401-1 has been prepared by IEC technical committee 51: Magnetic components, ferrite and magnetic powder materials.

This second edition cancels and replaces the first edition of IEC 60401-1 published in 2002 and the second edition of IEC 60401-2 published in 2009. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous editions of IEC 60401-1 and IEC 60401-2:

a) added the surface irregularity term "pores" in 4.3.1.6;
b) added the surface irregularity term "scratch" in 4.3.6.3;
c) removed the surface irregularity term "crater" in 4.1.5 of IEC 60401-1: 2002;

d) removed the bulk irregularity terms “superpores” in 5.1, “inclusions” in 5.2, “internal stratification” in 5.3 and “internal crack” in 5.4 of IEC 60401-1: 2002;

e) removed the contents related to “yoke ring cores” in 7.1.3 and 7.4 of IEC 60401-1:2002;

f) replaced the surface irregularity term “stratification” with “lamination” in 4.3.4.7;

g) replaced the location related terms “upper surface of back” with “bottom surface” and “lower surface of back” with “back surface” in Figure A.1;

h) changed Clause 7 of IEC 60401-1:2002 into Annex A.

The text of this International Standard is based on the following documents:

CDV	Report on voting
51/1313/CDV	51/1332/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60401 series, published under the general title *Terms and nomenclature for cores made of magnetically soft ferrites* can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

TERMS AND NOMENCLATURE FOR CORES MADE OF MAGNETICALLY SOFT FERRITES –

Part 1: Terms used for physical irregularities and reference of dimensions

1 Scope

This part of IEC 60401 provides a nomenclature of the most frequent surface, bulk and shape irregularities relevant to cores made of soft ferrites (magnetic oxides). Most irregularities are graphically exemplified as visual aids. A general recommendation is also given in Annex A for a consistent scheme for specifying the exact location of the irregularity, combining a general name for the location with more detailed qualifiers of the specified location. This document can also be useful as a terminology reference when preparing technical documentation, irregularity inspection specifications, etc.

This document also presents a method for defining the designation nomenclature for the major physical attributes of soft ferrite core shapes. The purpose of this document is to facilitate uniform usage of dimensional characters by manufacturers, specifiers, and users when describing core dimensions on drawings, in tables, and on catalogue specification sheets.

2 Normative references

There are no normative references in this document.