IEC 60455-2

Edition 4.0 2023-07
REDLINE VERSION

INTERNATIONAL STANDARD

colour inside

Resin based reactive compounds used for electrical insulation – Part 2: Methods of test



IEC 60455-2:2023-07 RLV(en)



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC 60455-2

Edition 4.0 2023-07
REDLINE VERSION

INTERNATIONAL STANDARD

colour inside

Resin based reactive compounds used for electrical insulation – Part 2: Methods of test

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 17.220.99, 29.035.01

ISBN 978-2-8322-7342-5

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 5
INTRODUCTION 2
1 Scope 8
2 Normative references 8
3 Terms and definitions 11
4 General notes on methods of test 11
4.1 Preparation and conditioning 11
4.2 Sequence of tests 12
4.3 Test report 12
5 Methods of test for reactive compounds and their components 12
5.1 Flash point 12
5.2 Density 12
5.3 Viscosity 12
5.4 Viscosity after storing at elevated temperature 12
5.5 Content of volatile organic components 13
5.6 Isothermal increase of viscosity (processing time) 13
5.7 Shelf life 13
5.8 Colour 14
5.9 Softening temperature 14
5.10 Ash content 14
5.11 Filler content 14
5.12 Chlorine content 14
5.12.1 Total chlorine content of unsaturated polyesters and epoxide resins 14
5.12.2 Inorganic chlorine content of epoxide resins and glycidyl esters 14
5.12.3 Easily saponifiable chlorine content of epoxide resins and related materials 14
5.13 Tendency of crystallisation 14
5.14 Epoxide equivalent of epoxide resins 14
5.15 Content of isocyanate 14
5.16 Water content (Karl Fischer method) 15
5.17 Hydroxyl value 15
5.17.1 Polyester resins 15
5.17.2 Resins other than polyester 15
5.18 Acid value of polyester resins 15
5.19 Amount of double bonds of unsaturated polyester and acrylate resins 15
5.20 Acid and acid-anhydride content of acid-anhydride hardeners 15
5.21 Amine value 15
5.22 Pot life 15
5.22.1 General 15
5.22.2 Resinous compounds for cable accessories 15
5.23 Gel time 16
5.23.1 Unsaturated polyester based compounds 16
5.23.2 Phenolic resin based compounds 16
5.23.3 Other compounds 16
5.24 Exothermic temperature rise 16
5.24.1 Unsaturated polyester based compounds 16
5.24.2 Resinous compounds for cable accessories 16

~~5.24.3 Other compounds~~
5.25 Total volume shrinkage of epoxide and unsaturated polyester based compounds ... 17
5.26 Curing in presence of water ... 17
5.26.1 General ... 17
5.26.2 Apparatus and materials ... 17
5.26.3 Pouring device ... 18
5.26.4 Procedure ... 18
5.26.5 Test report ... 18
5.27 Determination of the degree of curing ... 19
5.28 Curing in thick layer and emissions during curing ... 19
5.28.1 General ... 20
5.28.2 Equipment ... 20
5.28.3 Test specimen ... 20
5.28.4 Procedure ... 20
6 Methods of test for cured reactive compounds ... 21
6.1 General ... 22
6.2 Test specimens ... 22
6.2.1 General ... 22
6.2.2 Preparation of the reactive compound ... 22
6.2.3 Preparation of test specimens ... 22
6.2.4 Type and number of test specimens ... 22
6.3 Density ... 23
6.4 Mechanical properties ... 23
6.4.1 Tensile properties ... 23
6.4.2 Compressive properties ... 23
6.4.3 Flexural properties ... 23
6.4.4 Impact strength ... 23
6.4.5 Hardness ... 24
6.5 Thermal properties ... 24
6.5.1 Bond strength at elevated temperature ... 24
6.5.2 Linear thermal expansion ... 24
6.5.3 Thermal conductivity ... 24
6.5.4 Glass transition ... 24
6.5.5 Flammability ... 24
6.5.6 Thermal shock ... 25
6.5.7 Dry heat resistance of resins for cable accessories – Method of test ... 25
6.5.8 Wet heat resistance of resins for cable accessories ... 26
6.5.9 Loss of mass ... 28
6.5.10 Temperature index ... 29
6.6 Chemical properties ... 29
6.6.1 Water absorption ... 29
6.6.2 Effect of liquid chemicals ... 29
6.6.3 Resistance to mould growth ... 30
6.6.4 Water vapour permeability ... 30
6.7 Electrical properties ... 30
6.7.1 Effect of water immersion on volume resistivity ... 30
6.7.2 Dielectric dissipation factor (tan δ) and relative permittivity ... 30
6.7.3 Break down voltage and electric strength ... 31

6.7.4 Proof tracking index (PTI) 33
6.7.5 Electrolytic corrosion 33
Annex A (informative) Health and safety 38
Bibliography 39

~~Figure 1 – Test apparatus for curing in presence of water test ..... .~~
~~Figure 2 – Test set-up for volume resistivity ..... .~~
Figure 1 – Examination grid 19
Figure 2 – Position of examination grid on the specimen 19
Figure 3 – Example of electrode arrangement for flexible cured compound 36
Figure 4 – Example of electrode arrangement for rigid cured compound 37

Table 1 – Condition of the top side 20
Table 2 – Condition of the bottom side 21
Table 3 – Condition of the interior 21
Table 4 – Voids 21

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

RESIN BASED REACTIVE COMPOUNDS USED FOR ELECTRICAL INSULATION –

Part 2: Methods of test

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 60455-2:2015. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 60455-2 has been prepared by IEC technical committee 15: Solid electrical insulating materials. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) Introduction of test methods related to IEC 60455-3-8;

b) Additional and updated test methods for resins.

The text of this International Standard is based on the following documents:

Draft	Report on voting
15/1006/FDIS	15/1015/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 60455 series, published under the general title *Resin based reactive compounds used for electrical insulation*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 60455 is one of a series which deals with solvent-free resin based reactive compounds and their components used for electrical insulation.

The series consists of three parts:

- Part 1: Definitions and general requirements;
- Part 2: Methods of test;
- Part 3: Specifications for individual materials.

RESIN BASED REACTIVE COMPOUNDS USED FOR ELECTRICAL INSULATION –

Part 2: Methods of test

1 Scope

This part of IEC 60455 specifies methods of test to be used for testing resin based reactive compounds, their components and cured compounds used for electrical insulation.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050 (all parts), *International Electrotechnical Vocabulary (available at http://www.electropedia.org)*

IEC 60068-2-10:2005, *Environmental testing – Part 2-10: Tests – Test J and guidance: Mould growth*

~~IEC 60093:1980, *Methods of test for volume resistivity and surface resistivity of solid electrical insulating materials*~~

IEC 60112:~~2003~~2020, *Method for the determination of the proof and the comparative tracking indices of solid insulating materials*

IEC 60216 (all parts), *Electrical insulating materials – Thermal endurance properties*

IEC 60243-1:~~1998~~2013, *Electric~~al~~ strength of insulating materials – Test methods – Part 1: Tests at power frequencies*

~~IEC 60250:1969, *Recommended methods for the determination of the permittivity and dielectric dissipation factor of electrical insulating materials at power, audio and radio frequencies including metre wavelengths*~~

IEC 60296:~~2012~~2020, *Fluids for electrotechnical applications –~~ Unused~~ Mineral insulating oils for~~ transformers and switchgear~~ electrical equipment*

IEC 60426:2007, *Electrical insulating materials – Determination of electrolytic corrosion caused by insulating materials – Test methods*

IEC 60455-1:1998, *Resin based reactive compounds used for electrical insulation – Part 1: Definitions and general requirements*

IEC 60455-3 (all parts), *Resin based reactive compounds used for electrical insulation – Part 3: Specifications for individual materials*

IEC 60455-3-8:~~2013~~2021, *Resin based reactive compounds used for electrical insulation – Part 3-8: Specifications for individual materials – Resins for cable accessories*

IEC 60695-11-10:~~1999~~2013, *Fire hazard testing – Part 11-10: Test flames – 50 W horizontal and vertical flame test methods*

IEC 60814:1997, *Insulating liquids – Oil-impregnated paper and pressboard – Determination of water by automatic coulometric Karl Fischer titration*

IEC 61033:1991, *Test methods for the determination of bond strength of impregnating agents to an enamelled wire substrate*

IEC 61099:2010, *Insulating liquids – Specifications for unused synthetic organic esters for electrical purposes*

ISO 37:2011, *Rubber, vulcanized or thermoplastic – Determination of tensile stress-strain properties*

ISO 62:2008, *Plastics – Determination of water absorption*

ISO 75 (all parts), *Plastics and ebonite – Determination of temperature of deflection under load*

ISO 175:2010, Plastics – *Methods of test for the determination of the effects of immersion in liquid chemicals~~, including water~~*

ISO 178:2010, *Plastics – Determination of flexural properties*

ISO 179-1:2010, *Plastics – Determination of Charpy impact properties – Part 1: Non-instrumented impact test*

ISO 179-2:1997, *Plastics – Determination of Charpy impact properties – Part 2: Instrumented impact test*

ISO 291, *Plastics – Standard atmospheres for conditioning and testing*

ISO 306:~~2004~~2013, *Plastics – Thermoplastic materials – Determination of Vicat softening temperature (VST)*

ISO 527 (all parts), *Plastics – Determination of tensile properties*

ISO 584:1982, *Plastics – Unsaturated polyester resins – Determination of reactivity at 80 degrees C (conventional method)*

ISO 604:2002, *Plastics – Determination of compressive properties*

ISO 868:2003, *Plastics and ebonite – Determination of indentation hardness by means of a durometer (Shore hardness)*

ISO 1183-1:~~2012~~2019, *Plastics – Methods for determining the density of non-cellular plastics – Part 1: Immersion method, liquid pycnometer method and titration method*

ISO 1513:2010, *Paints and varnishes – Examination and preparation of test samples~~ for testing~~*

ISO 1523:2002, *~~Paints, varnishes, petroleum and related products –~~ Determination of flash point – Closed cup equilibrium method*

ISO 1675:1985, *Plastics – Liquid resins – Determination of density by the pycnometer method*

ISO 2039-1:1993, *Plastics – Determination of hardness – Part 1: Ball indentation method*

ISO 2114:~~1996~~2000, *Plastics ~~– Unsaturated~~ (polyester resins) and paints and varnishes (binders) – Determination of partial acid value and total acid value*

ISO 2431:1993, *Paints and varnishes – Determination of flow time by use of flow cups*

ISO 2535:1997, *Plastics – Unsaturated polyester resins – Measurement of gel time at 25 degrees C*

ISO 2554:1997, *Plastics – Unsaturated polyester resins – Determination of hydroxyl value*

ISO 2555:1989, *Plastics – Resins in the liquid state or as emulsions or dispersions – Determination of apparent viscosity ~~by the Brookfield test~~ using a single cylinder type rotational viscometer method*

ISO 2592:1973, *Petroleum products – Determination of flash and fire points – Cleveland open cup method*

ISO 3001:1997, *Plastics – ~~Epoxide~~ Epoxy compounds – Determination of ~~epoxide~~ epoxy equivalent*

ISO 3219:1993, *Plastics – Polymers/resins in the liquid state or as emulsions or dispersions – Determination of viscosity using a rotational viscometer with defined shear rate*

ISO 3451-1:1997, *Plastics – Determination of ash – Part 1: General methods*

ISO 3521:1997, *Plastics – Unsaturated polyester and epoxy resins – Determination of overall volume shrinkage*

ISO 3679:1983, *Paints, varnishes, petroleum and related products – Determination of flashpoint – Rapid equilibrium method*

ISO 4573:1978, *Plastics – Epoxide resins and glycidyl esters – Determination of inorganic chlorine*

ISO 4583:1998, *Plastics – Epoxide resins and related materials – Determination of easily saponifiable chlorine*

ISO 4615:1979, *Plastics – Unsaturated polyesters and epoxide resins – Determination of total chlorine content*

ISO 4625:1980, *Binders for paints and varnishes – Determination of softening point – Ring-and-ball method*

ISO 4895, *Plastics – Liquid epoxy resins – Determination of tendency to crystallize*

ISO 7056, *Plastics laboratory ware – Beakers*

ISO 9396:1997, *Plastics – Phenolic resins – Determination of the gel time ~~at a given temperature~~ of resols under specific conditions using automatic apparatus*

ISO 11357-2:1999, *Plastics – Differential scanning calorimetry (DSC) – Part 2: Determination of glass transition temperature and step height*

ISO 11359-2:1999, *Plastics – Thermomechanical analysis (TMA) – Part 2: Determination of coefficient of linear thermal expansion and glass transition temperature*

ISO 11359-3:2002, *Plastics – Thermomechanical analysis (TMA) – Part 3: Determination of penetration temperature*

ISO 14896:2009, *Plastics – Polyurethane raw materials – Determination of isocyanate content*

ISO 15528:2000, *Paints, varnishes and raw materials for paints and varnishes – Sampling*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60455-1 and IEC 60050 and the following shall apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

3.1
volume resistance
part of the insulation resistance which is due to conduction through the volume and excluding surface current

3.2
volume resistivity
volume resistance reduced to a cubical unit volume

3.3
dielectric dissipation factor
tan δ
numerical value of the ratio of the imaginary to the real part of the complex permittivity

3.4
relative permittivity
ε_r
ratio of the absolute permittivity to the electric constant

Note 1 to entry: In practical engineering, it is usual to employ the term ‘permittivity’ when referring to relative permittivity

4 General notes on methods of test

4.1 Preparation and conditioning

Unless otherwise specified in the relevant specification standard or in the method of test, all tests shall be carried out at atmospheric conditions in a temperature range of between 21 °C and 29 °C and a relative humidity range of between 45 % and 70 %. Before measurements are made, the sample or test specimen shall be pre-conditioned under these atmospheric conditions for a time sufficient to allow the sample or the test specimen to reach stability. For taking samples in liquid or paste form, ISO 15528 shall be applied. For preparation of such samples for testing, ISO 1513 shall be applied.

NOTE For definitions of terms for standard atmospheres, see ISO 558. The test atmosphere as specified above does not comply with any of the two standard atmospheres as specified in ISO 291 but covers both ranges inclusive of their tolerances