IEC 60669-2-3

Edition 4.0 2024-03
REDLINE VERSION

INTERNATIONAL STANDARD

colour inside

Switches for household and similar fixed electrical installations – Part 2-3: Particular requirements – Time-delay switches (TDS)



IEC 60669-2-3:2024-03 RLV(en)



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC 60669-2-3

Edition 4.0 2024-03
REDLINE VERSION

INTERNATIONAL STANDARD

colour inside

Switches for household and similar fixed electrical installations – Part 2-3: Particular requirements – Time-delay switches (TDS)

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.120.40

ISBN 978-2-8322-8531-2

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 3
1 Scope 6
2 Normative references 6
3 Terms and definitions 6
4 General requirements 8
5 General ~~notes~~ remarks on tests 8
6 Ratings 9
7 Classification 9
8 Marking 10
9 Checking of dimensions 12
10 Protection against electric shock 12
11 Provision for earthing 12
12 Terminals 12
13 Constructional requirements 12
14 Mechanism 12
15 Resistance to ageing, protection provided by enclosures of switches and resistance to humidity 13
16 Insulation resistance and electric strength 13
17 Temperature rise 13
18 Making and breaking capacity 14
19 Normal operation 14
20 Mechanical strength 16
21 Resistance to heat 16
22 Screws, current-carrying parts and connections 16
23 Creepage distances, clearances and distances through sealing compound 16
24 Resistance of insulating material to abnormal heat, to fire and to tracking 19
25 Resistance to rusting 19
26 EMC requirements 19
Annexes 21
Annex B (informative) Changes planned for the future in order to align IEC 60669-1 with the requirements of IEC 60998 (all parts), IEC 60999 (all parts) and IEC 60228 22
Annex E (informative) Additional requirements and tests for switches intended to be used at a temperature lower than −5 °C 23
Bibliography 24

Table 1 – Number of specimens needed for the tests 8
Table 15 – Test voltage, points of application and minimum values of insulating resistance for the verification of electric strength 13
Table 23 – Creepage distances, clearances and distances through insulating sealing compound 18

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

SWITCHES FOR HOUSEHOLD AND SIMILAR FIXED ELECTRICAL INSTALLATIONS –

Part 2-3: Particular requirements – Time-delay switches (TDS)

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 60669-2-3:2006. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 60669-2-3 has been prepared by subcommittee 23B: Plugs, socket-outlets and switches, of IEC technical committee 23: Electrical accessories. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2006. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) Revision of the present edition with reference to IEC 60669-1:2017 (Edition 4);
b) Introduction of a revision to Annex E "Additional requirements and tests for switches intended to be used at a temperature lower than −5 °C".

The text of this International Standard is based on the following documents:

Draft	Report on voting
23B/1487/FDIS	23B/1501/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

This part of IEC 60669-2 is to be used in conjunction with IEC 60669-1:2017. It lists the changes necessary to convert that standard into a specific standard for time-delay switches.

When a particular subclause of IEC 60669-1:2017 is not mentioned in this document, that subclause applies as far as reasonable.

In this document, the following print types are used:

– requirements proper: in roman type;
– *test specifications: in italic type;*
– notes: in smaller roman type.

Subclauses, figures or tables which are additional to those in IEC 60669-1:2017 are numbered starting from 101.

A list of all parts of IEC 60669 series, under the general title *Switches for household and similar fixed electrical installations*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

SWITCHES FOR HOUSEHOLD AND SIMILAR FIXED ELECTRICAL INSTALLATIONS –

Part 2-3: Particular requirements – Time-delay switches (TDS)

1 Scope

IEC 60669-1:2017, Clause 1 is applicable except as follows:

Replacement of the first paragraph with the following:

This part of IEC 60669 applies to time-delay switches (hereinafter referred to as TDS) with a rated voltage not exceeding 440 V AC and a rated current not exceeding 63 A, intended for household and similar fixed electrical installations, either indoors or outdoors, operated by hand and/or by remote control. For the control circuit, the rated control voltage does not exceed 440 V AC or 220 V DC.

TDS are provided with a time-delay device operated by mechanical, thermal, pneumatic, hydraulic or electrical means or by a combination of them.

Electronic TDS are within the scope of IEC 60669-2-1 but not of this document.

TDS including only passive components such as resistors, capacitors, positive temperature coefficient (PTC) and negative temperature coefficient (NTC) components and printed ~~wiring~~ circuit boards are not considered to be electronic TDS.

2 Normative references

IEC 60669-1:2017, Clause 2 is applicable with the following additions:

IEC 60317 (all parts), *Specifications for particular types of winding wires*

IEC 60445:~~1999~~2021, *Basic and safety principles for man-machine interface, marking and identification – Identification of equipment terminals ~~and of terminations of certain designated conductors , including general rules for an alphanumerical system~~, conductor terminations and conductors*

IEC 60664-1:2020, *Insulation coordination for equipment within low-voltage supply systems – Part 1: Principles, requirements and tests*

IEC 60664-3:2016, *Insulation coordination for equipment within low-voltage systems – Part 3: Use of coating, potting or moulding for protection against pollution*

IEC 60669-1:2017, *Switches for household and similar fixed electrical installations – Part 1: General requirements*

~~IEC 60669-2-1:2002, *Switches for household and similar fixed-electrical installations – Part 2-1: Particular requirements – Electronic switches*~~

~~IEC 61140, *Protection against electric shock – Common aspects for installation and equipment*~~

~~IEC 61558-2-6:1997, *Safety of power transformers, power supply units and similar – Part 2-6: Particular requirements for safety isolating transformers for general use*~~

IEC 61558-2-6:2021, *Safety of transformers, reactors, power supply units and combinations thereof – Part 2-6: Particular requirements and tests for safety isolating transformers and power supply units incorporating safety isolating transformers for general applications*

3 Terms and definitions

IEC 60669-1:2017, Clause 3 is applicable with the following ~~additions~~ modifications:

3.~~14~~8
thread-cutting screw

Addition of the following note:

Note 101 to entry: This definition is ~~only~~ applicable to the switching circuit only.

3.~~15~~9
mechanical time-delay device

Addition of the following note:

Note 101 to entry: This definition is ~~only~~ applicable to the switching circuit only.

Addition of the following new ~~definitions~~ terminological entries:

3.101
time-delay switch
TDS
switch provided with a time-delay device which operates for a certain time (the delay time)

Note 101 to entry: Time-delay switches may be either manually actuated and/or remotely electrically initiated.

3.101.1
electronic TDS
TDS containing electronic component(s)

3.102
rated control voltage
voltage assigned to the control circuit by the manufacturer

3.103
switching circuit
circuit which contains the parts which allow the rated current to flow through the TDS

3.104
control circuit
circuit which includes electrical parts to control the switching circuit in an electrically controlled TDS

3.105
control mechanism
all parts which are intended for the operation of the TDS

3.106
incorporated hand-operated device
device ~~incorporated in the switch~~ which allows the switching circuit to be operated, directly or indirectly

Note 101 to entry: An incorporated hand-operated device is not intended for the normal operation of the TDS.

3.107
delay time
period during which the switching circuit(s) is (are) kept closed

Note 101 to entry: Any time taken for the decreasing of the voltage (e.g. to reduce the light) at the end of the delay period is included within the delay time.

3.108
delay device
all components which have an influence on the delay time

Note 101 to entry: The delay device is energized by means of an impulse into the control circuit in an electrically controlled TDS.

Note 102 to entry: The delay time may be adjustable.

3.109
disconnectable TDS
TDS consisting of two parts, the first being used as a base and including the terminals, the other being removable and including the switching and the control circuits, the two parts being resiliently connected together using a means which allows joining and/or separating with or without the use of a tool

4 General requirements

IEC 60669-1:2017, Clause 4 is applicable with the following addition:

Addition of the following after the first paragraph:

The operation of a TDS shall not be impaired when it is mounted at an angle deviating by not more than 5° from the specified position of use.

5 General ~~notes~~ remarks on tests

IEC 60669-1:2017, Clause 5 is applicable with the following additions:

~~***5.4 Addition after the last paragraph:***~~

~~*For the tests of subclause 101, three additional specimens are necessary.*~~

Addition to Table 1:

Table 1 – Number of specimens needed for the tests

Clauses and subclauses	Number of specimens	Number of additional specimens for dual current rating
101 Abnormal operation of the control circuit	PQR	

Addition of the following subclauses: