IEC 60728-6

Edition 3.0 2011-04

INTERNATIONAL STANDARD

Cable networks for television signals, sound signals and interactive services – Part 6: Optical equipment

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE XB

ICS 33.060.40; 33.160.99

ISBN 978-2-88912-427-5

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 6
INTRODUCTION 8
1 Scope 9
2 Normative references 9
3 Terms, definitions, symbols and abbreviations 11
3.1 Terms and definitions 11
3.2 Symbols 18
3.3 Abbreviations 19
4 Methods of measurement 20
4.1 Measurement requirements 20
4.1.1 General 20
4.1.2 Input specification 20
4.1.3 Measurement conditions 20
4.2 Optical power 21
4.3 Loss, isolation, directivity and coupling ratio 21
4.3.1 General 21
4.3.2 Measurement requirements 21
4.3.3 Principle of measurement 21
4.4 Return loss 22
4.5 Saturation output power of an optical amplifier 22
4.5.1 Purpose 22
4.5.2 Procedure 22
4.6 Centroidal wavelength and spectral width under modulation 22
4.7 Linewidth and chirping of transmitters with single mode lasers 23
4.7.1 Purpose 23
4.7.2 Equipment required 23
4.7.3 General measurement requirements 23
4.7.4 Procedure 23
4.7.5 Potential sources of error 25
4.8 Optical modulation index 25
4.8.1 Purpose 25
4.8.2 Equipment required 25
4.8.3 Procedure 25
4.8.4 Potential sources of error 26
4.9 Reference output level of an optical receiver 26
4.9.1 Purpose 26
4.9.2 Equipment required 26
4.9.3 General measurement requirements 27
4.9.4 Procedure 27
4.9.5 Potential sources of error 27
4.10 Slope and flatness 28
4.10.1 Purpose 28
4.10.2 Equipment required 28
4.10.3 Procedure 28
4.10.4 Potential sources of error 29

4.11 Composite second order distortion (CSO) of optical transmitters 29
4.11.1 Purpose 29
4.11.2 Equipment required 30
4.11.3 Procedure 30
4.11.4 Potential sources of error 30
4.12 Composite triple beats (CTB) of optical transmitters 30
4.12.1 Purpose 30
4.12.2 Equipment required 31
4.12.3 Procedure 31
4.12.4 Potential sources of error 31
4.13 Composite crossmodulation of optical transmitters 31
4.13.1 Purpose 31
4.13.2 Equipment required 32
4.13.3 Procedure 32
4.13.4 Potential sources of error 34
4.14 Receiver intermodulation 34
4.14.1 Purpose 34
4.14.2 Equipment required 34
4.14.3 General measurement requirements 35
4.14.4 Procedure 35
4.14.5 Potential sources of error 36
4.15 Microscopic gain tilt of optical amplifiers 36
4.15.1 Purpose 36
4.15.2 Equipment required 36
4.15.3 Procedure 37
4.15.4 Potential sources of error 38
4.16 Noise parameters of optical transmitters and optical receivers 38
4.16.1 Purpose 38
4.16.2 Equipment required 38
4.16.3 General measurement requirements 39
4.16.4 Procedure 40
4.16.5 Relative intensity noise 42
4.16.6 Equivalent input noise current density 42
4.16.7 Potential sources of error 42
4.17 Method for combined measurement of relative intensity noise (*RIN*), optical modulation index and equivalent input noise current 43
4.17.1 Purpose 43
4.17.2 Equipment required 43
4.17.3 General measurement conditions 44
4.17.4 Procedure 44
4.17.5 Potential sources of error 45
4.18 Noise figure of optical amplifiers 45
4.19 Influence of fibre 45
4.19.1 Purpose 45
4.19.2 Equipment required 45
4.19.3 Procedure 45
4.19.4 Potential sources of error 45
4.20 SBS threshold 46

4.20.1 Purpose 46
4.20.2 Equipment required 46
4.20.3 Procedure 46
4.20.4 Potential sources of error 47
4.21 Carrier-to-crosstalk ratio (CCR) 47
4.21.1 Purpose 47
4.21.2 Equipment required 47
4.21.3 Procedure 47
4.21.4 Potential sources of error 48
5 Universal performance requirements and recommendations 48
5.1 Safety 48
5.2 Electromagnetic compatibility (EMC) 48
5.3 Environmental 48
5.3.1 Requirements 48
5.3.2 Storage 49
5.3.3 Transportation 49
5.3.4 Installation or maintenance 49
5.3.5 Operation 49
5.4 Marking 49
6 Active equipment 49
6.1 Optical forward path transmitters 49
6.1.1 Classification 49
6.1.2 Data publication requirement 50
6.1.3 Recommendations 50
6.1.4 Performance requirements 51
6.2 Optical return path transmitters 53
6.2.1 Classificaton 53
6.2.2 Data publication requirement 53
6.2.3 Recommendations 53
6.2.4 Performance requirements 54
6.3 Optical receivers 54
6.3.1 Classification 54
6.3.2 Data publication requirements 54
6.3.3 Recommendations 55
6.3.4 Performance requirements 55
6.4 Optical amplifiers 56
6.4.1 Classification 56
6.4.2 Data publication requirements 56
6.4.3 Performance requirements 56
7 Connectors and splices 57
Annex A (normative) Product specification worksheet for optical amplifiers 58
Annex B (informative) Calculation of second-order distortion caused by microscopic gain tilt of optical amplifiers 59
Bibliography 60

Figure 1 – Tilt and microscopic gain tilt of optical amplifiers 17
Figure 2 – Measurement of optical loss, directivity and isolation 21
Figure 3 – Optical saturation output power 22
Figure 4 – Measurement of the chirping and the linewidth of transmitters 24
Figure 5 – Measurement of the optical modulation index 26
Figure 6 – Measurement of the reference output level of an optical receiver 27
Figure 7 – Measurement of the slope and flatness 28
Figure 8 – Evaluation of the slope 29
Figure 9 – Evaluating the flatness 29
Figure 10 – Device under test for measuring CSO of optical transmitters 30
Figure 11 – Device under test for measuring CTB of optical transmitters 31
Figure 12 – Arrangement for measuring composite crossmodulation of optical transmitters 33
Figure 13 – Arrangement of test equipment for measuring receiver intermodulation 35
Figure 14 – Arrangement of test equipment for measuring microscopic gain tilt 37
Figure 15 – System with internal noise sources 38
Figure 16 – PIN diode receiver 39
Figure 17 – Optical transmission system under test 40
Figure 18 – Arrangement of test equipment for carrier-to-noise measurement 40
Figure 19 – Measurement set-up for determination of the noise parameters and the optical modulation index 44
Figure 20 – Arrangement for measuring the SBS threshold 46
Figure 21 – Arrangement for measuring the CCR 47
Figure 22 – Classification of return path transmitters 53

Table 1 – Noise correction factors C_n for different noise level differences D 41
Table 2 – Classes of optical forward path transmitters 50
Table 3 – Data publication requirements for optical forward path transmitters 50
Table 4 – Recommendations for optical forward path transmitters 51
Table 5 – Requirements for optical forward path transmitters 52
Table 6 – Data publication requirements for optical return path transmitters 53
Table 7 – Recommendations for optical return path transmitters 53
Table 8 – Requirements for optical return path transmitters 54
Table 9 – Classification of optical receivers 54
Table 10 – Data publication requirements for optical receivers 55
Table 11 – Recommendations for optical receivers 55
Table 12 – Performance requirements for optical receivers 56
Table 13 – Classification of optical amplifiers 56
Table 14 – Performance requirements for optical amplifiers 57
Table A.1 – Parameters of optical amplifiers 58

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

Part 6: Optical equipment

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60728-6 has been prepared by technical area 5: Cable networks for television signals, sound signals and interactive services, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This third edition cancels and replaces the second edition published in 2003 of which it constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition.

- The normative references were updated.
- The methods of measurement for optical power and return loss were substituted by references to other standards.
- The method of measurement for polarization dependent loss was deleted.

- A method of measurement for carrier-to-crosstalk ratio (CCR) was added.
- The methods of measurement for CSO and CTB of optical amplifiers were substituted by a method of measurement for microscopic gain tilt of optical amplifiers. This parameter can be used for calculating the second order distortion of optical amplifiers according to the method described in the new Annex B.
- New classes for optical transmitters and receivers have been defined.

The text of this standard is based on the following documents:

CDV	Report on voting
100/1654/CDV	100/1789/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all the parts of the IEC 60728 series, under the general title *Cable networks for television signals, sound signals and interactive services,* can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

Standards of the IEC 60728 series deal with cable networks including equipment and associated methods of measurement for headend reception, processing and distribution of television signals, sound signals and their associated data signals and for processing, interfacing and transmitting all kinds of signals for interactive services using all applicable transmission media.

- This covers all kinds of networks that convey modulated RF carriers such as CATV-networks;
- MATV-networks and SMATV-networks;
- individual receiving networks;

and all kinds of equipment, systems and installations installed in such networks.

NOTE CATV encompasses the Hybrid Fibre Coaxial (HFC) networks used nowadays to provide telecommunications services, voice, data and audio and video both broadcast and narrowcast.

The extent of this standardisation work is from the antennas and/or special signal source inputs to the headend or other interface points to the network up to the terminal input.

The standardisation of any user terminals (i.e. tuners, receivers, decoders, multimedia terminals, etc.) as well as of any coaxial, balanced and optical cables and accessories thereof is excluded.

The reception of television signals inside a building requires an outdoor antenna and a distribution network to convey the signal to the TV receivers.

CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

Part 6: Optical equipment

1 Scope

This part of IEC 60728 lays down the measuring methods, performance requirements and data publication requirements of optical equipment of cable networks for television signals, sound signals and interactive services.

This standard

- applies to all optical transmitters, receivers, amplifiers, directional couplers, isolators, multiplexing devices, connectors and splices used in cable networks;
- covers the frequency range 5 MHz to 3 000 MHz;

  NOTE The upper limit of 3 000 MHz is an example, but not a strict value.
- identifies guaranteed performance requirements for certain parameters;
- lays down data publication requirements with guaranteed performance;
- describes methods of measurement for compliance testing.

All requirements and published data relate to minimum performance levels within the specified frequency range and in well-matched conditions as might be applicable to cable networks for television signals, sound signals and interactive services.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1:1988, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-1, *Environmental testing – Part 2-1: Tests – Test A: Cold*

IEC 60068-2-2, *Environmental testing – Part 2-2: Tests – Test B: Dry heat*

IEC 60068-2-6:2007, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-14, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-27, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60068-2-30, *Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12+ 12 h cycle)*

IEC 60068-2-31, *Environmental testing – Part 2-31: Tests – Test Ec: Rough handling shocks, primarily for equipment-type specimens*

IEC 60068-2-40, *Environmental testing – Part 2-40: Tests – Test Z/AM: Combined cold/low air pressure tests*

IEC 60169-24, *Radio-frequency connectors – Part 24: Radio-frequency coaxial connectors with screw coupling, typically for use in 75 ohm cable distribution systems (Type F)*

IEC 60417, *Graphical symbols for use on equipment*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60617, *Graphical symbols for diagrams*

IEC 60728-1, *Cable networks for television signals, sound signals and interactive services – Part 1: System performance of forward paths*

IEC 60728-2, *Cable networks for television signals, sound signals and interactive services – Part 2: Electromagnetic compatibility for equipment*

IEC 60728-3:2010, *Cable networks for television signals, sound signals and interactive services – Part 3: Active wideband equipment for coaxial cable networks*

IEC 60728-11, *Cable networks for television signals, sound signals and interactive services – Part 11: Safety*

IEC 60728-13:2010, *Cable networks for television signals, sound signals and interactive services – Part 13: Optical systems for broadcast signal transmissions*

IEC 60793-2-50:2008, *Optical fibres – Part 2-50: Product specifications – Sectional specification for class B single-mode fibres*

IEC 60825-1, *Safety of laser products – Part 1: Equipment classification and requirements*

IEC 61280-1-1, *Fibre optic communication subsystem basic test procedures – Part 1-1: Test procedures for general communication subsystems – Transmitter output optical power measurement for single-mode optical fibre cable*

IEC 61280-1-3, *Fibre optic communication subsystem basic test procedures – Part 1-3: General communication subsystems – Central wavelength and spectral width measurement*

IEC 61282-4, *Fibre optic communication system design guides – Part 4: Accomodation and utilization of non-linear effects*

IEC 61290-1 (all parts), *Optical amplifiers – Test methods – Part 1: Power and gain parameters*

IEC 61290-1-3, *Optical amplifiers – Test methods – Part 1-3: Power and gain parameters – Optical power meter method*

IEC 61290-3-2:2003, *Optical amplifiers – Part 3-2: Test methods for noise figure parameters – Electrical spectrum analyzer method*

IEC 61290-5 (all parts), *Optical amplifiers – Test methods – Part 5: Reflectance parameters*

IEC 61290-6 (all parts), *Optical fibre amplifiers – Basic specification – Part 6: Test methods for pump leakage parameters*

IEC 61290-11 (all parts), *Optical amplifiers – Test methods – Part 11: Polarization mode dispersion parameter*

IEC 61291-1, *Optical amplifiers – Part 1: Generic specification*

IEC 61291-5-2, *Optical amplifiers – Part 5-2: Qualification specifications – Reliability qualification for optical fibre amplifiers*

IEC 61300-3-6, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-6: Examinations and measurements – Return loss*

IEC 61754-4, *Fibre optic connector interfaces – Part 4: Type SC connector family*

IEC/TR 61931:1998, *Fibre optic – Terminology*

IEC 80416 (all parts), *Basic principles for graphical symbols for use on equipment*