IEC 60730-2-24

Edition 1.0 2026-05

INTERNATIONAL STANDARD

EXTENDED VERSION

This full version of IEC 60730-2-24:2026 includes the content of the references made to IEC 60730-1:2022

Automatic electrical controls -
Part 2-24: Particular requirements for displacement electrical controls

ICS 97.120

ISBN 978-2-8327-1274-0

IEC 60730-2-24:2026-05 EXV(en)

THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2026 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD 9
1 Scope 12
2 Normative references 12
3 Terms and definitions 16
3.1 Definitions relating to ratings, voltages, currents, frequencies, and wattages 17
3.2 Definitions of types of control according to purpose 19
3.3 Definitions relating to the function of controls 21
3.4 Definitions relating to disconnection and interruption 25
3.5 Definitions of types of control according to construction 27
3.6 Definitions of type of automatic action of a control 28
3.7 Definitions relating to protection against electric shock and type of insulation 28
3.8 Definitions relating to component parts of controls 32
3.9 Definitions of types of terminals and terminations of controls 34
3.10 Definitions relating to the connections to controls 36
3.11 Definitions relating to the performance of type 2 actions 37
3.12 Definitions relating to the requirements for creepage distances and clearances 37
3.13 Miscellaneous definitions 38
3.14 Definitions relating to manufacturer and user 40
3.15 Definitions pertaining to thermistors 40
3.16 Definitions relating to the structure of controls using software 40
3.17 Definitions relating to error avoidance in controls using software 40
3.18 Definitions relating to fault/error control techniques for controls using software 40
3.19 Definitions relating to memory tests for controls using software 40
3.20 Definitions of software terminology – General 40
3.21 Definitions relating to classes of control functions 40
3.22 Definitions relating to functional safety 40
3.23 Definitions related to access to data exchange 40
3.24 Definitions related to EMC performance 41
4 General 43
4.1 General structure of the document 43
4.2 General requirements 44
4.3 General notes on tests 44
5 Required technical information 48
5.1 General requirements 48
5.2 Methods of providing technical information 48
5.3 Class II symbol 55
5.4 Additional requirements for marking 56
5.5 Warning or cautionary markings 58
6 Protection against electric shock 58
6.1 General requirements 58
6.2 Actuating members and actuating means 60
6.3 Capacitors 61
6.4 Covers and uninsulated live or hazardous parts 61

6.5 Battery operated controls provided with a user accessible mains supply input connector 61
7 Provision for protective earthing 61
7.1 Class 0I and Class I controls 61
7.2 Class II and class III controls 62
7.3 Adequacy of earth connections 62
7.4 Corrosion resistance 63
7.5 Other requirements 63
7.6 Protective equipotential bonding 64
8 Terminals and terminations 64
8.1 Terminals and terminations for external copper conductors 64
8.2 Terminals and terminations for internal conductors 69
8.3 Terminals and terminations for integrated conductors 71
9 Constructional requirements 71
9.1 Materials 71
9.2 Protection against electric shock 71
9.3 Actuation and operation 74
9.4 Actions 77
9.5 Openings in enclosures 80
9.6 Mounting of controls 80
9.7 Attachment of cords 81
9.8 Size of cords – non-detachable 82
9.9 Inlet openings 83
9.10 Equipment inlets and socket-outlets 83
9.11 Requirements during mounting, use, maintenance and servicing 84
9.12 Controls using software 86
9.13 Protective controls and components of protective control systems 89
10 Threaded parts and connections 92
10.1 Threaded parts moved during mounting or servicing 92
10.2 Current-carrying connections and connections providing protective earthing continuity 93
11 Creepage distances, clearances and distances through solid insulation 94
11.1 General 94
11.2 Clearances 95
11.3 Creepage distances 99
11.4 Solid insulation 103
12 Components 104
12.1 Transformers 104
12.2 Switch mode power supplies and converters 104
12.3 Capacitors 105
12.4 Fuses 105
12.5 Varistors 105
12.6 Thermistors 105
12.7 Relays 106
12.8 Other components 106
13 Fault assessment on electronic circuits 106
13.1 Fault assessment for inherent safety 106
13.2 Fault assessment to ensure functional safety 112

14 Moisture and dust resistance 112
14.1 Protection against ingress of water and dust 112
14.2 Protection against humid conditions 113
14.3 Touch current test for in-line cord controls and free-standing controls 114
15 Electric strength and insulation resistance 115
15.1 Insulation resistance 115
15.2 Electric strength 115
15.3 Additional tests for in-line cord and free-standing controls 117
16 Heating 118
17 Manufacturing deviation and drift 122
18 Environmental stress 122
18.1 Transportation and storage 122
18.2 Environmental stress of temperature 122
19 Endurance 123
19.1 General requirements 123
19.2 Electrical conditions for the tests 124
19.3 Thermal conditions for the tests 130
19.4 Manual and mechanical conditions for the tests 130
19.5 Dielectric strength requirements 130
19.6 Ageing test 130
19.7 Overvoltage test or overload test in all countries using an overload test of automatic action at accelerated rate 130
19.8 Test of automatic action at accelerated rate 131
19.9 Test of automatic action at slow rate 131
19.10 Overvoltage test or overload test in all countries that use the overload test of manual action at accelerated speed 131
19.11 Test of manual action at slow speed 131
19.12 Test of manual action at high speed which has multiple poles, and where polarity reversal occurs during the action 131
19.13 Test of manual action at accelerated speed 132
19.14 Evaluation of compliance 132
19.15 Test for particular purpose controls 132
20 Mechanical strength 133
20.1 General requirements 133
20.2 Impact resistance 133
20.3 Free-standing controls 133
20.4 In-line cord controls 133
20.5 Pull-cord actuated controls 134
20.6 Foot actuated controls 134
20.7 Actuating member and actuating means 134
20.8 Flexing – test 134
20.9 Cord anchorages – test 134
21 Resistance to heat, fire and tracking 134
21.1 General requirements 134
21.2 Integrated, incorporated and in-line cord controls 134
21.3 Independently mounted, free-standing controls 136
22 Resistance to corrosion 136
22.1 Resistance to rusting 136

23 Electromagnetic compatibility (EMC) requirements – Emission 137
23.1 General requirement 137
23.2 High frequency emission 137
23.3 Low frequency emission 140
24 Normal operation 140
25 Electromagnetic compatibility (EMC) requirements – Immunity 141
25.1 General 141
25.2 EMC test plan and report 141
25.3 Immunity requirements 143
25.4 Performance criteria 146
25.5 Surge immunity test 147
25.6 Electrical fast transient immunity test 147
25.7 Radio-frequency electromagnetic field immunity 148
25.8 Electrostatic discharge 148
25.9 Immunity to power-frequency magnetic fields 148
25.10 Test of the influence of voltage dips and voltage interruption in the power supply network 148
26 Abnormal operation tests 148
26.1 Abnormal temperature test 149
26.2 Overload tests 150
26.3 Battery short-circuit test 151
Annex A (normative) Indelibility of markings 171
Annex B (normative) Measurement of creepage distances and clearances in air 173
Annex C (informative) Nominal voltages of supply systems for different modes of overvoltage control 177
Annex D (normative) Overvoltage categories 179
Annex E (informative) Typical usage of controls and related overvoltage categories 180
Annex F (normative) Pollution degrees 181
F.1 Pollution 181
F.2 Degrees of pollution in the micro-environment 181
Annex G (normative) Resistance to heat, fire and tracking tests 182
G.1 Glow-wire test 182
G.2 Proof tracking test 182
G.3 Ball pressure test 182
Annex H (normative) Requirements related to functional safety 184
H.3 Terms and definitions 184
H.5 Information 195
H.9 Constructional requirements 197
H.13 Fault assessment on electronic circuits 213
H.17 Manufacturing deviation and drift 218
H.19 Endurance 221
H.25 Electromagnetic compatibility (EMC) requirements – Immunity 222
Annex I (normative) Requirements for certain types of DC supplied controls 223
I.1 Scope 223
Annex J (normative) Requirements for thermistor elements and controls using thermistors 225
J.1 Scope 225

Annex K (normative) Circuit for measuring touch current 242
Annex L (normative) Printed circuit board coating performance test 243
Annex M (normative) Printed circuit board protection 245
Annex N (informative) Explanatory notes for surge immunity test 248
N.1 Different source impedances 248
N.2 Application of the tests 248
N.3 Installation classification 249
Annex O (informative) Guidance for applying Clause 11 252
Annex P (normative) Requirements for SELV and PELV 255
P.1 Overview of the requirements for SELV and PELV 255
P.2 Protection against electric shock by SELV system or PELV system 255
P.3 Protective measures for SELV system and PELV system 256
Annex Q (informative) Regional differences relevant for the member countries of Cenelec 258
Annex R (informative) National differences relevant in the United States of America 263
R.2 Normative references 263
Annex S (informative) National differences relevant in Japan 264
S.2 Normative references 264
Annex T (informative) National differences relevant in Canada 265
T.2 Normative references 265
Annex AA (informative) Guide to the application of displacement electrical controls within the scope of this standard 266
AA.1 General 266
AA.2 Operational features 266
AA.3 Installation specification 266
AA.4 Guidance to choose a proper displacement electrical control for a specific application 269
Bibliography 270

Figure 1 – Example of ports 41
Figure 2 – Structure of the document with respect to inherent safety and functional safety 44
Figure 3 – Example of an electronic circuit with low power points 107
Figure 4 – Test pin probe 13 of IEC 61032:1997 151
Figure 5 – Test finger probe B of IEC 61032:1997 152
Figure 6 – Test fingernail 153
Figure 7 – Impact test for free-standing controls 154
Figure 8 – Tumbling barrel 154
Figure 9 – Apparatus for testing durability of markings on rating labels 155
Figure 10 – Apparatus for flexing test 156
Figure 11 – Screw terminals and stud terminals 157
Figure 12 – Pillar terminals 158
Figure 13 – Mantle terminals 159
Figure 14 – Saddle and lug terminals 160
Figure 15 – Tabs 161

Figure 16 – Tabs for non-reversible connectors 162
Figure 17 – Receptacles 163
Figure 18 – Measurement of creepage distance and clearance 164
Figure 19 – Diagram for touch current measurement at operating temperature for single-phase connection of class II controls 165
Figure 20 – Diagram for touch current measurement at operating temperature for single-phase connection of controls other than class II 165
Figure 21 – Diagram for touch current measurement at operating temperature for three-phase connection of class II controls 166
Figure 22 – Diagram for touch current measurement at operating temperature for three-phase connection of controls other than class II 167
Figure 23 – Diagram for touch current measurement at operating temperature for single-phase connection of controls to three-wire, ground neutral supply other than class II 167
Figure 24 – Diagram for touch current measurement at operating temperature for two-phase connection of controls to three-wire, ground neutral supply other than class II 168
Figure 101 – Positions and travel distance of displacement electrical controls 169
Figure 102 – Drawing for measuring the disconnection travel distance 170
Figure 103 – An example of test fixture 170
Figure B.1 – Narrow groove 174
Figure B.2 – Wide groove 174
Figure B.3 – V-shaped groove 174
Figure B.4 – Rib 174
Figure B.5 – Uncemented joint with narrow groove 175
Figure B.6 – Uncemented joint with wide groove 175
Figure B.7 – Uncemented joint with narrow and wide grooves 175
Figure B.8 – Diverging side walls 176
Figure B.9 – Narrow recess 176
Figure B.10 – Wide recess 176
Figure B.11 – Conductive floating part 176
Figure H.1 – V-Model for the software life cycle 205
Figure J.1 – Generic test circuit for inrush-current limiting thermistor endurance test 241
Figure K.1 – Circuit for measuring touch currents 242
Figure L.1 – Test sample 244
Figure M.1 – Example of type 1 protection 246
Figure M.2 – Example of type 2 protection 247
Figure N.1 – Example of surge protection by shielding in buildings with common earth reference systems 250
Figure N.2 – Example of secondary surge protection in buildings with separate common earth reference systems 251
Figure N.3 – Example of primary and secondary surge protection of indoor/outdoor equipment 251
Figure O.1 – Guidance flowchart for application of requirements of Clause 11 253
Figure AA.1 – Diagram of example 1 267
Figure AA.2 – Diagram of example 2 268

Table 1 – Required technical information and methods of providing these information 51
Table 2 – Cross-sectional area of conductors 65
Table 3 – Terminal conductors 67
Table 4 – Conductor pull test values 67
Table 5 – Nominal cross-sectional areas of conductors 69
Table 6 – Axial force values for tab insertion and withdrawal 70
Table 7 – Minimum cord conductor sizes 82
Table 8 – Data exchange 88
Table 9 – Threaded parts torque test values 93
Table 10 – Rated impulse voltage for equipment energized directly from the supply mains (from IEC 60664-1:2007, Table F.1) 96
Table 11 – Clearances for insulation co-ordination (from IEC 60664-1:2007, Table F.2) 97
Table 12 – Minimum creepage distances for basic insulation 101
Table 13 – Minimum creepage distances for functional insulation 102
Table 14 – Electrical/electronic component fault modes 108
Table 15 – Minimum insulation resistance 115
Table 16 – Insulation or disconnection test voltages 116
Table 17 – Maximum heating temperatures 120
Table 18 – Electrical conditions for the overvoltage and endurance tests 126
Table 19 – Electrical conditions for the overload tests of 19.7 and 19.10 128
Table 20 – Electrical conditions for the endurance tests of 19.8, 19.9, 19.11, 19.12 and 19.13 129
Table 23 – Emission limit for residential electromagnetic environment 138
Table 24 – Emission limit for industrial electromagnetic environment 139
Table 25 – The applicable EMC test in relation to the class of control function and type of Action 141
Table 26 – Immunity test requirements for residential electromagnetic environments 143
Table 27 – Immunity test requirements for industrial electromagnetic environment 145
Table 28 – Performance criteria 147
Table 29 – Maximum winding temperature (for test of mechanical blocked output conditions) 149
Table B.1 – Value of X 173
Table C.1 – Inherent control or equivalent protective control 177
Table C.2 – Cases where protective control is necessary and control is provided by surge arresters having a ratio of clamping voltage to rated voltage not smaller than that specified by IEC 60099-1 178
Table E.1 – Typical usage 180
Table H.1 – Additional items to Table 1 195
Table H.2 – Acceptable measures to address fault/errors [a] 198
Table H.3 – Examples of techniques/measures for semi-formal methods 205
Table H.4 – Examples of techniques/measures for software architecture specification 206
Table H.5 – Examples of techniques/measures for module design specification 207
Table H.6 – Examples of techniques/measures for design and coding standards 207
Table H.7 – Examples of techniques/measures for software module testing 208

Table H.8 – Examples of techniques/measures for software integration testing 209
Table H.9 – Examples of techniques/measures for software safety validation 209
Table H.10 – Combinations of analytical measures during hardware development 210
Table H.11 – Examples of defences against unauthorised access and transmission failure modes 212
Table I.1 – Electrical transient conduction immunity in accordance with ISO 7637-2 223
Table I.2 – Electrical transient conduction immunity in accordance with ISO 7637-3 224
Table J.1 – Maximum current 227
Table J.2 – Normal operating conditions 228
Table J.3 – Samples for the test (clause reference) 229
Table J.4 – Electrical and thermal ratings of a thermistor 230
Table J.5 – Additional items to Table 1 231
Table J.6 – Sequence of calibration and conditioning tests for PTC thermistors 233
Table J.7 – Classes for PTC sensing thermistors 234
Table J.8 – Sequence of calibration and conditioning tests for NTC thermistors 235
Table J.9 – Classes for NTC sensing thermistors 235
Table J.10 – Number of cycles for endurance test 239
Table J.11 – Ageing test temperature 239
Table J.12 – Number of cycles for endurance test 240
Table L.1 – Environmental cycling conditions 243
Table M.1 – IEC 60664-3 test levels or conditions 245
Table O.1 – Example A – Using Annex O guidance for applying Clause 11 254
Table O.2 – Example B – Using Annex O guidance for applying Clause 11 254
Table Q.1 – Additional aging parameters for windings 259

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

Automatic electrical controls - Part 2-24: Particular requirements for displacement electrical controls

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This extended version (EXV) of the official IEC Standard provides the user with the full content of the Standard.

IEC 60730-2-24:2026 EXV includes the content of IEC 60730-2-24:2026 and the references made to IEC 60730-1:2022.

The specific content of IEC 60730-2-24:2026 is displayed on a blue background.

IEC 60730-2-24 has been prepared by IEC technical committee 72: Automatic electrical controls. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
72/1506/CDV	72/1525/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

This part 2-24 is intended to be used in conjunction with IEC 60730-1. It was established on the basis of the sixth edition of that standard (2022). Consideration may be given to future editions of, or amendments to, IEC 60730-1.

This part 2-24 supplements or modifies the corresponding clauses in IEC 60730-1, so as to convert that publication into the IEC standard: Particular requirements for displacement electrical controls.

Where this part 2-24 states "addition", "modification" or "replacement", the relevant requirement, test specification or explanatory matter in Part 1 should be adapted accordingly.

Where no change is necessary, part 2-24 indicates that the relevant clause or subclause applies.

In the development of a fully international standard, it has been necessary to take into consideration the differing requirements resulting from practical experience in various parts of the world and to recognize the variation in national electrical systems and wiring rules.

In this publication:

– The following print types are used:
  - requirements proper: in roman type;
  - test specifications: *in italic type*;
  - explanatory matter: in smaller roman type.
  - Defined terms: **bold type**.
– Subclauses, notes or items which are additional to those in Part 1 are numbered starting from 101, additional annexes are lettered AA, BB, etc.

A list of all parts of the IEC 60730 series, under the general title *Automatic electrical controls*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

– reconfirmed,

– withdrawn, or

– revised.

1 Scope

This part of IEC 60730 applies to automatic **displacement electrical controls**

– for use in, on, or in association with appliances for household and similar use;

NOTE 1 Through this document, the word "**control**" means "**displacement electrical control**".

EXAMPLE 1 **Displacement electrical controls** used in electrical pressure cookers with gross volume up to 25 l, with working pressure over 4 kPa and less than 150 kPa.

– that are AC or DC powered **controls** with a rated voltage not exceeding 690 V AC or 600 V DC;

– used in, on, or in association with equipment that use electricity;

– that are mechanically or electrically operated, responsive to change of position of **point of action**.

NOTE 2 Requirements for manual switches not forming part of an automatic **control** are covered in IEC 61058-1-1.

This document applies to

– inherent safety of automatic electro-mechanical **displacement electrical controls**;

– functional safety of automatic electro-mechanical **displacement electrical controls**;

– the operating values, operating times, and operating sequences where such are associated with equipment safety;

– **displacement electrical controls** having temperature sensing element(s), in which cases additional requirements can be considered to be necessary. Requirements for temperature sensing controls are included in IEC 60730-2-9.

This document specifies the requirements for construction, operation and testing of automatic **displacement electrical controls** used in, on, or in association with equipment.

This document does not

– apply to automatic electronic controls;

– take into account the response value of an automatic action of a control, if such a response value is dependent upon the method of mounting the control in the equipment. Where a response value is of significant purpose for the protection of the user, or surroundings, the value defined in the appropriate equipment standard or as determined by the manufacturer applies.

NOTE 3 For more information about guidance to the application of **displacement electrical controls**, see Annex AA.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038, *IEC standard voltages*

IEC 60065:2014, *Audio, video and similar electronic apparatus – Safety requirements*

IEC 60068-2-75, *Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests*

IEC 60085, *Electrical insulation – Thermal evaluation and designation*

IEC 60099-1:1991, *Surge arresters – Part 1: Non-linear resistor type gapped surge arresters for a.c. systems*[1]

IEC 60112:2020, *Method for the determination of the proof and the comparative tracking indices of solid insulating materials*

IEC 60127 (all parts), *Miniature fuses*

IEC 60227-1, *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V – Part 1: General requirements*

IEC 60245-1, *Rubber insulated cables – Rated voltages up to and including 450/750 V – Part 1: General requirements*

IEC 60269 (all parts), *Low-voltage fuses*

IEC 60335-1:2020, *Household and similar electrical appliances – Safety – Part 1: General requirements*

IEC 60384-14, *Fixed capacitors for use in electronic equipment – Part 14: Sectional specification – Fixed capacitors for electromagnetic interference suppression and connection to the supply mains*

IEC 60384-16, *Fixed capacitors for use in electronic equipment – Part 16: Sectional specification – Fixed metallized polypropylene film dielectric DC capacitors*

IEC 60384-17, *Fixed capacitors for use in electronic equipment – Part 17: Sectional specification – Fixed metallized polypropylene film dielectric AC and pulse capacitors*

IEC 60417, *Graphical symbols for use on equipment*

IEC 60423, *Conduit systems for cable management – Outside diameters of conduits for electrical installations and threads for conduits and fittings*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP code)*
IEC 60529:1989/AMD1:1999
IEC 60529:1989/AMD2:2013

IEC 60539 (all parts), *Directly heated negative temperature coefficient thermistors*

IEC 60664-1:2007[2], *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC TR 60664-2 (all parts), *Insulation coordination for equipment within low-voltage systems*

IEC 60664-3:2016, *Insulation coordination for equipment within low-voltage systems – Part 3: Use of coating, potting or moulding for protection against pollution*

IEC 60664-4, *Insulation coordination for equipment within low-voltage systems – Part 4: Consideration of high-frequency voltage stress*

---

1 Withdrawn.

2 Withdrawn.

IEC 60695-2-10, *Fire hazard testing – Part 2-10: Glowing/hot-wire based test methods – Glow-wire apparatus and common test procedure*

IEC 60695-2-11:2021, *Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products (GWEPT)*

IEC 60695-10-2, *Fire hazard testing – Part 10-2: Abnormal heat – Ball pressure test method*

IEC 60738 (all parts), *Thermistors – Directly heated positive temperature coefficient*

IEC 60747-5-5, *Semiconductor devices – Part 5-5: Optoelectronic devices – Photocouplers*

IEC 60884-1, *Plugs and socket-outlets for household and similar purposes – Part 1: General requirements*

IEC 60884-2-5:2017, *Plugs and socket-outlets for household and similar purposes – Part 2-5: Particular requirements for adaptors*

IEC 60998-2-2, *Connecting devices for low-voltage circuits for household and similar purposes – Part 2-2: Particular requirements for connecting devices as separate entities with screwless-type clamping units*

IEC 60998-2-3, *Connecting devices for low-voltage circuits for household and similar purposes – Part 2-3: Particular requirements for connecting devices as separate entities with insulation-piercing clamping units*

IEC 60999-1, *Connecting devices – Electrical copper conductors – Safety requirements for screw-type and screwless-type clamping units – Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm^2 up to 35 mm^2 (included)*

IEC 61000-3-2, *Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)*

IEC 61000-3-3, *Electromagnetic compatibility (EMC) – Part 3-3: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤16 A per phase and not subject to conditional connection*

IEC 61000-3-11, *Electromagnetic compatibility (EMC) – Part 3-11: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems – Equipment with rated current ≤ 75 A and subject to conditional connection*

IEC 61000-3-12, *Electromagnetic compatibility (EMC) – Part 3-12: Limits – Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current >16 A and ≤ 75 A per phase*

IEC 61000-4-2:2008, *Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test*

IEC 61000-4-3, *Electromagnetic compatibility (EMC) – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test*

IEC 61000-4-4, *Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test*

IEC 61000-4-5:2014, *Electromagnetic compatibility (EMC) – Part 4-5: Testing and measurement techniques – Surge immunity test*
IEC 61000-4-5:2014/AMD1:2017

IEC 61000-4-6, *Electromagnetic compatibility (EMC) – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields*

IEC 61000-4-8, *Electromagnetic compatibility (EMC) – Part 4-8: Testing and measurement techniques – Power frequency magnetic field immunity test*

IEC 61000-4-11, *Electromagnetic compatibility (EMC) – Part 4-11: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests for equipment with current up to 16 A per phase*

IEC 61000-4-13:2002, *Electromagnetic compatibility (EMC) – Part 4-13: Testing and measurement techniques – Harmonics and interharmonics including mains signalling at a.c. power port, low frequency immunity tests*
IEC 61000-4-13:2002 /AMD1:2009
IEC 61000-4-13:2002 /AMD2:2015

IEC 61000-4-20, *Electromagnetic compatibility (EMC) – Part 4-20: Testing and measurement techniques – Emission and immunity testing in transverse electromagnetic (TEM) waveguides*

IEC 61000-4-21, *Electromagnetic compatibility (EMC) – Part 4-21: Testing and measurement techniques – Reverberation chamber test methods*

IEC 61000-4-22, *Electromagnetic compatibility (EMC) – Part 4-22: Testing and measurement techniques – Radiated emissions and immunity measurements in fully anechoic rooms (FARs)*

IEC 61000-4-28, *Electromagnetic compatibility (EMC) – Part 4-28: Testing and measurement techniques – Variation of power frequency, immunity test for equipment with input current not exceeding 16A per phase*

IEC 61000-6-1:2016, *Electromagnetic compatibility (EMC) – Part 6-1: Generic standards – Immunity standard for residential, commercial and light-industrial environments*

IEC 61000-6-2:2016, *Electromagnetic compatibility (EMC) – Part 6-2: Generic standards – Immunity standard for industrial environments*

IEC 61000-6-3:2020, *Electromagnetic compatibility (EMC) – Part 6-3: Generic standards – Emission standard for equipment in residential environments*

IEC 61000-6-4:2018, *Electromagnetic compatibility (EMC) – Part 6-4: Generic standards – Emission standard for industrial environments*

IEC 61051-1, *Varistors for use in electronic equipment – Part 1: Generic specification*

IEC 61051-2, *Varistors for use in electronic equipment – Part 2: Sectional specification for surge suppression varistors*

IEC 61051-2-2, *Varistors for use in electronic equipment – Part 2: Blank detail specification for zinc oxide surge suppression varistors. Assessment level E*

IEC 61210, *Connecting devices – Flat quick-connect terminations for electrical copper conductors – Safety requirements*

IEC 61249 (all parts), *Materials for printed boards and other interconnecting structures*

IEC 61558-2-6, *Safety of transformers, reactors, power supply units and combinations thereof − Part 2-6: Particular requirements and tests for safety isolating transformers and power supply units incorporating safety isolating transformers for general applications*

IEC 61558-2-16, *Safety of transformers, reactors, power supply units and combinations thereof − Part 2-16: Particular requirements and tests for switch mode power supply units and transformers for switch mode power supply units for general applications*

IEC 61810-3, *Electromechanical elementary relays – Part 3: Replays with forcibly guided (mechanically linked) contacts*

IEC 62151, *Safety of equipment electrically connected to a telecommunication network*

IEC 62319 (all parts), *Polymeric thermistors – Directly heated positive step function temperature coefficient*

IEC 62326 (all parts), *Printed boards*

IEC 62368-1, *Audio/video, information and communication technology equipment – Part 1: Safety requirements*

IEC 63044 (all parts), *Home and Building Electronic Systems (HBES) and Building Automation and Control Systems (BACS)*

CISPR 11, *Industrial, scientific and medical equipment – Radio-frequency disturbance characteristics – Limits and methods of measurement*

CISPR 14-1:2020, *Electromagnetic compatibility – Requirements for household appliances, electric tools and similar apparatus – Part 1: Emission*

CISPR 32:2015, *Electromagnetic compatibility of multimedia equipment – Emission* requirements
CISPR 32:2015/AMD1:2019

ISO 4046-4:2016, *Paper, board, pulps and related terms − Vocabulary − Part 4: Paper and board grades and converted products*

ISO 7637-2:2011, *Road vehicles – Electrical disturbances from conduction and coupling – Part 2: Electrical transient conduction along supply lines only*

ISO 7637-3:2016, *Road vehicles – Electrical disturbances from conduction and coupling – Part 3: Electrical transient transmission by capacitive and inductive coupling via lines other than supply lines*

ISO 16484 (all parts), *Building automation and control systems (BACS)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses: