IEC 60747-2

Edition 4.0 2025-09

INTERNATIONAL STANDARD

Semiconductor devices -
Part 2: Discrete devices - Rectifier diodes

ICS 31.080.10

ISBN 978-2-8327-0704-3

IEC 60747-2:2025-09(en)

THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD 4
1 Scope 6
2 Normative references 6
3 Terms and definitions 6
3.1 General 6
3.2 Voltages 7
3.3 Currents 8
3.4 Power dissipation 10
3.5 Switching characteristics 11
3.6 Mechanical ratings 14
4 Letter symbols 14
4.1 General 14
4.2 List of letter symbols 14
5 Essential ratings and characteristics 16
5.1 General 16
5.2 Ratings (limiting values) 16
5.2.1 Storage temperature (T_{stg}) 16
5.2.2 Operating ambient, case, heatsink or junction temperature (T_a, T_c, T_s or T_{vj}) 16
5.2.3 Non-repetitive peak reverse voltage (V_{RSM}) (where appropriate) 16
5.2.4 Repetitive peak reverse voltage (V_{RRM}) 16
5.2.5 Reverse voltage (V_R) (where appropriate) 16
5.2.6 Forward currents 17
5.2.7 Peak case non-rupture current (I_{RSMC}) (where appropriate) 18
5.2.8 Reverse power (for avalanche rectifier diodes) 18
5.2.9 Mechanical ratings 18
5.3 Characteristics 19
5.3.1 Forward voltages 19
5.3.2 Breakdown voltage ($V_{(BR)}$) (of avalanche rectifier diodes) 19
5.3.3 Reverse current ($I_{R(D)}$) 19
5.3.4 Repetitive peak reverse current (I_{RRM}) (where appropriate) 19
5.3.5 Reverse recovery characteristics (where appropriate) 19
5.3.6 Forward recovery characteristics (where appropriate) 21
5.3.7 Thermal resistance (R_{th}) 21
5.3.8 Transient thermal impedance ($Z_{th}(t)$) (where appropriate) 21
6 Measuring methods 21
6.1 General 21
6.2 Verification of ratings (limiting values) 21
6.2.1 Non-repetitive peak reverse voltage (V_{RSM}) 21
6.2.2 Non-repetitive surge forward current (I_{FSM}) 22
6.2.3 Repetitive peak reverse power (P_{RRM}) or surge reverse power (P_{RSM}) of avalanche rectifier diodes 24
6.2.4 Peak case non-rupture current (I_{RSMC}) 28
6.3 Measuring methods for electrical characteristics 30

6.3.1 Forward voltage (V_F) 30
6.3.2 Breakdown voltage ($V_{(BR)}$) of avalanche rectifier diodes 33
6.3.3 Reverse current (I_R) 34
6.3.4 Repetitive peak reverse current (I_{RRM}) 35
6.3.5 Recovered charge (Q_r), reverse recovery time (t_{rr}), reverse recovery energy (E_{rr}) and reverse recovery softness factor (S_{rr}) 36
6.3.6 Capacitive charge (Q_C) 41
6.3.7 Forward recovery time (t_{fr}) and peak forward recovery voltage (V_{frm}) 42
6.4 Measuring methods for thermal properties 44
6.4.1 General 44
6.4.2 Thermal resistance (R_{th}) and transient thermal impedance ($Z_{th}(t)$) 45
7 Requirements for type tests, routine tests, endurance tests and marking 47
7.1 Type tests 47
7.2 Routine tests 47
7.3 Endurance tests 48
7.3.1 General 48
7.3.2 List of endurance tests 48
7.3.3 Conditions for endurance tests 48
7.3.4 Acceptance-defining characteristics and acceptance criteria for endurance tests 48
7.3.5 Acceptance-defining characteristics and acceptance criteria for reliability tests 49
7.4 Measuring and test methods 49
7.5 Marking 49
Bibliography 50

Figure 1 – Reverse voltage ratings 7
Figure 2 – Forward current ratings 9
Figure 3 – Voltage waveform during forward recovery (Method I) 11
Figure 4 – Voltage waveform during forward recovery (Method II) 12
Figure 5 – Current waveform during reverse recovery 12
Figure 6 – Voltage and current waveforms and recovered charge during reverse recovery 13
Figure 7 – Recovered charge Q_r, peak reverse recovery current I_{rrm}, reverse recovery time t_{rr} (idealized characteristics) 20
Figure 8 – Circuit diagram for verification of non-repetitive peak reverse voltage 22
Figure 9 – Circuit diagram for verification of non-repetitive surge forward current 23
Figure 10 – Circuit diagram for verification of repetitive peak reverse power (P_{RRM}) or surge reverse power (P_{RSM}) of avalanche rectifier diodes 25
Figure 11 – Triangular reverse current waveform 25
Figure 12 – Sinusoidal reverse current waveform 26
Figure 13 – Rectangular reverse current waveform 26
Figure 14 – Verification of surge reverse power P_{RSM} versus breakdown 27
Figure 15 – Circuit diagram for verification of peak case non-rupture current 28
Figure 16 – Waveform of reverse current through diode 29

Figure 17 – Circuit diagram for measurement of forward voltage 30
Figure 18 – Circuit diagram for measurement of average forward voltage and/or peak forward voltage (AC method) 31
Figure 19 – Graphic representation of forward voltage versus current characteristic 32
Figure 20 – Circuit diagram for measurement of peak forward voltage (pulse method) 32
Figure 21 – Circuit diagram for measurement of breakdown voltage 33
Figure 22 – Circuit diagram for measurement of reverse current 34
Figure 23 – Circuit diagram for measurement of peak reverse current 35
Figure 24 – Circuit diagram for measurement of reverse recovery characteristics 36
Figure 25 – Current waveform through diode during reverse recovery (half sinusoidal method) 37
Figure 26 – Circuit diagram for measurement of reverse recovery characteristics (rectangular method) 39
Figure 27 – Current waveform through diode during reverse recovery (rectangular method) 39
Figure 28 – Circuit diagram for measurement of capacitive charge 41
Figure 29 – Circuit diagram for measurement of forward recovery 42
Figure 30 – Current waveform during forward recovery 43
Figure 31 – Voltage waveform during forward recovery 43
Figure 32 – Circuit diagram for measurement of thermal resistance and transient thermal impedance 45
Figure 33 – Calibration curve showing typical variation of forward voltage at measuring current with case temperature (when heated from outside, i.e. T_c = T_{vj}) 46

Table 1 – Voltages 15
Table 2 – Currents 15
Table 3 – Power dissipation 15
Table 4 – Switching characteristics 16
Table 5 – Minimum type and routine tests for rectifier diodes 48
Table 6 – Acceptance-defining characteristics for acceptance after endurance tests 48

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

Semiconductor devices - Part 2: Discrete devices - Rectifier diodes

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch or www.iso.org/patents. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60747-2 has been prepared by subcommittee 47E: Discrete semiconductor devices, of IEC technical committee 47: Semiconductor devices. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) the terms and definitions for partial thermal resistance junction-to-case have been added;
b) Clauses 3, 4, 5, 6 and 7 have been amended with some deletions of information no longer in use and with some necessary additions.

The text of this International Standard is based on the following documents:

Draft	Report on voting
47E/861/FDIS	47E/869/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

This International Standard is to be used in conjunction with IEC 60747-1:2006 and its Amendment 1:2010.

A list of all parts in the IEC 60747 series, published under the general title *Semiconductor devices*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

1 Scope

This part of IEC 60747 specifies product specific standards for terminology, letter symbols, essential ratings and characteristics (properties), measuring and test methods, requirements for type tests, routine tests, endurance tests and marking for the following discrete semiconductor devices:

– generic rectifier diodes;
– avalanche rectifier diodes;
– fast-switching rectifier diodes;
– Schottky barrier diodes.

If no ambiguity is likely to result, any of the above will be referred to as diodes.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-521, *International Electrotechnical Vocabulary - Part 521: Semiconductor devices and integrated circuits*, available at https://www.electropedia.org

IEC 60747-1:2006, *Semiconductor devices - Part 1: General*
IEC 60747-1:2006/AMD1: 2010

IEC 60749-23, *Semiconductor devices - Mechanical and climatic test methods - Part 23: High temperature operating life*

IEC 60749-25, *Semiconductor devices - Mechanical and climatic test methods - Part 25: Temperature cycling*

IEC 60749-34, *Semiconductor devices - Mechanical and climatic test methods - Part 34: Power cycling*