IEC 60794-1-22

Edition 2.0 2017-10

REDLINE VERSION

colour inside

Optical fibre cables –
Part 1-22: Generic specification – Basic optical cable test procedures – Environmental test methods

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.180.10

ISBN 978-2-8322-4926-0

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 6
1 Scope 8
2 Normative references 8
3 Terms and definitions 9
4 Method F1 – Temperature cycling 9
4.1 Object 9
4.2 Sample 9
4.3 Apparatus 10
4.4 Procedure 11
4.4.1 Initial measurement 11
4.4.2 Pre-conditioning 11
4.4.3 Conditioning 11
4.4.4 Recovery 13
4.5 Requirements 13
4.6 Details to be specified 13
4.7 Details to be reported 14
~~4 Method F2 – Contamination (test deleted) .....~~
~~5 Method F3 – Sheath integrity (test deleted) .....~~
~~6 Method F4 External static pressure (test deleted) .....~~
5 Method F5 – Water penetration 14
5.1 Object 14
5.2 Sample 14
5.2.1 Method F5A 14
5.2.2 Method F5B 15
5.2.3 Method F5C (for cables with swellable water blocking material) 15
5.3 Apparatus 15
5.3.1 Test fixtures and set-up 15
5.3.2 Water 15
5.3.3 Orifice (method F5C) 15
5.4 Procedure 16
5.4.1 Method F5A and F5B 16
5.4.2 Method F5C 16
5.5 Requirements 16
5.6 Details to be specified 16
5.7 Details to be reported 16
~~8 Method F6 – Unknown (test deleted) .....~~
6 Method F7 – Nuclear radiation 19
6.1 Object 19
6.2 Sample 19
6.3 Apparatus 19
6.4 Procedure 19
6.4.1 Fibres 19
6.4.2 Materials 19
6.5 Requirements 19
6.6 Details to be specified 19

7 Method F8 – Pneumatic resistance 20
7.1 Object 20
7.2 Sample 20
7.3 Apparatus 20
7.4 Procedure 20
7.5 Requirement 21
7.6 Details to be specified 21
8 Method F9 – Ageing 21
8.1 Object 21
8.2 Sample 21
8.3 Apparatus 21
8.4 Procedure 21
8.5 Requirement 22
8.6 Details to be specified 22
9 Method F10 – Underwater cable resistance to hydrostatic pressure 22
9.1 Object 22
9.2 Sample 22
9.3 Apparatus 22
9.4 Procedure 22
9.5 Requirements 23
9.6 Details to be specified 23
10 Method F11 – Sheath shrinkage (cables intended for patch cords) 23
10.1 Object 23
10.2 Sample 23
10.3 Apparatus 23
10.4 Procedure 23
10.5 Requirements 24
10.6 Details to be specified 24
10.7 Details to be reported 25
11 Method F12 – Temperature cycling of cables ~~used for patch cords~~ to be terminated with connectors 25
11.1 Object 25
11.2 Sample 25
11.3 Apparatus 25
11.4 Procedure 25
11.5 Requirements 26
11.6 Details to be specified 26
12 Method F13 – Microduct pressure withstand 26
12.1 Object 26
12.2 Sample 26
12.3 ~~Test equipment~~ Apparatus 26
12.4 Procedure 27
12.5 Requirements 27
12.6 Details to be specified 27
13 Method F14 – Cable UV resistance test 27
13.1 Object 27
13.2 Sample 27
13.3 Apparatus 27

13.4 Procedure 28
13.4.1 General 28
13.4.2 Conditioning for outdoor cables (weatherometer test) 28
13.4.3 Conditioning for indoor cables (QUV test) 28
13.5 Requirements 28
13.6 Details to be specified 28
14 Method F15 – Cable external freezing test 29
14.1 Object 29
14.2 Sample 29
14.3 Apparatus 29
14.4 Procedure 29
14.5 Requirements 30
14.6 Details to be specified 30
15 Method F16 – Compound flow (drip) 30
15.1 Object 30
15.2 Sample 30
15.3 Apparatus 31
15.4 Procedure 31
15.5 Requirements 31
15.6 Details to be specified 32
16 Method F17 – Cable shrinkage test (fibre protrusion) 32
16.1 Object 32
16.2 Sample 32
16.3 Apparatus 32
16.4 Conditioning 32
16.5 Requirements 34
16.6 Details to be specified 34
16.7 Details to be reported 34
17 Method F18 – Mid-span temperature cycling test for exposed buffer tubes 34
17.1 Object 34
17.2 Sample 35
17.3 Apparatus 35
17.4 Procedure 35
17.5 Requirements 36
17.6 Details to be specified 36
Annex A (normative) Colour permanence 37
Bibliography 38

Figure 1 – ~~First~~ Initial cycle(s) procedure 12
Figure 2 – ~~Last~~ Final cycle procedure 13
Figure 3 – Test arrangement for method F5A 17
Figure 4 – Test arrangement for method F5B 17
Figure 5 – Test arrangement for method F5C ~~Alternative~~: pre-soaked sample 17
Figure 6 – Test arrangement for method F5C: pre-soak procedure 18
Figure 7 – Test arrangement for method F5C: orifice 18
Figure 8 – Test arrangement for method F5C: longer sample 18
Figure 9 – Preparation of the cable ends 33

Figure 10 – Fibre protrusion measurement 34

Table 1 – Minimum soak time t_1 12

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

OPTICAL FIBRE CABLES –

Part 1-22: Generic specification – Basic optical cable test procedures – Environmental test methods

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER
This Redline version is not an official IEC Standard and is intended only to provide the user with an indication of what changes have been made to the previous version. Only the current version of the standard is to be considered the official document.

This Redline version provides you with a quick and easy way to compare all the changes between this standard and its previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

International Standard IEC 60794-1-22 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics.

This second edition cancels and replaces the first edition published in 2012. It constitutes a technical revision.

This second edition includes the following significant technical changes with respect to the previous edition:

a) new test method designation F16 – Compound flow (drip) [E14 in IEC 60794-1-21];

b) new test method F17 – Cable shrinkage test (fibre protrusion);

c) new test method F18 – Mid-span temperature cycling test.

NOTE Missing numbers in the test methods sequence are intentional. They can suggest a deleted test method or a test method that was never published.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
86A/1813/FDIS	86A/1827/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60794 series, published under the general title *Optical fibre cables*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

OPTICAL FIBRE CABLES –

Part 1-22: Generic specification – Basic optical cable test procedures – Environmental test methods

1 Scope

~~This part of IEC 60794 applies to optical fibre cables for use with telecommunication equipment and devices employing similar techniques, and to cables having a combination of both optical fibres and electrical conductors.~~

This part of IEC 60794 defines test procedures to be used in establishing uniform requirements for the environmental performance of

- optical fibre cables for use with telecommunication equipment and devices employing similar techniques, and
- cables having a combination of both optical fibres and electrical conductors.

Throughout this document, the wording "optical cable" ~~may~~ can also include optical fibre units, microduct fibre units, etc.

See IEC 60794-1-2 for a reference guide to test methods of all types and for general requirements and definitions.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-14:2009, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60304, *Standard colours for insulation for low-frequency cables and wires*

IEC 60544-1, *Electrical insulating materials – Determination of the effects of ionizing radiation – Part 1: Radiation interaction and dosimetry*

IEC 60793-1-40, *Optical fibres – Part 1-40: Measurement methods and test procedures – Attenuation*

IEC 60793-1-46, *Optical fibres – Part 1-46: Measurement methods and test procedures – Monitoring of changes in optical transmittance*

IEC 60793-1-54, *Optical fibres – Part 1-54: Measurement methods and test procedures – Gamma irradiation*

IEC 60794-1-1, *Optical fibre cables – Part 1-1: Generic specification – General*

~~IEC 60794-1-2, *Optical fibre cables – Part 1-2: Generic specification – Basic optical cable test procedures*~~

~~IEC 60811-502, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 502: Mechanical tests – Shrinkage test for insulations*~~

IEC 60811-503, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 503: Mechanical tests – Shrinkage test for sheaths*

ISO 4892-2, *Plastics – Methods of exposure to laboratory light sources – Part 2: Xenon-arc lamps*

ISO 4892-3, *Plastics – Methods of exposure to laboratory light sources – Part 3: Fluorescent UV lamps*

IEC 60794-1-22

Edition 2.0 2017-10

INTERNATIONAL STANDARD

colour inside

Optical fibre cables –
Part 1-22: Generic specification – Basic optical cable test procedures – Environmental test methods



IEC 60794-1-22:2017-10(en)

CONTENTS

FOREWORD 5
INTRODUCTION 7
1 Scope 8
2 Normative references 8
3 Terms and definitions 9
4 Method F1 – Temperature cycling 9
4.1 Object 9
4.2 Sample 9
4.3 Apparatus 10
4.4 Procedure 10
4.4.1 Initial measurement 10
4.4.2 Pre-conditioning 10
4.4.3 Conditioning 10
4.4.4 Recovery 13
4.5 Requirements 13
4.6 Details to be specified 13
4.7 Details to be reported 14
5 Method F5 – Water penetration 14
5.1 Object 14
5.2 Sample 14
5.2.1 Method F5A 14
5.2.2 Method F5B 14
5.2.3 Method F5C (for cables with swellable water blocking material) 15
5.3 Apparatus 15
5.3.1 Test fixtures and set-up 15
5.3.2 Water 15
5.3.3 Orifice (method F5C) 15
5.4 Procedure 15
5.4.1 Method F5A and F5B 15
5.4.2 Method F5C 16
5.5 Requirements 16
5.6 Details to be specified 16
5.7 Details to be reported 16
6 Method F7 – Nuclear radiation 19
6.1 Object 19
6.2 Sample 19
6.3 Apparatus 19
6.4 Procedure 19
6.4.1 Fibres 19
6.4.2 Materials 19
6.5 Requirements 19
6.6 Details to be specified 19
7 Method F8 – Pneumatic resistance 19
7.1 Object 19
7.2 Sample 20

7.3 Apparatus 20
7.4 Procedure 20
7.5 Requirement 20
7.6 Details to be specified 20
8 Method F9 – Ageing 21
8.1 Object 21
8.2 Sample 21
8.3 Apparatus 21
8.4 Procedure 21
8.5 Requirement 21
8.6 Details to be specified 21
9 Method F10 – Underwater cable resistance to hydrostatic pressure 22
9.1 Object 22
9.2 Sample 22
9.3 Apparatus 22
9.4 Procedure 22
9.5 Requirements 22
9.6 Details to be specified 22
10 Method F11 – Sheath shrinkage (cables intended for patch cords) 22
10.1 Object 22
10.2 Sample 23
10.3 Apparatus 23
10.4 Procedure 23
10.5 Requirements 24
10.6 Details to be specified 24
10.7 Details to be reported 24
11 Method F12 – Temperature cycling of cables to be terminated with connectors 24
11.1 Object 24
11.2 Sample 24
11.3 Apparatus 24
11.4 Procedure 25
11.5 Requirements 25
11.6 Details to be specified 25
12 Method F13 – Microduct pressure withstand 25
12.1 Object 25
12.2 Sample 26
12.3 Apparatus 26
12.4 Procedure 26
12.5 Requirements 26
12.6 Details to be specified 26
13 Method F14 – Cable UV resistance test 26
13.1 Object 26
13.2 Sample 27
13.3 Apparatus 27
13.4 Procedure 27
13.4.1 General 27
13.4.2 Conditioning for outdoor cables (weatherometer test) 27
13.4.3 Conditioning for indoor cables (QUV test) 28

13.5 Requirements 28
13.6 Details to be specified 28
14 Method F15 – Cable external freezing test 28
14.1 Object 28
14.2 Sample 28
14.3 Apparatus 28
14.4 Procedure 28
14.5 Requirements 29
14.6 Details to be specified 29
15 Method F16 – Compound flow (drip) 29
15.1 Object 29
15.2 Sample 29
15.3 Apparatus 30
15.4 Procedure 30
15.5 Requirements 31
15.6 Details to be specified 31
16 Method F17 – Cable shrinkage test (fibre protrusion) 31
16.1 Object 31
16.2 Sample 31
16.3 Apparatus 31
16.4 Conditioning 31
16.5 Requirements 33
16.6 Details to be specified 33
16.7 Details to be reported 33
17 Method F18 – Mid-span temperature cycling test for exposed buffer tubes 34
17.1 Object 34
17.2 Sample 34
17.3 Apparatus 34
17.4 Procedure 34
17.5 Requirements 35
17.6 Details to be specified 35
Annex A (normative) Colour permanence 36
Bibliography 37

Figure 1 – Initial cycle(s) procedure 12
Figure 2 – Final cycle procedure 13
Figure 3 – Test arrangement for method F5A 17
Figure 4 – Test arrangement for method F5B 17
Figure 5 – Test arrangement for method F5C: pre-soaked sample 17
Figure 6 – Test arrangement for method F5C: pre-soak procedure 18
Figure 7 – Test arrangement for method F5C: orifice 18
Figure 8 – Test arrangement for method F5C: longer sample 18
Figure 9 – Preparation of the cable ends 32
Figure 10 – Fibre protrusion measurement 33

Table 1 – Minimum soak time t_1 12

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

OPTICAL FIBRE CABLES –

Part 1-22: Generic specification – Basic optical cable test procedures – Environmental test methods

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60794-1-22 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics.

This second edition cancels and replaces the first edition published in 2012. It constitutes a technical revision.

This second edition includes the following significant technical changes with respect to the previous edition:

a) new test method designation F16 – Compound flow (drip) [E14 in IEC 60794-1-21];
b) new test method F17 – Cable shrinkage test (fibre protrusion);
c) new test method F18 – Mid-span temperature cycling test.

NOTE Missing numbers in the test methods sequence are intentional. They can suggest a deleted test method or a test method that was never published.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
86A/1813/FDIS	86A/1827/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60794 series, published under the general title *Optical fibre cables*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 60794-1-2:2003 has been split into five new documents:

- IEC 60794-1-2, *Optical fibre cables – Part 1-2: Generic specification – Basic optical cable test procedures – General guidance*
- IEC 60794-1-21, *Optical fibre cables – Part 1-21: Generic specification – Basic optical cable test procedures – Mechanical tests methods*
- IEC 60794-1-22, *Optical fibre cables – Part 1-22: Generic specification – Basic optical cable test procedures – Environmental tests methods*
- IEC 60794-1-23, *Optical fibre cables – Part 1-23: Generic specification – Basic optical cable test procedures – Cable elements tests methods*
- IEC 60794-1-24, *Optical fibre cables – Part 1-24: Generic specification – Basic optical cable test procedures – Electrical tests methods*

OPTICAL FIBRE CABLES –

Part 1-22: Generic specification – Basic optical cable test procedures – Environmental test methods

1 Scope

This part of IEC 60794 defines test procedures to be used in establishing uniform requirements for the environmental performance of

- optical fibre cables for use with telecommunication equipment and devices employing similar techniques, and
- cables having a combination of both optical fibres and electrical conductors.

Throughout this document, the wording "optical cable" can also include optical fibre units, microduct fibre units, etc.

See IEC 60794-1-2 for a reference guide to test methods of all types and for general requirements and definitions.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-14:2009, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60304, *Standard colours for insulation for low-frequency cables and wires*

IEC 60544-1, *Electrical insulating materials – Determination of the effects of ionizing radiation – Part 1: Radiation interaction and dosimetry*

IEC 60793-1-40, *Optical fibres – Part 1-40: Measurement methods and test procedures – Attenuation*

IEC 60793-1-46, *Optical fibres – Part 1-46: Measurement methods and test procedures – Monitoring of changes in optical transmittance*

IEC 60793-1-54, *Optical fibres – Part 1-54: Measurement methods and test procedures – Gamma irradiation*

IEC 60794-1-1, *Optical fibre cables – Part 1-1: Generic specification – General*

IEC 60811-503, *Electric and optical fibre cables – Test methods for non-metallic materials – Part 503: Mechanical tests – Shrinkage test for sheaths*

ISO 4892-2, *Plastics – Methods of exposure to laboratory light sources – Part 2: Xenon-arc lamps*

ISO 4892-3, *Plastics – Methods of exposure to laboratory light sources – Part 3: Fluorescent UV lamps*