IEC 60884-3-2

Edition 1.0 2026-06

INTERNATIONAL STANDARD

**Plugs and socket-outlets for household and similar purposes -
Part 3-2: Particular requirements for accessories incorporating electronic components to perform additional functions**

ICS 29.120.30

ISBN 978-2-8327-1290-0

IEC 60884-3-2:2026-06(en)

THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2026 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD 4
INTRODUCTION 6
1 Scope 7
2 Normative references 8
3 Terms and definitions 9
4 General requirements 12
5 General remarks on tests 13
6 Ratings 15
7 Classification 16
8 Marking 16
9 Checking of dimensions 17
10 Protection against electric shock 18
11 Provision for earthing 20
12 Terminals and terminations 21
13 Construction of fixed socket-outlets 21
14 Construction of plugs and portable socket-outlets 24
15 Interlocked socket-outlets 24
16 Resistance to ageing, protection provided by enclosures, and resistance to humidity 24
17 Insulation resistance and electric strength 24
18 Operation of earthing contacts 27
19 Temperature rise 27
20 Breaking capacity 30
21 Normal operation 30
22 Force necessary to withdraw the plug 31
23 Flexible cables and their connection 31
24 Mechanical strength 31
25 Resistance to heat 31
26 Screws, current-carrying parts and connections 31
27 Creepage distances, clearances and distances through sealing compound 31
28 Resistance of insulating material to abnormal heat, to fire and to tracking 43
29 Resistance to rusting 43
30 Additional tests on pins provided with insulating sleeves 43
31 EMC requirements 43
32 Electromagnetic fields (EMF) requirements 49
101 Abnormal conditions 49
102 Components 55
Annex A (normative) Safety-related routine tests for factory-wired portable accessories (protection against electric shock and correct polarity) 63
Annex B (informative) Alternative gripping tests 64
Annex C (normative) Switches incorporated in portable socket-outlets 65

Annex D (normative) Requirements for plugs and fixed or portable socket-outlets intended to be used with AWG Cables 66
Annex E (informative) Tests to be applied during the production of crimped connections in accessories 67
Annex F (normative) Additional requirements for accessories provided with insulation-piercing terminals 68
Annex G (informative) Additional tests and requirements for accessories intended to be used in ambient temperatures below −5 °C down to and including −45 °C 69
Annex H (informative) Additional tests and requirements for accessories intended to be used in ambient temperatures above +40 °C up to and including +70 °C 70
Annex I (normative) Additional requirements and tests for plugs and socket-outlets for high-load (HL) application 71
Annex AA (normative) Specific requirements for accessories incorporating electronic components for additional functions that control the output of the accessory (ECF) 72
Annex BB (normative) Specific requirements for accessories incorporating electronic components for additional functions being powered by the accessory which do not control the output (EPF) 86
Annex CC (normative) Specific requirements for accessories incorporating electronic components for additional functions that operate as a protection means (EPM) 90
Bibliography 96

Figure 101 – Test pin for checking the protection against electric shock 19
Figure 102 – Current path tested in terminals of the socket-outlet having looping through function 29
Figure 103 – Circuit diagram for short circuit testing 30
Figure 104 – Protective separation between networks 35
Figure 105 – Protective separation between networks 41
Figure 106 – Minimum creepage and clearance for the evaluation of the short circuit test on printed circuit boards 51
Figure 107 – Circuit diagram for testing 55
Figure 108 – Surge test 58
Figure AA.1 – Circuit diagrams for testing the socket-outlet 76
Figure AA.2 – Test procedure 83
Figure CC.1 – Test procedure 94

Table 1 – Survey of specimens needed for tests 14
Table 101 – Test voltage, points of application for the verification of electric strength 26
Table 102 – Permissible temperature rise values 27
Table 26 – Creepage distances, clearances and distances through insulating sealing compound 32
Table 103 – Relation between the rated voltage of the accessories, the rated insulation voltage and the rated impulse voltage 36
Table 104 – Minimum clearances without verification test 37
Table 105 – Test voltages and corresponding altitudes 38
Table 106 – Minimum clearances with verification test 38
Table 107 – Minimum creepage distances of basic, supplementary and reinforced insulation without verification test for clearances 39

Table 108 – Minimum creepage distances of basic, supplementary and reinforced insulation with verification test for clearances 39
Table 109 – Type of insulation 42
Table 110 – Immunity tests (overview) 45
Table 111 – Voltage dip and short-interruption test values 45
Table 112 – Surge immunity test voltages 46
Table 113 – Fast transient test values 46
Table 114 – Values for radiated electromagnetic field test of IEC 61000-4-3[a] 48
Table 115 – Capacitors 56
Table 101 – Test voltage, points of application for the verification of electric strength 73
Table AA.1 – Values for I_{peak} and I^2t depending on the type of distribution system 77
Table AA.2 – Calculated circuit parameters 77
Table 26 – Creepage distances, clearances and distances through insulating sealing compound 78
Table AA.3 – Cross-sectional areas of copper conductors and maximum test currents 82
Table CC.1 – Cross-sectional areas of copper conductors and maximum test currents 93

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

Plugs and socket-outlets for household and similar purposes - Part 3-2: Particular requirements for accessories incorporating electronic components to perform additional functions

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60884-3-2 has been prepared by subcommittee 23B: Plugs, socket-outlets and switches, of IEC technical committee 23: Electrical accessories. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
23B/1606/FDIS	23B/1609/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

This document shall be used in conjunction with IEC 60884-1:2022.

This document supplements or modifies the corresponding clauses in IEC 60884-1, so as to convert that publication into the IEC International Standard: Particular requirements for accessories incorporating electronic components to perform additional functions.

Where this document states "addition", "modification" or "replacement", the relevant requirement, test specifications or explanatory matter in IEC 60884-1 shall be adapted accordingly.

Subclauses, figures, tables or notes which are additional to those in IEC 60884-1 are numbered starting from 101. Additional annexes are lettered starting from AA.

A list of all parts in the IEC 60884 series, published under the general title *Plugs and socket-outlets for household and similar purposes*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

– reconfirmed,
– withdrawn, or
– revised.

INTRODUCTION

Standard plugs and socket-outlets are now available with various additional features such as Wi-Fi extenders, remote switching, energy saving, etc. For the purposes of this document, these features are called additional functions.

This part of the IEC 60884 series provides particular requirements for plugs and socket-outlets which incorporate electronic components for the purpose of providing additional functions.

The additional functions are categorised into 3 groups:

– additional functions that control the output of the accessory (these products are often called “smart sockets”, “smart socket-outlets” or “smart plugs”);

– additional functions being powered by the accessory which do not control the output;

– additional functions that have protective means (e.g. overvoltage protection) other than Residual Current Devices.

The requirements that are common to all three categories are given in the main part of this document. Specific requirements are given in Annex AA to Annex CC.

This part does not address additional functions that have already been covered by other parts of the IEC 60884 series, for example, socket-outlets incorporating USB power supply which are covered by IEC 60884-3-1.

It is recognised that provision of a dimming function in fixed and portable socket-outlets poses a considerable safety risk to the loads that can be connected to a socket-outlet. Therefore, provision should not be made for dimming function in fixed and portable socket-outlets.

1 Scope

IEC 60884-1:2022, Clause 1 is applicable except as follows:

Replace the first paragraph by the following:

This part of IEC 60884 applies to plugs and fixed or portable socket-outlets for AC only, incorporating electronic components to perform additional functions, with or without earthing contact, with a rated voltage greater than 50 V but not exceeding 440 V and a rated current not exceeding 32 A, intended for household and similar purposes, for use either indoors or outdoors.

This document covers safety and Electromagnetic Compatibility (EMC) requirements for plugs and socket-outlets incorporating electronic components to perform additional functions.

Addition after the third paragraph:

The rated current is limited to 16 A maximum for accessories incorporating electronic components which control the output.

Replace the fourth paragraph by the following:

This document covers only those requirements for mounting boxes which are necessary for the tests on the socket-outlet incorporating electronic components to perform additional functions.

Replace the dash text after NOTE 2 by the following dashes:

– accessories incorporating USB power supply which are covered by IEC 60884-3-1;
– mechanically switched socket-outlets without any electronic function which are covered by IEC 60884-2-3;
– accessories including RCD’s which are covered by IEC 62640 and IEC 61540;
– portable socket-outlets incorporating electronic switches validated according to IEC 61058-1-2;
– switched socket-outlets with interlock for fixed electrical installations, which are covered by IEC 60884-2-6.

Replace the eighth paragraph by the following:

This document applies to plugs and socket-outlets incorporating electronic components for use at ambient temperature not normally exceeding +25 °C but occasionally reaching +35 °C with a lower limit of the ambient air temperature of −5 °C.

Add the following paragraph after the eighth paragraph:

Functional safety aspects are not covered by this document.

Add the following paragraphs after the last paragraph:

This document gives additional tests and requirements for accessories incorporating electronic components for additional functions that control the output of the accessory, see Annex AA (Normative).

This document gives additional tests and requirements for accessories incorporating electronic components for additional functions being powered by the accessory which do not control the output, see Annex BB (Normative).

This document gives additional tests and requirements for accessories incorporating electronic components for additional functions that operate as a protection means, see Annex CC (Normative).

This document is not intended to cover standalone devices within the scope of the IEC 60730 series.

2 Normative references

IEC 60884-1:2022, Clause 2 is applicable except as follows:

Addition:

IEC 60068-2-78, *Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state*

IEC 60127 (all parts), *Miniature fuses*

IEC 60384-14:2023, *Fixed capacitors for use in electronic equipment - Part 14: Sectional specification - Fixed capacitors for electromagnetic interference suppression and connection to the supply mains*

IEC 60664-1:2020, *Insulation coordination for equipment within low-voltage supply systems - Part 1: Principles, requirements and tests*

IEC 60664-3:2016, *Insulation coordination for equipment within low-voltage systems - Part 3: Use of coating, potting or moulding for protection against pollution*

IEC 60670 (all parts), *Boxes and enclosures for electrical accessories for household and similar fixed electrical installations*

IEC 60884-1:2022, *Plugs and socket-outlets for household and similar purposes - Part 1: General requirements*

IEC 60898-1, *Electrical accessories - Circuit-breakers for overcurrent protection for household and similar installations - Part 1: Circuit-breakers for a.c. operation*

IEC 60990, *Methods of measurement of touch current and protective conductor current*

IEC 60934, *Circuit breakers for equipment (CBE)*

IEC 60998 (all parts), *Connecting devices for low-voltage circuits for household and similar purposes*

IEC 60999 (all parts), *Connecting devices - Electrical copper conductors - Safety requirements for screw-type and screwless-type clamping units*

IEC 61000-3-2, *Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current ≤16 A per phase)*

IEC 61000-4-2:2025, *Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test*

IEC 61000-4-3, *Electromagnetic compatibility (EMC) - Part 4-3: Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test*

IEC 61000-4-4, *Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test*

IEC 61000-4-5, *Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test*

IEC 61000-4-6, *Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields*

IEC 61000-4-8, *Electromagnetic compatibility (EMC) - Part 4-8: Testing and measurement techniques - Power frequency magnetic field immunity test*

IEC 61000-4-11, *Electromagnetic compatibility (EMC) - Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase*

IEC 61051-2, *Varistors for use in electronic equipment - Part 2: Sectional specification for surge suppression varistors*

IEC 61558-2-6, *Safety of transformers, reactors, power supply units and combinations thereof - Part 2-6: Particular requirements and tests for safety isolating transformers and power supply units incorporating safety isolating transformers for general applications*

IEC 61558-2-16, *Safety of transformers, reactors, power supply units and combinations thereof - Part 2-16: Particular requirements and tests for switch mode power supply units and transformers for switch mode power supply units for general applications*

IEC 61643-331:2020, *Components for low-voltage surge protection - Part 331: Performance requirements and test methods for metal oxide varistors (MOV)*

IEC 62479, *Assessment of the compliance of low-power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)*

CISPR 32:2015, *Electromagnetic compatibility of multimedia equipment - Emission requirements*
CISPR 32:2015/AMD1: 2019

3 Terms and definitions

IEC 60884-1:2022, Clause 3 is applicable except as follows:

Replacement:

NOTE 3 The term "accessory" is used as a general term covering plugs and socket-outlets incorporating electronic components to perform additional functions; the term "portable accessory" covers plugs and portable socket-outlets incorporating electronic components to perform additional functions.

Additional terms and definitions:

3.101
electronic control function
ECF
electronic components for additional functions that control the output of the accessory