IEC 60958-3

Edition 4.0 2021-09

INTERNATIONAL STANDARD

Digital audio interface –
Part 3: Consumer applications

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.160.01

ISBN 978-2-8322-1017-1

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD....7
1 Scope....9
2 Normative references....9
3 Terms and definitions....9
4 Interface format....9
5 Channel status....9
5.1 General....9
5.2 Application....10
5.2.1 Channel status general format....10
5.2.2 Mode 0 channel status format for digital audio equipment for consumer use....13
5.3 Copyright management guidelines for consumer application of the digital audio interface....18
5.3.1 General....18
5.3.2 Category code groups....19
6 User data....22
6.1 General....22
6.2 Application....22
6.2.1 User data bitstream....22
6.2.2 User data message structure....22
6.2.3 Equipment classification....23
6.2.4 User data message length and contents....24
6.3 Information for synchronization....26
6.3.1 General....26
6.3.2 SMPTE time code information....26
6.3.3 Latency information....27
6.3.4 Loudness information....28
Annex A (normative) Application of the digital audio interface in the compact disc digital audio system....30
A.1 Overview....30
A.2 General: application-specific details....30
A.3 Channel status: application-specific details....30
A.4 User data: application-specific details....30
Annex B (normative) Application of the digital interface in the 2-channel PCM encoder/decoder....32
B.1 Overview....32
B.2 General: application-specific details....32
B.3 Channel status: application-specific details....32
B.4 User data: application-specific details....32
Annex C (normative) Application of the digital interface in the 2-channel digital audio tape recorder in the consumer mode....33
C.1 Overview....33
C.2 General: application-specific details....33
C.3 Channel status: application-specific details....33
C.4 User data: application-specific details....34
Annex D (normative) Application of the digital interface in laser optical digital audio systems for which no other category code is defined....37

D.1 Overview....37
D.2 General: application-specific details....37
D.3 Channel status: application-specific details....37
D.4 User data: application-specific details....37
Annex E (normative) Application of the digital interface in a digital audio mixer in the consumer mode....38
E.1 Overview....38
E.2 General: application-specific details....38
E.3 Channel status: application-specific details....38
E.4 User data: application specific details....38
Annex F (normative) Application of the digital interface with a sampling rate converter in the consumer mode....39
F.1 Overview....39
F.2 General: application-specific details....39
F.3 Channel status: application-specific details....39
F.4 User data: application-specific details....39
Annex G (normative) Application of the digital interface with a digital sound sampler in the consumer mode....40
G.1 Overview....40
G.2 General: application-specific details....40
G.3 Channel status: application-specific details....40
G.4 User data: application specific details....40
Annex H (normative) Application of the digital interface in a digital broadcast receiver (Japan) in the consumer mode....41
H.1 Overview....41
H.2 General: application-specific details....41
H.3 Channel status: application-specific details....41
H.4 User data: application-specific details....41
Annex I (normative) Application of the digital interface in a digital broadcast receiver (Europe) in the consumer mode....42
I.1 Overview....42
I.2 General: application-specific details....42
I.3 Channel status: application-specific details....42
I.4 User data: application-specific details....42
Annex J (normative) Application of the digital interface in a digital broadcast receiver (USA) in the consumer mode....43
J.1 Overview....43
J.2 General: application-specific details....43
J.3 Channel status: application-specific details....43
J.4 User data: application-specific details....43
Annex K (normative) Application of the digital interface for electronic software delivery in the consumer mode....44
K.1 Overview....44
K.2 General: application-specific details....44
K.3 Channel status: application-specific details....44
K.4 User data: application-specific details....44
Annex L (normative) Application of the digital interface in the digital compact cassette system in the consumer mode....45
L.1 Overview....45
L.2 General: application-specific details....45

L.3 Channel status: application-specific details 45
L.4 User data: application-specific details 45
L.4.1 General 45
L.4.2 Marker mode 45
L.4.3 Extended mode 46
Annex M (normative) Application of the digital interface in the mini-disc system in the consumer mode 50
M.1 Overview 50
M.2 General: application-specific details 50
M.3 Channel status: application-specific details 50
M.4 User data: application-specific details 50
Annex N (normative) Application of the digital interface in a digital sound processor in the consumer mode 51
N.1 Overview 51
N.2 General: application-specific details 51
N.3 Channel status: application-specific details 51
N.4 User data: application-specific details 51
Annex O (normative) Application of the digital interface in the digital versatile disc system (DVD) in the consumer mode 52
O.1 Overview 52
O.2 General: application-specific details 52
O.3 Channel status: application-specific details 52
O.4 User data: application-specific details 52
Annex P (informative) Use of original sampling frequency, sampling frequency and clock accuracy 53
Annex Q (normative) Application of the digital interface in magnetic disc digital audio systems in the consumer mode 55
Q.1 Overview 55
Q.2 General: application-specific details 55
Q.3 Channel status: application-specific details 55
Q.4 User data: application-specific details 55
Annex R (normative) Explanations of category code implementation 56
R.1 Multi-media player 56
R.2 Home-recorded medium player 56
R.3 Monitoring output from a recorder 57
R.3.1 Real-time monitoring (direct monitoring) 57
R.3.2 Monitoring after recording 57
R.4 Integrated products 58
R.5 Implementation rule of category code groups for digital/digital converter and signal-processing products 58
R.5.1 Discrete product worked as a digital/digital converter or a signal processing unit 58
R.5.2 Integrated product including a digital/digital converter or a signal processing unit 58
R.6 Magnetic disc recorder unit inside an integrated product 59
R.7 Category code assignment 59
R.7.1 No category code in a corresponding category code group 59
R.7.2 No category code group for a corresponding product 59
R.8 Other assignment of integrated products 60

Annex S (informative) Application of the digital audio interface for synchronization of audio, video and multi-media equipment 61
S.1 General 61
S.2 Lip-sync system model 61
S.3 How to compensate lip-sync 61
S.3.1 General 61
S.3.2 Detection methods 62
S.4 Use of time code 63
S.5 Use of latency information 64
S.6 Example of latency parameter transmission method with TL_V 64
S.6.1 An example for solving lip-sync problems 64
S.6.2 Another example for solving lip-sync problems 65
Annex T (normative) MPEG Surround over PCM 66
T.1 Format of MPEG Surround buried data frames 66
T.2 MPEG Surround detection 66
Bibliography 67

Figure 1 – Example of message structure using information units 23
Figure 2 – First UI contents 24
Figure 3 – Second UI contents 24
Figure 4 – Third UI contents 25
Figure 5 – User information 25
Figure 6 – SMPTE time code information 26
Figure 7 – LTC information alignment 26
Figure 8 – VITC information alignment 27
Figure 9 – Latency information 27
Figure 10 – Latency information alignment 28
Figure 11 – Loudness information 28
Figure 12 – Loudness information alignment 29
Figure C.1 – Example of different combinations of start-ID and shortening-ID 36
Figure L.1 – Marker mode 45
Figure L.2 – Extended mode 46
Figure P.1 – Player and interface model 53
Figure R.1 – Multi-media player 56
Figure R.2 – Home-recorded medium player 57
Figure R.3 – Direct monitoring 57
Figure R.4 – Monitoring after recording 57
Figure R.5 – Integrated product 58
Figure R.6 – Digital/digital converter 58
Figure R.7 – Integrated product including digital/digital converter 59
Figure R.8 – Integrated product including magnetic disc recorder 59
Figure S.1 – Lip-sync system model 61
Figure S.2 – Lip-sync compensation 62
Figure S.3 – Time-code transmission 62
Figure S.4 – Latency parameter transmission 63

Figure S.5 – Latency parameter transmission with TLv 63
Figure S.6 – Example of latency parameter transmission 64
Figure S.7 – Another example for solving lip-sync problems....65
Figure T.1 – Relation between MPEG Surround buried data frame and IEC 60958-3 frame....66

Table 1 – Channel status general format for consumer use....11
Table 2 – Mode 0 channel status format for consumer use....13
Table 3 – Category code groups....19
Table 4 – Category code groups for laser optical products 20
Table 5 – Category code groups for digital/digital converter and signal-processing products 20
Table 6 – Category code groups for magnetic tape or magnetic disc based products....20
Table 7 – Category code groups for broadcast reception of digitally encoded audio with/without video signals 21
Table 8 – Category code groups for musical instruments, microphones and other sources that create original sound....21
Table 9 – Category code groups for A/D converters for analogue signals without copyright information 21
Table 10 – Category code groups for A/D converters for analogue signals with copyright information 21
Table 11 – Category code groups for solid state memory based products....22
Table A.1 – Example of 2-channel compact disc format 31
Table C.1 – Use of Cp-bit, L-bit and category code for DAT 33
Table C.2 – User data application in the DAT system....35
Table L.1 – Layout of message number "000000" 46
Table L.2 – Deck status codes 47
Table L.3 – ITTS packet extended message example 48
Table P.1 – Term definitions 53
Table P.2 – Cases 54
Table P.3 – Example....54

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

DIGITAL AUDIO INTERFACE –

Part 3: Consumer applications

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60958-3 has been prepared by technical area 20: Analogue and digital audio, of IEC technical committee 100: Audio, video and multimedia systems and equipment. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2006, Amendment 1:2009 and Amendment 2:2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) The relevant part of IEC 60958-5 is supported.

The text of this International Standard is based on the following documents:

Draft	Report on voting
100/3543/CDV	100/3594/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

A list of all parts in the IEC 60958 series, published under the general title *Digital audio interface*, can be found on the IEC website.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

DIGITAL AUDIO INTERFACE –

Part 3: Consumer applications

1 Scope

This part of IEC 60958 specifies the consumer application of the interface for the interconnection of digital audio equipment defined in IEC 60958-1.

NOTE When used in a consumer digital processing environment, the interface is primarily intended to carry stereophonic programmes, with a resolution of up to 20 bits per sample, an extension to 24 bits per sample being possible.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60958-1, *Digital audio interface – Part 1: General*

IEC 60958-5, *Digital audio interface – Part 5: Consumer application enhancement*