IEC 61162-2

Edition 2.0 2024-04
COMMENTED VERSION

INTERNATIONAL STANDARD

colour inside

Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 2: Single talker and multiple listeners, high-speed transmission



IEC 61162-2:2024-04 CMV(en)



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC 61162-2

Edition 2.0 2024-04
COMMENTED VERSION

INTERNATIONAL STANDARD

colour inside

Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 2: Single talker and multiple listeners, high-speed transmission

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 47.020.70

ISBN 978-2-8322-8713-2

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 4
~~1 General ..... 6~~
1 Scope 6
2 Normative references 6
3 Terms, definitions and abbreviated terms 7
3.1 Terms and definitions 7
3.2 Abbreviated terms 7
4 Manufacturer's documentation 7
4.1 Standard documents 7
4.2 Additional information 8
5 Hardware specification 8
5.1 General 8
5.2 Interconnecting wires 8
5.3 Conductor definitions 8
5.4 Electrical connection/shield requirements 8
5.5 Connector 9
5.6 Electrical signal characteristics 9
5.6.1 Signal state definitions 10
5.6.2 Talker drive circuits 10
5.6.3 Listener receive circuits 10
5.6.4 Electrical isolation 10
5.6.5 Maximum voltage on the bus 10
6 Data transmission 10
7 Data format protocol 11
~~5.1 Characters ..... 11~~
~~5.2 Fields ..... 12~~
~~5.3 Sentences ..... 13~~
~~5.4 Error detection and handling ..... 15~~
8 Data content 16
9 Applications 16
10 Methods of testing and required test results 16
10.1 Test preparation 16
10.1.1 General 16
10.1.2 Testing under ambient conditions 16
10.2 Test sequence 16
10.3 Standard test signals 16
10.4 Test of the interface 17
10.4.1 Electrical test of the interface 17
10.4.2 Protocol test of input and output 17
10.4.3 Test under maximum interface workload 17
~~Annex A (informative) IMO resolutions and ITU recommendations and relevant IEC/ISO standards to which this standard applies for maritime navigation and radiocommunication equipment and systems ..... 18~~
~~Annex B (informative) Glossary ..... 20~~
Bibliography 28
List of comments 29

Figure 1 – Talker/listener connections.....8
Figure 2 – Cables – Electrical shield requirements 9
Figure 3 – Data transmission format 10

~~Table A.1 – Navigation .....~~
~~Table A.2 – Radiocommunications for the global maritime distress and safety system (GMDSS) .....~~

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS – DIGITAL INTERFACES –

Part 2: Single talker and multiple listeners, high-speed transmission

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This commented version (CMV) of the official standard IEC 61162-2:2024 edition 2.0 allows the user to identify the changes made to the previous IEC 61162-2:1998 edition 1.0. Furthermore, comments from IEC TC 80 experts are provided to explain the reasons of the most relevant changes, or to clarify any part of the content.

A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text. Experts' comments are identified by a blue-background number. Mouse over a number to display a pop-up note with the comment.

This publication contains the CMV and the official standard. The full list of comments is available at the end of the CMV.

IEC 61162-2 has been prepared by IEC technical committee 80: Maritime navigation and radiocommunication equipment and systems. It is an International Standard.

This second edition cancels and replaces the first edition published in 1998. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) alternative hardware is given in 5.1 which may now be as specified in this document or as specified in IEC 61162-1;
b) the data transmission rate given in Clause 6 is now configurable. The default remains as 38 400 (bits/s) but higher rates may be provided;
c) the description of the data format protocol has been removed as this information is given in IEC 61162-1;
d) former Annex A and Annex B have been deleted as now of historic interest.

The text of this International Standard is based on the following documents:

Draft	Report on voting
80/1065/CDV	80/1083/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS – DIGITAL INTERFACES –

Part 2: Single talker and multiple listeners, high-speed transmission

~~1 General~~

1 Scope

This part of IEC 61162 contains the requirements for data communication between maritime electronic instruments, navigation and radiocommunication equipment when interconnected via an appropriate interface.

This document is intended to support one-way serial data transmission from a single talker to one or more listeners. This data is in printable ASCII form and ~~may~~ can include any information as specified by approved sentences or information coded according to the rules for proprietary sentences. Typical messages ~~may~~ can be from 11 to a maximum of 79 characters in length and generally require repetition rates up to once per 20 ms.

The electrical definitions in this document are intended to accommodate higher data rates than are specified in IEC 61162-1. Since there is no provision for guaranteed delivery of messages and only limited error-checking capability, it is important this document ~~should be~~ is used with caution in all safety applications.

~~Annex A contains a list of relevant IMO resolutions and ITU recommendations to which this standard applies.~~ 1

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60945~~:1996~~, *Maritime navigation and radiocommunication equipment and systems – General requirements – Methods of testing and required test results*

IEC 61162-1~~:1995~~, *Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 1: Single talker and multiple listeners*

ITU-T Recommendation X.27/V.11~~:1996~~, *Electrical characteristics for balanced double-current interchange circuits operating at data signalling rates up to 10 Mbits/s*

~~NMEA 0183 – Version 2.30:1998, *National marine electronics association (USA) – Standard for interfacing marine electronic navigational devices*~~ 2

~~EIA 485:1991, *Electrical characteristics of generators and receivers for use in balanced digital multipoint systems*~~ 2

3 Terms, definitions and abbreviated terms

~~Common terms are defined in the glossary of annex B. Where there is a conflict, terms shall be interpreted, wherever possible, in accordance with the references in 1.2.~~

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

3.1 Terms and definitions

3.1.1
talker
~~any~~ device which sends data to other devices

Note 1 to entry: The type of talker is identified by a two-character mnemonic as listed in IEC 61162-1.

3.1.2
listener
~~any~~ device which receives data from another device

3.1.3
latency
time interval between an event and its resulting information, including time for processing, transmission and/or reception

3.2 Abbreviated terms 3

EMC electromagnetic compatibility

EUT equipment under test

4 Manufacturer's documentation

4.1 Standard documents

~~Operator~~ Installation manuals ~~or other appropriate literature~~ 4 provided for equipment that is intended to meet the requirements of this document shall contain as a minimum the following information:

a) identification of the A, B and common (C) signal lines (see Figure 1);

b) the output drive capability as a talker;

c) a list of approved sentences, noting unused fields, proprietary sentences transmitted as a talker, data latency and transmission interval for each sentence;

d) the load requirements as a listener;

e) a list of sentences and associated data fields that are required by, or are acceptable to, a listener;

f) the current software and hardware revision, if this is relevant to the interface;

g) an electrical description or schematic of the listener/talker input/output circuits citing actual components and devices used, including connector type and part number;

h) the version number and date of update of the standard for which compliance is sought;

i) list of supported baud rates (bits/s) including any limitations per each baud rate supported. 5