IEC 61400-1

Edition 4.0 2019-02

REDLINE VERSION

colour inside

Wind ~~turbines~~ energy generation systems – Part 1: Design requirements

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 27.180

ISBN 978-2-8322-6571-0

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 10
INTRODUCTION 13
1 Scope 14
2 Normative references 14
3 Terms and definitions 16
4 Symbols and abbreviated terms 25
4.1 Symbols and units 25
4.2 Abbreviated terms 28
5 Principal elements 29
5.1 General 29
5.2 Design methods 29
5.3 Safety classes 29
5.4 Quality assurance 29
5.5 Wind turbine markings 29
6 External conditions 30
6.1 General 30
6.2 Wind turbine classes 30
6.3 Wind conditions 32
6.3.1 General 32
6.3.2 Normal wind conditions 34
6.3.3 Extreme wind conditions 36
6.4 Other environmental conditions 41
6.4.1 General 41
6.4.2 Normal other environmental conditions 42
6.4.3 Extreme other environmental conditions 42
6.5 Electrical power network conditions 42
7 Structural design 43
7.1 General 43
7.2 Design methodology 43
7.3 Loads 43
7.3.1 General 43
7.3.2 Gravitational and inertial loads 44
7.3.3 Aerodynamic loads 44
7.3.4 Actuation loads 44
7.3.5 Other loads 44
7.4 Design situations and load cases 44
7.4.1 General 44
7.4.2 Power production (DLC 1.1 to 1.5) 47
7.4.3 Power production plus occurrence of fault or loss of electrical network connection (DLC 2.1 to ~~2.4~~ 2.5) 48
7.4.4 Start-up (DLC 3.1 to 3.3) 50
7.4.5 Normal shutdown (DLC 4.1 to 4.2) 50
7.4.6 Emergency ~~shutdown~~ stop (DLC 5.1) 51
7.4.7 Parked (standstill or idling) (DLC 6.1 to 6.4) 51
7.4.8 Parked plus fault conditions (DLC 7.1) 52
7.4.9 Transport, assembly, maintenance and repair (DLC 8.1 and 8.2) 52

7.5 Load calculations 53
7.6 Ultimate limit state analysis 54
7.6.1 Method 54
7.6.2 Ultimate strength analysis 56
7.6.3 Fatigue failure 60
7.6.4 Stability 61
7.6.5 Critical deflection analysis 61
7.6.6 Special partial safety factors 62
8 Control ~~and protection~~ system 63
8.1 General 63
8.2 Control functions 63
8.3 Protection functions 64
8.4 Control system failure analysis 65
8.4.1 General 65
8.4.2 Independence and common-cause failures 65
8.4.3 Fault exclusions 66
8.4.4 Failure mode return periods 66
8.4.5 Systematic failures 66
8.5 Manual operation 66
8.6 Emergency stop button function 66
8.7 Manual, automatic, and remote restart 67
8.8 Braking system 68
9 Mechanical systems 68
9.1 General 68
9.2 Errors of fitting 69
9.3 Hydraulic or pneumatic systems 69
9.4 Main gearbox 69
9.5 Yaw system 69
9.6 Pitch system 70
9.7 Protection function mechanical brakes 70
9.8 Rolling element bearings 71
9.8.1 General 71
9.8.2 Main shaft bearings 71
9.8.3 Generator bearings 71
9.8.4 Pitch and yaw bearings 71
10 Electrical system 72
10.1 General 72
10.2 General requirements for the electrical system 72
10.3 Internal environmental conditions 72
10.4 Protective devices 74
10.5 Disconnection ~~devices~~ from supply sources 74
10.6 Earth system 74
10.7 Lightning protection 75
10.8 Electrical cables 75
10.9 Self-excitation 75
10.10 Protection against lightning electromagnetic impulse 76
10.11 Power quality 76
10.12 Electromagnetic compatibility 76
10.13 Power electronic converter systems and equipment 76

10.14 Twist/drip loop 76
10.15 Slip rings 77
10.16 Vertical power transmission conductors and components 77
10.17 Motor drives and converters 78
10.18 Electrical machines 78
10.19 Power transformers 78
10.20 Low voltage switchgear and controlgear 78
10.21 High voltage switchgear 79
10.22 Hubs 79
11 Assessment of a wind turbine for site-specific conditions 79
11.1 General 79
11.2 Assessment of the topographical complexity of the site and its effect on turbulence 80
11.2.1 Assessment of the topographical complexity 80
11.2.2 Assessment of turbulence structure at the site 83
11.3 Wind conditions required for assessment 84
11.3.1 General 84
11.3.2 Wind condition parameters 84
11.3.3 Measurement setup 85
11.3.4 Data evaluation 86
11.4 Assessment of wake effects from neighbouring wind turbines 87
11.5 Assessment of other environmental conditions 87
11.6 Assessment of earthquake conditions 87
11.7 Assessment of electrical network conditions 88
11.8 Assessment of soil conditions 89
11.9 Assessment of structural integrity by reference to wind data 89
11.9.1 General 89
11.9.2 Assessment of the fatigue load suitability by reference to wind data 90
11.9.3 Assessment of the ultimate load suitability by reference to wind data 91
11.10 Assessment of structural integrity by load calculations with reference to site-specific conditions 92
12 Assembly, installation and erection 93
12.1 General 93
12.2 Planning 94
12.3 Installation conditions 94
12.4 Site access 94
12.5 Environmental conditions 94
12.6 Documentation 95
12.7 Receiving, handling and storage 95
12.8 Foundation/anchor systems 95
12.9 Assembly of wind turbine 95
12.10 Erection of wind turbine 95
12.11 Fasteners and attachments 95
12.12 Cranes, hoists and lifting equipment 96
13 Commissioning, operation and maintenance 96
13.1 General 96
13.2 Design requirements for safe operation, inspection and maintenance 96
13.3 Instructions concerning commissioning 97
13.3.1 General 97

13.3.2 Energization 97
13.3.3 Commissioning tests 97
13.3.4 Records 97
13.3.5 Post commissioning activities 97
13.4 Operator's instruction manual 98
13.4.1 General 98
13.4.2 Instructions for operations and maintenance records 98
13.4.3 Instructions for unscheduled automatic shutdown 98
13.4.4 Instructions for diminished reliability 98
13.4.5 Work procedures plan 98
13.4.6 Emergency procedures plan 99
13.5 Maintenance manual 99
14 Cold climate 100
14.1 General 100
14.2 Low temperature and icing climate 100
14.3 External conditions for cold climate 100
14.3.1 General 100
14.3.2 Wind turbine class for cold climate 100
14.4 Structural design 101
14.5 Design situations and load cases 101
14.5.1 General 101
14.5.2 Load calculations 101
14.5.3 Selection of suitable materials 102
14.6 Control systems 102
14.7 Mechanical systems 102
14.8 Electrical systems 102
Annex A (normative) Design parameters for external conditions 103
A.1 Design parameters for describing wind turbine class S 103
A.1.1 General 103
A.1.2 Machine parameters 103
A.1.3 Wind conditions 103
A.1.4 Electrical network conditions 103
A.1.5 Other environmental conditions (where taken into account) 104
A.2 Additional design parameters for describing cold climate wind turbine class S (CC-S) 104
Annex B (informative) Design load cases for special class S wind turbine design or site suitability assessment 106
B.1 General 106
B.2 Power production (DLC 1.1 to 1.9) 106
Annex C (informative) Turbulence models 110
C.1 General 110
C.2 Mann [3] uniform shear turbulence model 110
C.3 Kaimal [1] spectrum and exponential coherence model 113
C.4 Reference documents 115
Annex D (informative) Assessment of earthquake loading 116
D.1 General 116
D.2 Design response spectrum 116
D.3 Structure model 118
D.4 Seismic load evaluation 118

D.5 Additional load 119
D.6 Reference documents 120
Annex E (informative) Wake and wind farm turbulence 121
E.1 ~~Wake effects~~ Added wake turbulence method 121
E.2 Dynamic wake meandering model 123
E.2.1 General 123
E.2.2 Wake deficit 124
E.2.3 Meandering 125
E.2.4 Wake induced turbulence 126
E.2.5 Wake superposition 126
E.2.6 Model synthesis 127
E.3 Reference documents 127
Annex F (informative) Prediction of wind distribution for wind turbine sites by measure-correlate-predict (MCP) methods 128
F.1 General 128
F.2 Measure-correlate-predict (MCP) 128
F.3 Application to annual mean wind speed and distribution 128
F.4 Application to extreme wind speed 128
F.5 Reference documents 129
Annex G (informative) Statistical extrapolation of loads for ultimate strength analysis 130
G.1 General 132
G.2 Data extraction for extrapolation 133
G.3 Load extrapolation methods 133
G.3.1 General 133
G.3.2 Global extremes 134
G.3.3 Local extremes 135
G.3.4 Long-term empirical distributions 136
G.4 Convergence criteria 136
G.4.1 General 136
G.4.2 Load fractile estimate 137
G.4.3 Confidence bounds 137
G.4.4 Confidence intervals based on bootstrapping 138
G.4.5 Confidence intervals based on the binomial distribution 138
G.5 Inverse first-order reliability method (IFORM) 139
G.6 Reference documents 141
Annex H (informative) Fatigue analysis using Miner's rule with load extrapolation 143
H.1 Fatigue analysis 143
H.2 Reference documents 146
Annex I (informative) Contemporaneous loads 148
I.1 General 148
I.2 Scaling 149
I.3 Averaging 149
Annex J (informative) Prediction of the extreme wind speed of tropical cyclones by using Monte Carlo simulation method 150
J.1 General 150
J.2 Prediction of tropical cyclone induced extreme wind speeds 150
J.2.1 General 150
J.2.2 Evaluation of tropical cyclone parameters 150
J.2.3 Generation of synthetic tropical cyclones 151

J.2.4 Prediction of wind speeds in the tropical cyclone boundary 151
J.3 Prediction of extreme wind speed in mixed climate regions 152
J.3.1 General 152
J.3.2 Extreme wind distributions of extratropical cyclones by the MCP method 152
J.3.3 Extreme wind distributions of tropical cyclones by the MCS method 153
J.3.4 Determination of extreme wind speed in a mixed climate region 153
J.4 Reference documents 153
Annex K (informative) Calibration of structural material safety factors and structural design assisted by testing 155
K.1 Overview and field of application 155
K.2 Target reliability level 155
K.3 Safety formats 155
K.4 Reliability-based calibration 157
K.5 Calibration using the design value format 158
K.6 Partial safety factors for fatigue for welded details in steel structures 158
K.7 Types of tests for materials 160
K.8 Planning of tests 160
K.8.1 General 160
K.8.2 Objectives and scope 160
K.8.3 Prediction of test results 160
K.8.4 Specification of test specimen and sampling 161
K.8.5 Loading specifications 161
K.8.6 Testing arrangement 161
K.8.7 Measurements 162
K.8.8 Evaluation and reporting the test 162
K.9 General principles for statistical evaluations 162
K.10 Derivation of characteristic values 163
K.11 Statistical determination of characteristic value for a single property 163
K.12 Statistical determination of characteristic value for resistance models 164
K.12.1 General 164
K.12.2 Step 1: Develop a design model 165
K.12.3 Step 2: Compare experimental and theoretical values 165
K.12.4 Step 3: Estimate the mean value correction factor (bias) b 166
K.12.5 Step 4: Estimate the coefficient of variation of the errors 166
K.12.6 Step 5: Analyse compatibility 167
K.12.7 Step 6: Determine the coefficients of variation V_{Xi} of the basic variables 167
K.12.8 Step 7: Determine the characteristic value r_k of the resistance 167
K.13 Reference documents 169
Annex L (informative) Cold climate: assessment and effects of icing climate 170
L.1 Assessment of icing climate conditions 170
L.1.1 General 170
L.1.2 Icing climate 170
L.1.3 Rotor icing 171
L.1.4 Measurement methods 172
L.1.5 Profile coefficients modification for ice 172
L.2 Ice mass effects on wind turbine blades 173
L.3 Cold climate design situations and load case 174
L.3.1 General 174
L.3.2 Power production (DLC 1.1 to 1.6) 174

L.3.3 Parked (standstill or idling) (DLC 6.1 to 6.5) 174
L.3.4 Parked and fault conditions (DLC 7.1) 174
L.4 Cold climate load calculations 174
L.5 Reference documents and bibliography 175
Annex M (informative) Medium wind turbines 176
M.1 Overview 176
M.2 External conditions 176
M.2.1 General 176
M.2.2 Wind shear 176
M.3 Assembly, installation and erection 176
M.4 Commissioning, operation and maintenance 177
M.5 Documentation 178
Bibliography 180

~~Figure – Exceedance probability for largest out-of-plane blade bending load in 10 min (normalized by mean bending load at rated wind speed) .....~~

Figure 1 – Turbulence standard deviation and turbulence intensity for the normal turbulence model (NTM) 35
Figure 2 – Example of extreme operating gust 37
Figure 3 – Example of extreme direction change magnitude 38
Figure 4 – Example of extreme direction change transient 38
Figure 5 – Example of extreme coherent gust amplitude for ECD 39
Figure 6 – Direction change for ECD 40
Figure 7 – Example of direction change transient 40
Figure 8 – Examples of extreme positive and negative vertical wind shear, wind profile before onset (t = 0, dashed line) and at maximum shear (t = 6 s, full line) 41
Figure 9 – Example of wind speeds at rotor top and bottom, respectively, which illustrate the transient positive wind shear 41
Figure 10 – Examples of 30° sectors for fitting the terrain data 81
Figure 11 – Terrain variation (Δz) and terrain slope (θ) 81
Figure 12 – Possible combinations of normalized mean wind speed and Weibull shape parameter k (shaded area) 91
Figure D.1 – Structure model for response spectrum method 118
Figure E.1 – Configuration – Inside a wind farm with more than 2 rows 123
Figure E.2 – The three fundamental parts of the DWM model 124
Figure K.1 – r_e-r_t diagram 166
Figure L.1 – Definition of meteorological icing and rotor icing 171
Figure L.2 – Representative ice affected rotor area as defined by rotor icing height 172
Figure L.3 – Iced airfoil lift and drag penalty factors 173

~~Table – Terrain complexity indicators .....~~

Table 1 – Basic parameters for wind turbine class 31
Table 2 – Design load cases (DLC) 46
Table 3 – Partial safety factors for loads γ_f 58
Table 4 – Minimum safety factor $S_{H,min}$ and $S_{F,min}$ for the yaw gear system 70
Table 5 – Threshold values of the terrain complexity categories L, M and H 83

Table 6 – Values of lateral and vertical turbulence standard deviations relative to the longitudinal component depending on terrain complexity category L, M and H 83
Table 7 – Values of turbulence structure correction parameter depending on terrain complexity category L, M and H 84
Table A.1 – Design parameters for describing cold climate wind turbine class S (CC-S) 105
Table B.1 – Design load cases 107
Table C.1 – Turbulence spectral parameters for the Kaimal model 114
Table E.1 – Number (N) of neighbouring wind turbines 122
Table G.1 – Parameters needed to establish binomial-based confidence intervals 139
Table G.2 – Short-term load exceedance probabilities as a function of hub-height wind speed for different wind turbine classes for use with the IFORM procedure 141
Table I.1 – Extreme loading matrix 148
Table K.1 – Partial safety factor for model uncertainty, γ_δ 158
Table K.2 – Recommended values for partial safety factor for fatigue strength, γ_{Mf} 159
Table K.3 – Recommended partial safety factor for fatigue stresses, γ_{Ff} 160
Table K.4 – Values of k_n for the 5 % characteristic value 164
Table L.1 – Cold climate design load cases 174
Table L.2 – Blade ice mass and airfoil penalty factors used in different analysis types 175

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

WIND ~~TURBINES~~ ENERGY GENERATION SYSTEMS –

Part 1: Design requirements

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER
This Redline version is not an official Standard and is intended to provide the user with an indication of what changes have been made to the previous version. Only the IEC International Standard provided in this package is to be considered the official Standard.

This Redline version provides you with a quick and easy way to compare all the changes between this standard and its previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

International Standard IEC 61400-1 has been prepared by IEC technical committee 88: Wind energy generation systems.

This fourth edition cancels and replaces the third edition published in 2005 and Amendment 1:2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) general update and clarification of references and requirements;
b) extension of wind turbine classes to allow for tropical cyclones and high turbulence;
c) Weibull distribution of turbulence standard deviation for normal turbulence model (NTM);
d) updated design load cases (DLCs), in particular DLC 2.1 and 2.2;
e) revision of partial safety factor specifications;
f) major revision of Clauses 8, 10 and 11;
g) introduction of cold climate requirements, Clause 14;
h) new Annex B on design load cases for site-specific or special class S wind turbine design or site suitability assessment;
i) new Annex J on prediction of the extreme wind speed of tropical cyclones by using Monte Carlo simulation method;
j) new Annex K on calibration of structural material safety factors and structural design assisted by testing;
k) new Annex L on assessment and effects of icing climate;
l) new Annex M on medium wind turbines.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
88/696/FDIS	88/701/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61400 series, published under the general title *Wind energy generation systems*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 61400 outlines minimum design requirements for wind turbines and is not intended for use as a complete design specification or instruction manual.

Any of the requirements of this document may be altered if it can be suitably demonstrated that the safety of the system is not compromised. This provision, however, does not apply to the classification and the associated definitions of external conditions in Clause 6. Compliance with this document does not relieve any person, organization, or corporation from the responsibility of observing other applicable regulations.

This document is not intended to give requirements for wind turbines installed offshore, in particular for the support structure. ~~A future document dealing with offshore installations is under consideration.~~ For offshore installations, reference is made to the IEC 61400-3 series.

WIND ~~TURBINES~~ ENERGY GENERATION SYSTEMS –

Part 1: Design requirements

1 Scope

This part of IEC 61400 specifies essential design requirements to ensure the ~~engineering~~ structural integrity of wind turbines. Its purpose is to provide an appropriate level of protection against damage from all hazards during the planned lifetime.

This document is concerned with all subsystems of wind turbines such as control and protection ~~mechanisms~~ functions, internal electrical systems, mechanical systems and support structures.

This document applies to wind turbines of all sizes. For small wind turbines, IEC 61400-2 ~~may~~ can be applied. IEC 61400-3-1 provides additional requirements to offshore wind turbine installations.

This document ~~should~~ is intended to be used together with the appropriate IEC and ISO standards mentioned in Clause 2.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034 (all parts), *Rotating electrical machines*

IEC 60038, *IEC standard voltages*

IEC 60071-1, *Insulation co-ordination – Part 1: Definitions, principles and rules*

IEC 60071-2, *Insulation co-ordination – Part 2: Application guidelines*

IEC 60076 (all parts), *Power transformers*

IEC 60204-1~~:1997~~, *Safety of machinery – Electrical equipment of machines – Part 1: General requirements*

IEC 60204-11:2000, *Safety of machinery – Electrical equipment of machines – Part 11: Requirements for HV equipment for voltages above 1 000 V AC or 1 500 V DC and not exceeding 36 kV*

IEC 60364 (all parts), *Low voltage electrical installations*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60664-1, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 60664-3, *Insulation coordination for equipment within low-voltage systems – Part 3: Use of coating, potting or moulding for protection against pollution*

IEC 60721 (all parts), *Classification of environmental conditions*

~~IEC 60721-2-1:1982, *Classification of environmental conditions – Part 2: Environmental conditions appearing in nature. Temperature and humidity*~~

~~IEC 61000-6-1:1997, *Electromagnetic compatibility (EMC) – Part 6: Generic standards – Section 1: Immunity for residential, commercial and light-industrial environments*~~

IEC 61000-6-2~~:1999~~, *Electromagnetic compatibility (EMC) – Part 6-2: Generic standards – Immunity standard for industrial environments*

~~IEC 61000-6-4:1997, *Electromagnetic compatibility (EMC) – Part 6: Generic standards – Section 4: Emission standard for industrial environments*~~

~~IEC 61024-1:1990, *Protection of structures against lightning – Part 1: General principles*~~

~~IEC 61312-1:1995, *Protection against lightning electromagnetic impulse – Part 1: General principle*~~

IEC 61400-3, *Wind turbines – Part 3: Design requirements for offshore wind turbines*

IEC 61400-4, *Wind Turbines – Part 4: Design requirements for wind turbine gearboxes*

~~IEC 61400-21:2001, *Wind turbine generator systems – Part 21: Measurement and assessment of power quality characteristics of grid connected wind turbines*~~

IEC 61400-24~~: 2002~~, *Wind turbines ~~generator systems~~ – Part 24: Lightning* protection

IEC 61439 (all parts), *Low-voltage switchgear and controlgear assemblies*

IEC 61800-4, *Adjustable speed electrical power drive systems – Part 4: General requirements – Rating specifications for AC power drive systems above 1 000 V AC and not exceeding 35 kV*

IEC 61800-5-1, *Adjustable speed electrical power drive systems – Part 5-1: Safety requirements – Electrical, thermal and energy*

IEC 62271 (all parts), *High-voltage switchgear and controlgear*

IEC 62305-3, *Protection against lightning – Part 3: Physical damage to structures and life hazard*

IEC 62305-4, *Protection against lightning – Part 4: Electrical and electronic systems within structures*

IEC 62477-1:2012, *Safety requirements for power electronic converter systems and equipment – Part 1: General*

ISO 76~~:1987~~, *Rolling bearings – Static load ratings*

ISO 281~~:1990~~, *Rolling bearings – Dynamic load ratings and rating life*

ISO 2394~~:1998~~, *General principles on reliability for structures*

ISO 2533~~:1975~~, *Standard Atmosphere*

ISO 4354~~:1997~~, *Wind actions on structures*

~~ISO 6336 (all parts), *Calculation of load capacity of spur and helical gears*~~

ISO 6336-2, *Calculation of load capacity of spur and helical gears – Part 2: Calculation of surface durability (pitting)*

ISO 6336-3:2006, *Calculation of load capacity of spur and helical gears – Part 3: Calculation of tooth bending strength*

~~ISO 9001:2000, *Quality management systems – Requirements*~~

ISO 12494:2001, *Atmospheric icing on structures*

ISO 13850, *Safety of machinery – Emergency stop function – Principles for design*

ISO/TS 16281, *Rolling bearings – Methods for calculating the modified reference rating life for universally loaded bearings*

IEC 61400-1

Edition 4.0 2019-02

INTERNATIONAL STANDARD

colour inside

Wind energy generation systems – Part 1: Design requirements



IEC 61400-1:2019-02(en)

CONTENTS

FOREWORD 10
INTRODUCTION 12
1 Scope 13
2 Normative references 13
3 Terms and definitions 15
4 Symbols and abbreviated terms 23
4.1 Symbols and units 23
4.2 Abbreviated terms 26
5 Principal elements 27
5.1 General 27
5.2 Design methods 27
5.3 Safety classes 27
5.4 Quality assurance 27
5.5 Wind turbine markings 27
6 External conditions 28
6.1 General 28
6.2 Wind turbine classes 28
6.3 Wind conditions 30
6.3.1 General 30
6.3.2 Normal wind conditions 31
6.3.3 Extreme wind conditions 33
6.4 Other environmental conditions 38
6.4.1 General 38
6.4.2 Normal other environmental conditions 39
6.4.3 Extreme other environmental conditions 39
6.5 Electrical power network conditions 39
7 Structural design 40
7.1 General 40
7.2 Design methodology 40
7.3 Loads 40
7.3.1 General 40
7.3.2 Gravitational and inertial loads 41
7.3.3 Aerodynamic loads 41
7.3.4 Actuation loads 41
7.3.5 Other loads 41
7.4 Design situations and load cases 41
7.4.1 General 41
7.4.2 Power production (DLC 1.1 to 1.5) 44
7.4.3 Power production plus occurrence of fault or loss of electrical network connection (DLC 2.1 to 2.5) 45
7.4.4 Start-up (DLC 3.1 to 3.3) 47
7.4.5 Normal shutdown (DLC 4.1 to 4.2) 47
7.4.6 Emergency stop (DLC 5.1) 48
7.4.7 Parked (standstill or idling) (DLC 6.1 to 6.4) 48
7.4.8 Parked plus fault conditions (DLC 7.1) 49
7.4.9 Transport, assembly, maintenance and repair (DLC 8.1 and 8.2) 49

7.5 Load calculations 49
7.6 Ultimate limit state analysis 50
7.6.1 Method 50
7.6.2 Ultimate strength analysis 53
7.6.3 Fatigue failure 56
7.6.4 Stability 57
7.6.5 Critical deflection analysis 57
7.6.6 Special partial safety factors 58
8 Control system 58
8.1 General 58
8.2 Control functions 58
8.3 Protection functions 59
8.4 Control system failure analysis 59
8.4.1 General 59
8.4.2 Independence and common-cause failures 60
8.4.3 Fault exclusions 60
8.4.4 Failure mode return periods 60
8.4.5 Systematic failures 60
8.5 Manual operation 60
8.6 Emergency stop button function 60
8.7 Manual, automatic, and remote restart 61
8.8 Braking system 62
9 Mechanical systems 62
9.1 General 62
9.2 Errors of fitting 63
9.3 Hydraulic or pneumatic systems 63
9.4 Main gearbox 63
9.5 Yaw system 63
9.6 Pitch system 64
9.7 Protection function mechanical brakes 64
9.8 Rolling element bearings 64
9.8.1 General 64
9.8.2 Main shaft bearings 64
9.8.3 Generator bearings 64
9.8.4 Pitch and yaw bearings 65
10 Electrical system 65
10.1 General 65
10.2 General requirements for the electrical system 65
10.3 Internal environmental conditions 65
10.4 Protective devices 67
10.5 Disconnection from supply sources 67
10.6 Earth system 67
10.7 Lightning protection 67
10.8 Electrical cables 68
10.9 Self-excitation 68
10.10 Protection against lightning electromagnetic impulse 68
10.11 Power quality 68
10.12 Electromagnetic compatibility 69
10.13 Power electronic converter systems and equipment 69

10.14 Twist/drip loop 69
10.15 Slip rings 69
10.16 Vertical power transmission conductors and components 70
10.17 Motor drives and converters 70
10.18 Electrical machines 71
10.19 Power transformers 71
10.20 Low voltage switchgear and controlgear 71
10.21 High voltage switchgear 71
10.22 Hubs 72
11 Assessment of a wind turbine for site-specific conditions 72
11.1 General 72
11.2 Assessment of the topographical complexity of the site and its effect on turbulence 72
11.2.1 Assessment of the topographical complexity 72
11.2.2 Assessment of turbulence structure at the site 75
11.3 Wind conditions required for assessment 76
11.3.1 General 76
11.3.2 Wind condition parameters 76
11.3.3 Measurement setup 77
11.3.4 Data evaluation 78
11.4 Assessment of wake effects from neighbouring wind turbines 78
11.5 Assessment of other environmental conditions 78
11.6 Assessment of earthquake conditions 79
11.7 Assessment of electrical network conditions 80
11.8 Assessment of soil conditions 80
11.9 Assessment of structural integrity by reference to wind data 80
11.9.1 General 80
11.9.2 Assessment of the fatigue load suitability by reference to wind data 80
11.9.3 Assessment of the ultimate load suitability by reference to wind data 82
11.10 Assessment of structural integrity by load calculations with reference to site-specific conditions 82
12 Assembly, installation and erection 83
12.1 General 83
12.2 Planning 84
12.3 Installation conditions 84
12.4 Site access 84
12.5 Environmental conditions 84
12.6 Documentation 84
12.7 Receiving, handling and storage 85
12.8 Foundation/anchor systems 85
12.9 Assembly of wind turbine 85
12.10 Erection of wind turbine 85
12.11 Fasteners and attachments 85
12.12 Cranes, hoists and lifting equipment 85
13 Commissioning, operation and maintenance 86
13.1 General 86
13.2 Design requirements for safe operation, inspection and maintenance 86
13.3 Instructions concerning commissioning 87
13.3.1 General 87

13.3.2 Energization 87
13.3.3 Commissioning tests 87
13.3.4 Records 87
13.3.5 Post commissioning activities 87
13.4 Operator's instruction manual 87
13.4.1 General 87
13.4.2 Instructions for operations and maintenance records 88
13.4.3 Instructions for unscheduled automatic shutdown 88
13.4.4 Instructions for diminished reliability 88
13.4.5 Work procedures plan 88
13.4.6 Emergency procedures plan 89
13.5 Maintenance manual 89
14 Cold climate 90
14.1 General 90
14.2 Low temperature and icing climate 90
14.3 External conditions for cold climate 90
14.3.1 General 90
14.3.2 Wind turbine class for cold climate 90
14.4 Structural design 91
14.5 Design situations and load cases 91
14.5.1 General 91
14.5.2 Load calculations 91
14.5.3 Selection of suitable materials 91
14.6 Control systems 92
14.7 Mechanical systems 92
14.8 Electrical systems 92
Annex A (normative) Design parameters for external conditions 93
A.1 Design parameters for describing wind turbine class S 93
A.1.1 General 93
A.1.2 Machine parameters 93
A.1.3 Wind conditions 93
A.1.4 Electrical network conditions 93
A.1.5 Other environmental conditions (where taken into account) 94
A.2 Additional design parameters for describing cold climate wind turbine class S (CC-S) 94
Annex B (informative) Design load cases for special class S wind turbine design or site suitability assessment 96
B.1 General 96
B.2 Power production (DLC 1.1 to 1.9) 96
Annex C (informative) Turbulence models 100
C.1 General 100
C.2 Mann [3] uniform shear turbulence model 100
C.3 Kaimal [1] spectrum and exponential coherence model 103
C.4 Reference documents 105
Annex D (informative) Assessment of earthquake loading 106
D.1 General 106
D.2 Design response spectrum 106
D.3 Structure model 107
D.4 Seismic load evaluation 108

D.5 Additional load 109
D.6 Reference documents 110
Annex E (informative) Wake and wind farm turbulence 111
E.1 Added wake turbulence method 111
E.2 Dynamic wake meandering model 113
E.2.1 General 113
E.2.2 Wake deficit 114
E.2.3 Meandering 115
E.2.4 Wake induced turbulence 116
E.2.5 Wake superposition 116
E.2.6 Model synthesis 117
E.3 Reference documents 117
Annex F (informative) Prediction of wind distribution for wind turbine sites by measure-correlate-predict (MCP) methods 118
F.1 General 118
F.2 Measure-correlate-predict (MCP) 118
F.3 Application to annual mean wind speed and distribution 118
F.4 Application to extreme wind speed 118
F.5 Reference documents 119
Annex G (informative) Statistical extrapolation of loads for ultimate strength analysis 120
G.1 General 120
G.2 Data extraction for extrapolation 120
G.3 Load extrapolation methods 121
G.3.1 General 121
G.3.2 Global extremes 121
G.3.3 Local extremes 123
G.3.4 Long-term empirical distributions 123
G.4 Convergence criteria 124
G.4.1 General 124
G.4.2 Load fractile estimate 124
G.4.3 Confidence bounds 125
G.4.4 Confidence intervals based on bootstrapping 125
G.4.5 Confidence intervals based on the binomial distribution 125
G.5 Inverse first-order reliability method (IFORM) 126
G.6 Reference documents 128
Annex H (informative) Fatigue analysis using Miner’s rule with load extrapolation 130
H.1 Fatigue analysis 130
H.2 Reference documents 133
Annex I (informative) Contemporaneous loads 135
I.1 General 135
I.2 Scaling 136
I.3 Averaging 136
Annex J (informative) Prediction of the extreme wind speed of tropical cyclones by using Monte Carlo simulation method 137
J.1 General 137
J.2 Prediction of tropical cyclone induced extreme wind speeds 137
J.2.1 General 137
J.2.2 Evaluation of tropical cyclone parameters 137
J.2.3 Generation of synthetic tropical cyclones 138

J.2.4 Prediction of wind speeds in the tropical cyclone boundary 138
J.3 Prediction of extreme wind speed in mixed climate regions 139
J.3.1 General 139
J.3.2 Extreme wind distributions of extratropical cyclones by the MCP method 139
J.3.3 Extreme wind distributions of tropical cyclones by the MCS method 140
J.3.4 Determination of extreme wind speed in a mixed climate region 140
J.4 Reference documents 140
Annex K (informative) Calibration of structural material safety factors and structural design assisted by testing 142
K.1 Overview and field of application 142
K.2 Target reliability level 142
K.3 Safety formats 142
K.4 Reliability-based calibration 144
K.5 Calibration using the design value format 145
K.6 Partial safety factors for fatigue for welded details in steel structures 145
K.7 Types of tests for materials 147
K.8 Planning of tests 147
K.8.1 General 147
K.8.2 Objectives and scope 147
K.8.3 Prediction of test results 147
K.8.4 Specification of test specimen and sampling 148
K.8.5 Loading specifications 148
K.8.6 Testing arrangement 148
K.8.7 Measurements 149
K.8.8 Evaluation and reporting the test 149
K.9 General principles for statistical evaluations 149
K.10 Derivation of characteristic values 150
K.11 Statistical determination of characteristic value for a single property 150
K.12 Statistical determination of characteristic value for resistance models 151
K.12.1 General 151
K.12.2 Step 1: Develop a design model 152
K.12.3 Step 2: Compare experimental and theoretical values 152
K.12.4 Step 3: Estimate the mean value correction factor (bias) b 153
K.12.5 Step 4: Estimate the coefficient of variation of the errors 153
K.12.6 Step 5: Analyse compatibility 154
K.12.7 Step 6: Determine the coefficients of variation V_{Xi} of the basic variables 154
K.12.8 Step 7: Determine the characteristic value r_k of the resistance 154
K.13 Reference documents 156
Annex L (informative) Cold climate: assessment and effects of icing climate 157
L.1 Assessment of icing climate conditions 157
L.1.1 General 157
L.1.2 Icing climate 157
L.1.3 Rotor icing 158
L.1.4 Measurement methods 159
L.1.5 Profile coefficients modification for ice 159
L.2 Ice mass effects on wind turbine blades 160
L.3 Cold climate design situations and load case 161
L.3.1 General 161
L.3.2 Power production (DLC 1.1 to 1.6) 161

L.3.3 Parked (standstill or idling) (DLC 6.1 to 6.5) 161
L.3.4 Parked and fault conditions (DLC 7.1) 161
L.4 Cold climate load calculations 161
L.5 Reference documents and bibliography 162
Annex M (informative) Medium wind turbines 163
M.1 Overview 163
M.2 External conditions 163
M.2.1 General 163
M.2.2 Wind shear 163
M.3 Assembly, installation and erection 163
M.4 Commissioning, operation and maintenance 164
M.5 Documentation 165
Bibliography 167

Figure 1 – Turbulence standard deviation and turbulence intensity for the normal turbulence model (NTM) 32
Figure 2 – Example of extreme operating gust 34
Figure 3 – Example of extreme direction change magnitude 35
Figure 4 – Example of extreme direction change transient 35
Figure 5 – Example of extreme coherent gust amplitude for ECD 36
Figure 6 – Direction change for ECD 37
Figure 7 – Example of direction change transient 37
Figure 8 – Examples of extreme positive and negative vertical wind shear, wind profile before onset (t = 0, dashed line) and at maximum shear (t = 6 s, full line) 38
Figure 9 – Example of wind speeds at rotor top and bottom, respectively, which illustrate the transient positive wind shear 38
Figure 10 – Examples of 30° sectors for fitting the terrain data 73
Figure 11 – Terrain variation (Δz) and terrain slope (θ) 74
Figure 12 – Possible combinations of normalized mean wind speed and Weibull shape parameter k (shaded area) 81
Figure D.1 – Structure model for response spectrum method 108
Figure E.1 – Configuration – Inside a wind farm with more than 2 rows 113
Figure E.2 – The three fundamental parts of the DWM model 114
Figure K.1 – r_e-r_t diagram 153
Figure L.1 – Definition of meteorological icing and rotor icing 158
Figure L.2 – Representative ice affected rotor area as defined by rotor icing height 159
Figure L.3 – Iced airfoil lift and drag penalty factors 160

Table 1 – Basic parameters for wind turbine classes 29
Table 2 – Design load cases (DLC) 43
Table 3 – Partial safety factors for loads γ_f 54
Table 4 – Minimum safety factor $S_{H,min}$ and $S_{F,min}$ for the yaw gear system 63
Table 5 – Threshold values of the terrain complexity categories L, M and H 75
Table 6 – Values of lateral and vertical turbulence standard deviations relative to the longitudinal component depending on terrain complexity category L, M and H 75

Table 7 – Values of turbulence structure correction parameter depending on terrain complexity category L, M and H 76
Table A.1 – Design parameters for describing cold climate wind turbine class S (CC-S) 94
Table B.1 – Design load cases 97
Table C.1 – Turbulence spectral parameters for the Kaimal model 104
Table E.1 – Number (N) of neighbouring wind turbines 112
Table G.1 – Parameters needed to establish binomial-based confidence intervals 126
Table G.2 – Short-term load exceedance probabilities as a function of hub-height wind speed for different wind turbine classes for use with the IFORM procedure 128
Table I.1 – Extreme loading matrix 135
Table K.1 – Partial safety factor for model uncertainty, γ_δ 145
Table K.2 – Recommended values for partial safety factor for fatigue strength, γ_{Mf} 146
Table K.3 – Recommended partial safety factor for fatigue stresses, γ_{Ff} 147
Table K.4 – Values of k_n for the 5 % characteristic value 151
Table L.1 – Cold climate design load cases 161
Table L.2 – Blade ice mass and airfoil penalty factors used in different analysis types 162

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

WIND ENERGY GENERATION SYSTEMS –

Part 1: Design requirements

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61400-1 has been prepared by IEC technical committee 88: Wind energy generation systems.

This fourth edition cancels and replaces the third edition published in 2005 and Amendment 1:2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) general update and clarification of references and requirements;
b) extension of wind turbine classes to allow for tropical cyclones and high turbulence;
c) Weibull distribution of turbulence standard deviation for normal turbulence model (NTM);
d) updated design load cases (DLCs), in particular DLC 2.1 and 2.2;
e) revision of partial safety factor specifications;
f) major revision of Clauses 8, 10 and 11;

g) introduction of cold climate requirements, Clause 14;

h) new Annex B on design load cases for site-specific or special class S wind turbine design or site suitability assessment;

i) new Annex J on prediction of the extreme wind speed of tropical cyclones by using Monte Carlo simulation method;

j) new Annex K on calibration of structural material safety factors and structural design assisted by testing;

k) new Annex L on assessment and effects of icing climate;

l) new Annex M on medium wind turbines.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
88/696/FDIS	88/701/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61400 series, published under the general title *Wind energy generation systems*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 61400 outlines minimum design requirements for wind turbines and is not intended for use as a complete design specification or instruction manual.

Any of the requirements of this document may be altered if it can be suitably demonstrated that the safety of the system is not compromised. This provision, however, does not apply to the classification and the associated definitions of external conditions in Clause 6. Compliance with this document does not relieve any person, organization, or corporation from the responsibility of observing other applicable regulations.

This document is not intended to give requirements for wind turbines installed offshore, in particular for the support structure. For offshore installations, reference is made to the IEC 61400-3 series.

WIND ENERGY GENERATION SYSTEMS –

Part 1: Design requirements

1 Scope

This part of IEC 61400 specifies essential design requirements to ensure the structural integrity of wind turbines. Its purpose is to provide an appropriate level of protection against damage from all hazards during the planned lifetime.

This document is concerned with all subsystems of wind turbines such as control and protection functions, internal electrical systems, mechanical systems and support structures.

This document applies to wind turbines of all sizes. For small wind turbines, IEC 61400-2 can be applied. IEC 61400-3-1 provides additional requirements to offshore wind turbine installations.

This document is intended to be used together with the appropriate IEC and ISO standards mentioned in Clause 2.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034 (all parts), *Rotating electrical machines*

IEC 60038, *IEC standard voltages*

IEC 60071-1, *Insulation co-ordination – Part 1: Definitions, principles and rules*

IEC 60071-2, *Insulation co-ordination – Part 2: Application guidelines*

IEC 60076 (all parts), *Power transformers*

IEC 60204-1, *Safety of machinery – Electrical equipment of machines – Part 1: General requirements*

IEC 60204-11:2000, *Safety of machinery – Electrical equipment of machines – Part 11: Requirements for HV equipment for voltages above 1 000 V AC or 1 500 V DC and not exceeding 36 kV*

IEC 60364 (all parts), *Low voltage electrical installations*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60664-1, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 60664-3, *Insulation coordination for equipment within low-voltage systems – Part 3: Use of coating, potting or moulding for protection against pollution*

IEC 60721 (all parts), *Classification of environmental conditions*

IEC 61000-6-2, *Electromagnetic compatibility (EMC) – Part 6-2: Generic standards – Immunity standard for industrial environments*

IEC 61400-3, *Wind turbines – Part 3: Design requirements for offshore wind turbines*

IEC 61400-4, *Wind Turbines – Part 4: Design requirements for wind turbine gearboxes*

IEC 61400-24, *Wind turbines – Part 24: Lightning protection*

IEC 61439 (all parts), *Low-voltage switchgear and controlgear assemblies*

IEC 61800-4, *Adjustable speed electrical power drive systems – Part 4: General requirements – Rating specifications for AC power drive systems above 1 000 V AC and not exceeding 35 kV*

IEC 61800-5-1, *Adjustable speed electrical power drive systems – Part 5-1: Safety requirements – Electrical, thermal and energy*

IEC 62271 (all parts), *High-voltage switchgear and controlgear*

IEC 62305-3, *Protection against lightning – Part 3: Physical damage to structures and life hazard*

IEC 62305-4, *Protection against lightning – Part 4: Electrical and electronic systems within structures*

IEC 62477-1:2012, *Safety requirements for power electronic converter systems and equipment – Part 1: General*

ISO 76, *Rolling bearings – Static load ratings*

ISO 281, *Rolling bearings – Dynamic load ratings and rating life*

ISO 2394, *General principles on reliability for structures*

ISO 2533, *Standard Atmosphere*

ISO 4354, *Wind actions on structures*

ISO 6336-2, *Calculation of load capacity of spur and helical gears – Part 2: Calculation of surface durability (pitting)*

ISO 6336-3:2006, *Calculation of load capacity of spur and helical gears – Part 3: Calculation of tooth bending strength*

ISO 12494:2001, *Atmospheric icing on structures*

ISO 13850, *Safety of machinery – Emergency stop function – Principles for design*

ISO/TS 16281, *Rolling bearings – Methods for calculating the modified reference rating life for universally loaded bearings*