IEC 61643-331

Edition 3.0 2020-03

REDLINE VERSION

colour inside

Components for low-voltage surge ~~protective devices~~ protection – Part 331: Performance requirements and test methods for metal oxide varistors (MOV)

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.040.20

ISBN 978-2-8322-8023-2

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 5
1 Scope 7
2 Normative references 7
3 Terms, definitions, symbols and abbreviated terms 8
3.1 Terms and definitions 8
3.1.1 Ratings 8
3.1.2 Characteristics 9
3.2 Symbols and abbreviated terms used in this document 11
3.2.1 Symbols 11
3.2.2 Abbreviated terms 11
4 Service conditions 12
4.1 Operating and storage temperature ranges 12
4.2 Altitude or atmospheric pressure range 12
4.3 Relative Humidity 12
5 Mechanical requirements and materials 12
5.1 Robustness of terminations 12
5.2 Solderability 12
5.3 Marking 12
6 General 13
6.1 Failure rates 13
6.2 Test standard atmospheric conditions 13
7 Electrical requirements 13
7.1 ~~Nominal~~ Varistor voltage (V_V) 13
7.2 Maximum AC (DC) continuous ~~operating~~ voltage ($V_{M(AC)}$ / $V_{M(DC)}$) 13
7.3 Standby current ~~I_{DC}~~ (I_D) 13
7.4 Capacitance (C_V) 13
7.5 Clamping voltage (V_C) 13
7.6 Electrostatic discharge (ESD) (for SMD type MOV only) 15
7.7 Rated impulse energy ~~(W_{TM})~~ 15
7.8 Nominal discharge current (I_n) 15
7.9 Endurance 15
7.10 Limited current temporary overvoltage 16
8 Standard design test criteria 16
8.1 General 16
8.2 Ratings 16
8.2.1 Single-impulse maximum current (I_{TM}) 16
8.2.2 Next impulse 17
8.2.3 Maximum Continuous ~~rated~~ voltage (V_M) 17
8.3 Electrical Characteristics 17
8.3.1 Clamping voltage (V_C) 17
8.3.2 Standby current (I_D) 17
8.3.3 ~~Nominal~~ Varistor voltage ~~(V_N)~~ (V_V) 18
8.3.4 Capacitance (C_V) 18
8.3.5 Rated energy 18
8.4 ~~Endurance~~ Varistor Rating Assurance Testing 18

8.5 ESD test ~~Method~~ 19
9 Nominal discharge current and limited current temporary overvoltage 19
9.1 Thermally protected varistors – Sequence of tests 19
9.2 Temperature and humidity cycle conditioning 20
9.3 Nominal discharge current ~~*I*(n)~~ (I_n) test description 20
9.3.1 General 20
9.3.2 Pass/fail criteria 22
9.4 Limited current temporary overvoltage test description and procedure for thermally protected varistors 22
9.4.1 General 22
9.4.2 Sample preparation 23
9.4.3 Test conditions 23
9.4.4 Pass/fail criteria 23
9.5 Dielectric testing 24
9.5.1 Test conditions for thermally protected MOV 24
9.5.2 Setup from foil to leads 25
9.5.3 Pass criteria 25
9.6 Insulation Resistance 25
Annex A (informative) MOV testing according to the IEC 61643-11:2011 Surge protective devices for the Class I, II and III 26
A.1 General 26
A.2 MOV selection 26
A.3 Cross reference list of abbreviations, descriptions and definitions 26
A.4 Operating duty test 27
A.4.1 General 27
A.4.2 Class I and II operating duty tests (8.3.4.3) 32
A.4.3 Additional duty test for test class I 33
A.4.4 Class III operating duty tests 33
A.4.5 Pass criteria for all operating duty tests and for the additional duty test for test class I 34
A.4.6 Preferred parameters of impulse discharge current I_{imp} used for Class I additional duty tests 34
A.4.7 Preferred values of impulse discharge current I_n used for Class I and Class II residual voltage and operating duty tests 35
A.4.8 Preferred values of combination generator waveshape used for Class III tests 36
Annex B (informative) IEC 61051 Varistors for use in electronic equipment 38
Annex C (~~informative~~ normative) Accelerated Endurance screening test 39
C.1 Accelerated endurance screening test 39
C.2 Preparation of sample 39
C.3 Test conditions 39
C.4 Refer to test circuit diagram as shown in Figure C.1. 39
C.5 Pass criteria 40
Annex D (informative) Proposed test method ~~for determination~~ of MTTF – Mean time to failure (MTTF) 41
D.1 Sampling plans 41
D.2 Total test hours 41
D.3 Samples 41
D.4 Test set-up 42
D.5 Intermediate measurements 42

D.6 Failure criteria 42
D.7 Acceptance criteria 42
~~Bibliography~~ .....

Figure 1 – *V-I* characteristic of an MOV 10
Figure 2 – Symbol for MOV 11
Figure 3 – Symbol for thermally protected MOV 11
Figure 4 – Test circuit for single-impulse maximum current 16
Figure 5 – Test circuit for measuring ~~leakage~~ standby current 17
Figure 6 – Test circuit for measuring ~~nominal~~ varistor voltage ~~(V_N)~~ (V_V) 18
Figure 7 – Varistor rating assurance test setup 18
Figure 8 – Nominal discharge current test flowchart 21
Figure 9 – Sequence of the I_n Test 22
Figure 10 – Temporary overvoltage limited current test procedure flowchart 24
Figure A.1 – Flow chart of the operating duty test 28
Figure A.2 – Test set-up for operating duty test 29
Figure A.3 – Flow chart of testing to determine the measured limiting voltage 31
Figure A.4 – Operating duty test timing diagram for test classes I and II 32
Figure A.5 – Additional duty test timing diagram for test class I 33
Figure A.6 – Operating duty test timing diagram for test class III 34
Figure C.1 – Circuit of accelerated ageing test 39
Figure D.1 – Test Circuit of MTTF 42

Table 1 – Typical Voltage ratings for disc types 14
Table 2 – Typical Voltage Ratings for SMD types 14
Table 3 – Test voltages for dielectric strength Between Test voltage 25
Table A.1 – ~~Comparison of IEC 61643-11 and IEC 61643-311~~ Abbreviations, descriptions and definitions 27
Table A.2 – Preferred parameters for class I test 34
Table A.3 – Preferred values for class I and class II tests 35
Table A.4 – Preferred values for class III tests 36
Table C.1 – Current in V_T measurement 39
Table D.1 – Sampling plans 41

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

COMPONENTS FOR LOW-VOLTAGE SURGE ~~PROTECTIVE DEVICES~~ PROTECTION –

Part 331: Performance requirements and test methods for metal oxide varistors (MOV)

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER
This Redline version is not an official Standard and is intended to provide the user with an indication of what changes have been made to the previous version. Only the IEC International Standard provided in this package is to be considered the official Standard.

This Redline version provides you with a quick and easy way to compare all the changes between this standard and its previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

International Standard IEC 61643-331 has been prepared by subcommittee 37B: Components for low-voltage surge protection, of IEC technical committee 37: Surge arresters.

This third edition cancels and replaces the second edition published in 2017. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) a Varistor MCOV rating assurance test;

b) an energy rating test (2ms);

c) revised Dielectric strength and insulation resistance tests.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
37B/211/FDIS	37B/214/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 61643 series, under the general title *Components for low-voltage surge protective devices,* can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

COMPONENTS FOR LOW-VOLTAGE SURGE ~~PROTECTIVE DEVICES~~ PROTECTION –

Part 331: Performance requirements and test methods for metal oxide varistors (MOV)

1 Scope

This part of IEC 61643 is a test specification for metal oxide varistors (MOV), which are used for applications up to 1 000 V AC or 1 500 V DC in power lines, or telecommunication, or signalling circuits. They are designed to protect apparatus or personnel, or both, from high transient voltages.

This document applies to MOVs having two electrodes and hybrid ~~overvoltage~~ surge protection components. This document also does not apply to mountings and their effect on the MOV's characteristics. Characteristics given apply solely to the MOV mounted only in the ways described for the tests.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1:2013, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-6:2007, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-14:2009, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-20:2008, *Environmental testing – Part 2-20: Tests – Test T: Test methods for solderability and resistance to soldering heat of devices with leads*

IEC 60068-2-21:2006, *Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices*

IEC 60068-2-27:2008, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60068-2-52:2017 *Environmental testing – Part 2-52: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)*

~~IEC 60068-2-78:2012, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*~~

IEC 61643-11:2011, *Low-voltage surge protective devices – Part 11: Surge protective devices connected to low-voltage power systems – Requirements and test methods*

IEC 61000-4-2:2008, *Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test*

IEC 61643-331

Edition 3.0 2020-03

INTERNATIONAL STANDARD

colour inside

Components for low-voltage surge protection – Part 331: Performance requirements and test methods for metal oxide varistors (MOV)



IEC 61643-331:2020-03(en)

CONTENTS

FOREWORD 5
1 Scope 7
2 Normative references 7
3 Terms, definitions, symbols and abbreviated terms 8
3.1 Terms and definitions 8
3.1.1 Ratings 8
3.1.2 Characteristics 9
3.2 Symbols and abbreviated terms used in this document 11
3.2.1 Symbols 11
3.2.2 Abbreviated terms 11
4 Service conditions 12
4.1 Operating and storage temperature ranges 12
4.2 Altitude or atmospheric pressure range 12
4.3 Relative Humidity 12
5 Mechanical requirements and materials 12
5.1 Robustness of terminations 12
5.2 Solderability 12
5.3 Marking 12
6 General 13
6.1 Failure rates 13
6.2 Test standard atmospheric conditions 13
7 Electrical requirements 13
7.1 Varistor voltage (V_V) 13
7.2 Maximum AC (DC) continuous voltage ($V_{M(AC)}$ / $V_{M(DC)}$) 13
7.3 Standby current (I_D) 13
7.4 Capacitance (C_V) 13
7.5 Clamping voltage (V_C) 13
7.6 Electrostatic discharge (ESD) (for SMD type MOV only) 15
7.7 Rated impulse energy 15
7.8 Nominal discharge current (I_n) 15
7.9 Endurance 15
7.10 Limited current temporary overvoltage 15
8 Standard design test criteria 16
8.1 General 16
8.2 Ratings 16
8.2.1 Single-impulse maximum current (I_{TM}) 16
8.2.2 Next impulse 16
8.2.3 Maximum Continuous voltage (V_M) 17
8.3 Electrical Characteristics 17
8.3.1 Clamping voltage (V_C) 17
8.3.2 Standby current (I_D) 17
8.3.3 Varistor voltage (V_V) 17
8.3.4 Capacitance (C_V) 18
8.3.5 Rated energy 18
8.4 Varistor Rating Assurance Testing 18

8.5 ESD test 19
9 Nominal discharge current and limited current temporary overvoltage 19
9.1 Thermally protected varistors – Sequence of tests 19
9.2 Temperature and humidity cycle conditioning 19
9.3 Nominal discharge current (I_n) test description 20
9.3.1 General 20
9.3.2 Pass/fail criteria 22
9.4 Limited current temporary overvoltage test description and procedure for thermally protected varistors 22
9.4.1 General 22
9.4.2 Sample preparation 23
9.4.3 Test conditions 23
9.4.4 Pass/fail criteria 23
9.5 Dielectric testing 24
9.5.1 Test conditions for thermally protected MOV 24
9.5.2 Setup from foil to leads 25
9.5.3 Pass criteria 25
9.6 Insulation Resistance 25
Annex A (informative) MOV testing according to the IEC 61643-11:2011 Surge protective devices for the Class I, II and III 26
A.1 General 26
A.2 MOV selection 26
A.3 Cross reference list of abbreviations, descriptions and definitions 26
A.4 Operating duty test 27
A.4.1 General 27
A.4.2 Class I and II operating duty tests (8.4.4.3) 32
A.4.3 Additional duty test for test class I 33
A.4.4 Class III operating duty tests 33
A.4.5 Pass criteria for all operating duty tests and for the additional duty test for test class I 34
A.4.6 Preferred parameters of impulse discharge current I_{imp} used for Class I additional duty tests 34
A.4.7 Preferred values of impulse discharge current I_n used for Class I and Class II residual voltage and operating duty tests 35
A.4.8 Preferred values of combination generator waveshape used for Class III tests 35
Annex B (informative) IEC 61051 Varistors for use in electronic equipment 38
Annex C (normative) Accelerated Endurance screening test 39
C.1 Accelerated endurance screening test 39
C.2 Preparation of sample 39
C.3 Test conditions 39
C.4 Refer to test circuit diagram as shown in Figure C.1. 39
C.5 Pass criteria 40
Annex D (informative) Proposed test method of MTTF – Mean time to failure (MTTF) 41
D.1 Sampling plans 41
D.2 Total test hours 41
D.3 Samples 41
D.4 Test set-up 42
D.5 Intermediate measurements 42
D.6 Failure criteria 42

D.7 Acceptance criteria 42

Figure 1 – *V-I* characteristic of an MOV 10
Figure 2 – Symbol for MOV 11
Figure 3 – Symbol for thermally protected MOV 11
Figure 4 – Test circuit for single-impulse maximum current 16
Figure 5 – Test circuit for measuring standby current 17
Figure 6 – Test circuit for measuring varistor voltage (V_V) 18
Figure 7 – Varistor rating assurance test setup 19
Figure 8 – Nominal discharge current test flowchart 21
Figure 9 – Sequence of the I_n Test 22
Figure 10 – Temporary overvoltage limited current test procedure flowchart 24
Figure A.1 – Flow chart of the operating duty test 28
Figure A.2 – Test set-up for operating duty test 29
Figure A.3 – Flow chart of testing to determine the measured limiting voltage 31
Figure A.4 – Operating duty test timing diagram for test classes I and II 32
Figure A.5 – Additional duty test timing diagram for test class I 33
Figure A.6 – Operating duty test timing diagram for test class III 34
Figure C.1 – Circuit of accelerated ageing test 39
Figure D.1 – Test Circuit of MTTF 42

Table 1 – Typical Voltage ratings for disc types 14
Table 2 – Typical Voltage Ratings for SMD types 15
Table 3 – Test voltages for dielectric strength Between Test voltage 25
Table A.1 – Abbreviations, descriptions and definitions 27
Table A.2 – Preferred parameters for class I test 34
Table A.3 – Preferred values for class I and class II tests 35
Table A.4 – Preferred values for class III tests 36
Table C.1 – Current in V_T measurement 39
Table D.1 – Sampling plans 41

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

COMPONENTS FOR LOW-VOLTAGE SURGE PROTECTION –

Part 331: Performance requirements and test methods for metal oxide varistors (MOV)

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61643-331 has been prepared by subcommittee 37B: Components for low-voltage surge protection, of IEC technical committee 37: Surge arresters.

This third edition cancels and replaces the second edition published in 2017. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) a Varistor MCOV rating assurance test;
b) an energy rating test (2ms);
c) revised Dielectric strength and insulation resistance tests.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
37B/211/FDIS	37B/214/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 61643 series, under the general title *Components for low-voltage surge protective devices,* can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

COMPONENTS FOR LOW-VOLTAGE SURGE PROTECTION –

Part 331: Performance requirements and test methods for metal oxide varistors (MOV)

1 Scope

This part of IEC 61643 is a test specification for metal oxide varistors (MOV), which are used for applications up to 1 000 V AC or 1 500 V DC in power lines, or telecommunication, or signalling circuits. They are designed to protect apparatus or personnel, or both, from high transient voltages.

This document applies to MOVs having two electrodes and hybrid surge protection components. This document also does not apply to mountings and their effect on the MOV's characteristics. Characteristics given apply solely to the MOV mounted only in the ways described for the tests.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1:2013, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-6:2007, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-14:2009, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-20:2008, *Environmental testing – Part 2-20: Tests – Test T: Test methods for solderability and resistance to soldering heat of devices with leads*

IEC 60068-2-21:2006, *Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices*

IEC 60068-2-27:2008, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60068-2-52:2017 *Environmental testing – Part 2-52: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)*

IEC 61643-11:2011, *Low-voltage surge protective devices – Part 11: Surge protective devices connected to low-voltage power systems – Requirements and test methods*

IEC 61000-4-2:2008, *Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test*