IEC 61784-5-19

Edition 2.0 2024-04
REDLINE VERSION

INTERNATIONAL STANDARD

colour inside

Industrial ~~communication~~ networks – Profiles –
Part 5-19: Installation of fieldbuses – Installation profiles for CPF 19



IEC 61784-5-19:2024-04 RLV(en)

THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC 61784-5-19

Edition 2.0 2024-04
REDLINE VERSION

INTERNATIONAL STANDARD

colour inside

Industrial ~~communication~~ networks – Profiles –
Part 5-19: Installation of fieldbuses – Installation profiles for CPF 19

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 25.040.40; 35.100.40

ISBN 978-2-8322-8697-5

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 7
INTRODUCTION 2
1 Scope 11
2 Normative references 11
3 Terms, definitions and abbreviated terms 11
4 CPF19: Overview of installation profiles 12
5 Installation profile conventions 12
6 Conformance to installation profiles 13
Annex A (normative) CP 19/1 (MECHATROLINK™-II) specific installation profile 14
A.1 Installation profile scope 14
A.2 Normative references 14
A.3 Installation profile terms, definitions, and abbreviated terms 14
A.3.1 Terms and definitions 14
A.3.2 Abbreviated terms 14
A.3.3 Conventions for installation profiles 14
A.4 Installation planning 15
A.4.1 General 15
A.4.2 Planning requirements 15
A.4.3 Network capabilities 15
A.4.4 Selection and use of cabling components 17
4.4.3.3.1 Common description 22
A.4.5 Cabling planning documentation 25
A.4.6 Verification of cabling planning specification 25
A.5 Installation implementation 25
A.5.1 General requirements 25
A.5.2 Cable installation 25
A.5.3 Connector installation 27
A.5.4 Terminator installation 28
A.5.5 Device installation 28
A.5.6 Coding and labelling 28
A.5.7 Earthing and bonding of equipment and devices and shield cabling 28
A.5.8 As-implemented cabling documentation 28
A.6 Installation verification and installation acceptance test 29
A.6.1 General 29
A.6.2 Installation verification 29
A.6.3 Installation acceptance test 30
A.7 Installation administration 30
A.8 Installation maintenance and installation troubleshooting 31
A.8.1 General 31
A.8.2 Maintenance 31
A.8.3 Troubleshooting 31
A.8.4 Specific requirements for maintenance and troubleshooting 31
Annex B (normative) CP 19/2 (MECHATROLINK™-III) specific installation profile 33
B.1 Installation profile scope 33
B.2 Normative references 33
B.3 Installation profile terms, definitions, and abbreviated terms 33

B.3.1 Terms and definitions 33
B.3.2 Abbreviated terms 33
B.3.3 Conventions for installation profiles 33
B.4 Installation planning 33
B.4.1 General 33
B.4.2 Planning requirements 33
B.4.3 Network capabilities 34
B.4.4 Selection and use of cabling components 35
B.4.5 Cabling planning documentation 41
B.4.6 Verification of cabling planning specification 42
B.5 Installation implementation 42
B.5.1 General requirements 42
B.5.2 Cable installation 42
B.5.3 Connector installation 43
B.5.4 Terminator installation 44
B.5.5 Device installation 44
B.5.6 Coding and labelling 44
B.5.7 Earthing and bonding of equipment and devices and shield cabling 44
B.5.8 As-implemented cabling documentation 44
B.6 Installation verification and installation acceptance test 44
B.6.1 General 44
B.6.2 Installation verification 44
B.6.3 Installation acceptance test 45
B.7 Installation administration 46
B.8 Installation maintenance and installation troubleshooting 46
Annex C (normative) CP19/3 (Σ-LINK™ II) specific installation profile 47
C.1 Installation profile scope 47
C.2 Normative references 47
C.3 Installation profile terms, definitions, and abbreviated terms 47
C.3.1 Terms and definitions 47
C.3.2 Abbreviated terms 47
C.3.3 Conventions for installation profiles 47
C.4 Installation planning 47
C.4.1 General 47
C.4.2 Planning requirements 47
C.4.3 Network capabilities 48
C.4.4 Selection and use of cabling components 49
C.4.5 Cabling planning documentation 61
C.4.6 Verification of cabling planning specification 61
C.5 Installation implementation 61
C.5.1 General requirements 61
C.5.2 Cable installation 62
C.5.3 Connector installation 63
C.5.4 Terminator installation 64
C.5.5 Device installation 64
C.5.6 Coding and labelling 64
C.5.7 Earthing and bonding of equipment and devices and shield cabling 64
C.5.8 As-implemented cabling documentation 64
C.6 Installation verification and installation acceptance test 64

C.6.1 General 64
C.6.2 Installation verification 64
C.6.3 Installation acceptance test 65
C.7 Installation administration 66
C.8 Installation maintenance and installation troubleshooting 66
Annex D (normative) CP 19/4 (MECHATROLINK™-4) specific installation profile 67
D.1 Installation profile scope 67
D.2 Normative references 67
D.3 Installation profile terms, definitions, and abbreviated terms 67
D.3.1 Terms and definitions 67
D.3.2 Abbreviated terms 67
D.3.3 Conventions for installation profiles 67
D.4 Installation planning 67
D.4.1 General 67
D.4.2 Planning requirements 67
D.4.3 Network capabilities 68
D.4.4 Selection and use of cabling components 69
D.4.5 Cabling planning documentation 75
D.4.6 Verification of cabling planning specification 75
D.5 Installation implementation 75
D.5.1 General requirements 75
D.5.2 Cable installation 75
D.5.3 Connector installation 77
D.5.4 Terminator installation 78
D.5.5 Device installation 78
D.5.6 Coding and labelling 78
D.5.7 Earthing and bonding of equipment and devices and shield cabling 78
D.5.8 As-implemented cabling documentation 78
D.6 Installation verification and installation acceptance test 78
D.6.1 General 78
D.6.2 Installation verification 78
D.6.3 Installation acceptance test 79
D.7 Installation administration 80
D.8 Installation maintenance and installation troubleshooting 80
Bibliography 81

Figure 1 – Standards relationships 10
Figure A.1 – Topology of CP 19/1 network 16
Figure A.2 – Network expansion using repeater 16
Figure A.3 – Structure of cable 19
Figure A.4 – Dimensions of single port device connector 20
Figure A.5 – Dimensions of dual ports device connector 21
Figure A.6 – Dimensions of cable connector 21
Figure A.7 – Cable connector with inductors 22
Figure A.8 – Terminator connection in cable connector housing 23
Figure A.9 – Wiring example 27
Figure A.10 – Terminator installed in M-II cable connector 28

Figure A.11 – Division of network segment by changing terminator location 32
~~Figure B.1 – Dimensions of IMI device connector .....~~
~~Figure B.2 – Dimensions of IMI cable connector .....~~
Figure C.1 – Topology of CP 19/3 combination of linear and T-branch network 48
Figure C.2 – Topology of CP 19/3 network example with Power adaptor 49
Figure C.3 – Structure of 6-conductor cable 52
Figure C.4 – Structure of 8-conductor cable 52
Figure C.5 – Connection for linear network 53
Figure C.6 – Dimensions of device 6 pin connector 54
Figure C.7 – Dimensions of device 6 pin connector 54
Figure C.8 – Dimensions of device 6 pin connector 55
Figure C.9 – Dimensions of device 8 pin male connector 55
Figure C.10 – Dimensions of ejector for device 8 pin male connector 56
Figure C.11 – Dimensions of device 8 pin female connector 56
Figure C.12 – Dimensions of cable 6 pin male connector 57
Figure C.13 – Dimensions of cable 6 pin female connector 57
Figure C.14 – Dimensions of cable 8 pin male connector 57
Figure C.15 – Dimensions of cable 8 pin female connector 58

Table A.1 – Basic network characteristics for balanced cabling not based on Ethernet 17
Table A.2 – Number of devices and maximum segment length 17
Table A.3 – Information relevant to copper cable: fixed cables 18
Table A.4 – Additional cable specifications 18
Table A.5 – Connectors for copper cabling CPs not based on Ethernet 19
Table A.6 – Parameters for balanced cables 26
Table A.7 – Pin assignment and wire colour coding for CP 19/1 connector 27
Table A.8 – Typical problems in a network with balanced cabling 31
Table B.1 – Network characteristics for balanced cabling based on Ethernet 35
Table B.2 – Information relevant to copper cable: fixed cables 36
Table B.3 – Information relevant to copper cable: cords 36
Table B.4 – Connectors for balanced cabling CPs based on Ethernet 37
Table B.5 – Parameters for balanced cables 42
Table B.6 – Pin assignment and wire colour coding for CP 19/2 modular and IMI connector 43
Table B.7 – Pin assignment and wire colour coding for CP 19/2 M12 connector 44
Table C.1 – Basic network characteristics for balanced cabling not based on Ethernet 49
Table C.2 – Information relevant to 6-conductor copper cable 50
Table C.3 – Information relevant to 8-conductor copper cable 51
Table C.4 – Additional cable specifications 51
Table C.5 – Connectors for copper cabling CPs not based on Ethernet 53
Table C.6 – Electric characteristics of 6pin connector 58
Table C.7 – Electric characteristics of 8pin connector 58
Table C.8 – Parameters for balanced cables 62

Table C.9 – Pin assignment and wire colour coding for CP 19/3 6 pin connector 63
Table C.10 – Pin assignment and wire colour coding for CP 19/3 8 pin connector 63
Table D.1 – Network characteristics for balanced cabling based on Ethernet 69
Table D.2 – Information relevant to copper cable: CP 19/4 type A fixed cables 70
Table D.3 – Information relevant to copper cable: CP 19/4 type B fixed cables 70
Table D.4 – Information relevant to copper cable: CP 19/4 type A fixed cords 71
Table D.5 – Information relevant to copper cable: CP 19/4 type B fixed cords 71
Table D.6 – Connectors for balanced cabling CPs based on Ethernet 72
Table D.7 – Parameters for balanced cables 76
Table D.8 – Pin assignment and wire colour coding for CP 19/4 modular and IMI connector 77
Table D.9 – Pin assignment and wire colour coding for CP 19/4 M12-4 connector 77
Table D.10 – Pin assignment and wire colour coding for CP 19/4 M12-8 connector 77

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

INDUSTRIAL ~~COMMUNICATION~~ NETWORKS – PROFILES –

Part 5-19: Installation of fieldbuses – Installation profiles for CPF 19

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of a patent. IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of a patent, which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 61784-5-19:2013. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 61784-5-19 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

This document is to be used in conjunction with IEC 61918:2018, IEC 61918:2018/AMD1:2022 and IEC 61918:2018/AMD2:2024.

This second edition cancels and replaces the first edition published in 2013. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) addition of new installation profiles CP19/3 and CP19/4 in Clause 4;
b) In Annex B, Table B.4 has been changed and Figure B.1 and Figure B.2 have been deleted;
c) Annex C is new installation profiles for CP19/3 and related references have been added;
d) Annex D is new installation profiles for CP19/4 and related references have been added.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65C/1281/FDIS	65C/1296/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts of IEC 61784-5 series, published under the general title *Industrial networks – Profiles – Installation of fieldbuses*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This document is one of a series produced to facilitate the use of communication networks in industrial control systems.

IEC 61918:~~2013~~2018 and IEC 61918:2018/AMD1:2022 and IEC 61918/AMD2:2024 provide the common requirements for the installation of communication networks in industrial control systems. This installation profile standard provides the installation profiles of the communication profiles (CP) of a specific communication profile family (CPF) by stating which requirements of IEC 61918 fully apply and, where necessary, by supplementing, modifying, or replacing the other requirements (see Figure 1).

For general background on fieldbuses, their profiles, and relationship between the installation profiles specified in this document, see IEC 61158-1.

Each CP installation profile is specified in a separate annex of this document. Each annex is structured exactly as the reference standard IEC 61918 for the benefit of the persons representing the roles in the fieldbus installation process as defined in IEC 61918 (planner, installer, verification personnel, validation personnel, maintenance personnel, administration personnel). By reading the installation profile in conjunction with IEC 61918, these persons immediately know which requirements are common for the installation of all CPs and which are modified or replaced. The conventions used to draft this document are defined in Clause 5.

The provision of the installation profiles in one standard for each CPF (for example IEC 61784-5-19 for CPF 19) allows readers to work with standards of a convenient size.




Figure 1 – Standards relationships

INDUSTRIAL ~~COMMUNICATION~~ NETWORKS – PROFILES –

Part 5-19: Installation of fieldbuses – Installation profiles for CPF 19

1 Scope

This part of IEC 61784-5 specifies the installation profile for CPF 19 (MECHATROLINK™[1]).

The installation profiles are specified in the annexes. These annexes are read in conjunction with IEC 61918:~~2013~~2018, IEC 61918:2018/AMD1:2022 and IEC 61918:2018/AMD2:2024.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61918:~~2013~~2018[2], *Industrial communication networks – Installation of communication networks in industrial premises*
IEC 61918:2018/AMD1:2022
IEC 61918:2018/AMD2:2024

~~The normative references of IEC 61918:2013, Clause 2, apply. For profile specific normative references, see Clause A.2.~~

NOTE For profile specific normative references, see Clauses A.2, B.2, C.2, D.2.

3 Terms, definitions and abbreviated terms

~~For the purposes of this document, the terms, definitions and abbreviated terms given in IEC 61918:2013, Clause 3, apply. For profile specific terms, definitions and abbreviated terms see Clauses A.3 and B.3.~~

For the purposes of this document, the terms, definitions and abbreviated terms given in IEC 61918:2018, Clause 3, IEC 61918:2018/AMD1:2022, Clause 3 and Clauses A.3, B.3, C.3, and D.3,apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

---

1 MECHATROLINK™ and Σ-LINK™ II are trade names of YASKAWA ELECTRIC CORPORATION. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the trade names holder or any of its products. Compliance to this profile does not require use of the trade names. Use of the trade name ~~MECHATROLINK~~ requires permission of the trade name holder.

2 The normative references of IEC 61918:2018, Clause 2, IEC 61918:2018/AMD1:2022, Clause 2 and IEC 61918:2018/AMD2:2024, Clause 2, apply.