IEC 61992-6

Edition 1.2 2020-05
CONSOLIDATED VERSION

INTERNATIONAL STANDARD

colour inside

Railway applications – Fixed installations – DC switchgear – Part 6: DC switchgear assemblies

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 45.060.01

ISBN 978-2-8322-8411-7

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

IEC 61992-6

Edition 1.2 2020-05

REDLINE VERSION

colour inside

Railway applications – Fixed installations – DC switchgear – Part 6: DC switchgear assemblies



IEC 61992-6:2006-02+AMD1:2014-04+AMD2:2020-05 CSV(en)

CONTENTS

1 Scope 6
2 Normative references 6
3 Terms and definitions 6
4 Service requirements 7
5 Characteristics of the assemblies 7
6 Construction characteristics 7
6.1 General 7
6.2 Insulation requirements 8
6.3 Primary connections 9
6.4 Location of the primary connections 9
6.5 Earthing 9
6.5.1 Earthing of the main circuit 9
6.5.2 Earthing of the enclosure 9
6.6 Degree of protection and internal fault 10
6.6.1 Protection against approach to live parts and contact with moving parts 10
6.6.2 Internal arcing 11
6.7 Covers and doors 11
6.8 Inspection windows 11
6.9 Ventilating openings 12
6.10 Partitions and shutters 12
6.10.1 General 12
6.10.2 Partitions 12
6.10.3 Shutters 12
6.10.4 Isolating distances 13
6.11 Interlocks 13
6.12 Temperature-rises 14
6.13 Dielectric strength 14
6.14 Painting and finishing 14
6.15 Noise emission 14
6.16 Cooling and heating 14
6.17 Operating temperature of auxiliary and control equipment 14
6.18 Rated short-time withstand current of busbars 14
7 Information and marking 15
7.1 Information 15
7.2 Marking 15
8 Tests 15
8.1 General 15
8.2 List of the applicable tests 16
8.3 Performance of tests 16
8.3.1 Verification of conformity to the manufacturing drawings and to characteristics of the assembly 16
8.3.2 Operation test 17
8.3.3 Dielectric tests 17
8.3.4 Short-time withstand current tests 19
8.3.5 Mechanical operation test 21

8.3.6 Verification of the degree of protection 21
8.3.7 Temperature-rise tests 21
8.3.8 Electrical operation test 23
8.3.9 Internal arc test 24
Annex A (informative) Information required 25
A.1 General 25
A.2 Procurement specification 25
A.3 Manufacturer's tender specification 26
A.4 Information and data to be supplied by the manufacturer during the delivery stage 27
Annex B (normative) Method for testing under conditions of arcing due to an internal fault 29
B.1 Purpose of the test 29
B.2 Characteristics – Rated short-circuit current under internal arcing conditions (I_{Narc}) 29
B.3 Test arrangements 29
B.3.1 Test specimen 29
B.3.2 Test circuit 30
B.3.3 Voltage 30
B.3.4 Duration of the test 30
B.4 Test procedure 30
B.4.1 Supply circuit 30
B.4.2 Arc initiation 31
B.4.3 Indicators 32
B.4.4 Repetition of the test 32
B.5 Assessment of the test 32
B.6 Test report 33

Figure 1 – Test arrangement for short-time current withstand test on busbars 20
Figure 2 – Test arrangement for temperature-rise test on main circuits 22
Figure 3 – Test arrangement for temperature-rise test on the busbars 23
Figure B.1 – Room simulation and indicator positioning, functional unit fitted with roof 34
Figure B.2 – Mounting frame for vertical indicators 35
Figure B.3 – Indicators arranged in a checkerboard pattern 35

Table 1 – Degrees of protection 11
Table 2 – List of applicable tests 16
Table B.1 – Sizes of the copper ignition wire 31

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

RAILWAY APPLICATIONS – FIXED INSTALLATIONS – DC SWITCHGEAR –

Part 6: DC switchgear assemblies

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendments has been prepared for user convenience.

IEC 61992-6 edition 1.2 contains the first edition (2006-02) [documents 9/891/FDIS and 9/913/RVD], its amendment 1 (2014-04) [documents 9/1792/CDV and 9/1852/RVC] and its amendment 2 (2020-05) [documents 9/2542/CDV and 9/2584A/RVC].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendments 1 and 2. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 61992-6 has been prepared by IEC technical committee 9: Electrical equipment and systems for railways.

IEC 61992 consists of the following parts, under the general title *Railway applications – Fixed installations – DC switchgear*:

Part 1: General

Part 2: D.C. circuit breakers

Part 3: Indoor d.c. disconnectors, switch-disconnectors and earthing switches

Part 4: Outdoor d.c. disconnectors, switch-disconnectors and earthing switches

Part 5: Surge arresters and low-voltage limiters for specific use in d.c. systems

Part 6: D.C. switchgear assemblies

Part 7-1: Measurement, control and protection devices for specific use in d.c. traction systems – Application guide

Part 7-2: Measurement, control and protection devices for specific use in d.c. traction systems – Isolating current transducers and other current measuring devices

Part 7-3: Measurement, control and protection devices for specific use in d.c. traction systems – Isolating voltage transducers and other voltage measuring devices

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

IMPORTANT – The “colour inside” logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

The content of the corrigendum 1 (2025-05) has been included in this copy.

RAILWAY APPLICATIONS – FIXED INSTALLATIONS – DC SWITCHGEAR –

Part 6: DC switchgear assemblies

1 Scope

This part of IEC 61992 covers d.c. metal-enclosed and non-metallic enclosed switchgear assemblies used in indoor stationary installations of traction systems, with nominal voltage not exceeding 3 000 V.

It is intended that individual items of equipment, for example circuit breakers, housed in the assembly are designed, manufactured and individually tested (simulating the enclosure when necessary) in accordance with their respective parts of IEC 61992 or, when appropriate, with another applicable standard.

NOTE 1 The requirements covered in this part of IEC 61992 are those concerning the assembly as such, its enclosure and the mutual influence of the equipment enclosed.

NOTE 2 EMC requirements are covered by IEC 62236-5 and additional requirements concerning dependability (RAMS) are covered by IEC 62278.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60243-1:1998, *Electrical strength of insulating materials – Test methods – Part 1: Tests at power frequencies*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)*

IEC 61992-1:2006+A1:2014, *Railway applications – Fixed installations – DC switchgear – Part 1: General*

IEC 61992-2:2006+A1:2014, *Railway applications – Fixed installations – DC switchgear – Part 2: DC circuit-breakers*

IEC 61992-3:2006, *Railway applications – Fixed installations – DC switchgear – Part 3: Indoor d.c. disconnectors, switch-disconnectors and earthing switches*

IEC 61992-6

Edition 1.2 2020-05

FINAL VERSION

Railway applications – Fixed installations – DC switchgear – Part 6: DC switchgear assemblies



IEC 61992-6:2006-02+AMD1:2014-04+AMD2:2020-05 CSV(en)

CONTENTS

1 Scope 6
2 Normative references 6
3 Terms and definitions 6
4 Service requirements 7
5 Characteristics of the assemblies 7
6 Construction characteristics 7
6.1 General 7
6.2 Insulation requirements 8
6.3 Primary connections 9
6.4 Location of the primary connections 9
6.5 Earthing 9
6.5.1 Earthing of the main circuit 9
6.5.2 Earthing of the enclosure 9
6.6 Degree of protection and internal fault 10
6.6.1 Protection against approach to live parts and contact with moving parts 10
6.6.2 Internal arcing 10
6.7 Covers and doors 11
6.8 Inspection windows 11
6.9 Ventilating openings 11
6.10 Partitions and shutters 11
6.10.1 General 11
6.10.2 Partitions 12
6.10.3 Shutters 12
6.10.4 Isolating distances 12
6.11 Interlocks 13
6.12 Temperature-rises 13
6.13 Dielectric strength 14
6.14 Painting and finishing 14
6.15 Noise emission 14
6.16 Cooling and heating 14
6.17 Operating temperature of auxiliary and control equipment 14
6.18 Rated short-time withstand current of busbars 14
7 Information and marking 14
7.1 Information 14
7.2 Marking 15
8 Tests 15
8.1 General 15
8.2 List of the applicable tests 16
8.3 Performance of tests 16
8.3.1 Verification of conformity to the manufacturing drawings and to characteristics of the assembly 16
8.3.2 Operation test 16
8.3.3 Dielectric tests 17
8.3.4 Short-time withstand current tests 19
8.3.5 Mechanical operation test 20

8.3.6 Verification of the degree of protection 21
8.3.7 Temperature-rise tests 21
8.3.8 Electrical operation test 23
8.3.9 Internal arc test 23
Annex A (informative) Information required 24
A.1 General 24
A.2 Procurement specification 24
A.3 Manufacturer's tender specification 25
A.4 Information and data to be supplied by the manufacturer during the delivery stage 26
Annex B (normative) Method for testing under conditions of arcing due to an internal fault 28
B.1 Purpose of the test 28
B.2 Characteristics – Rated short-circuit current under internal arcing conditions (I_{Narc}) 28
B.3 Test arrangements 28
B.3.1 Test specimen 28
B.3.2 Test circuit 29
B.3.3 Voltage 29
B.3.4 Duration of the test 29
B.4 Test procedure 29
B.4.1 Supply circuit 29
B.4.2 Arc initiation 30
B.4.3 Indicators 31
B.4.4 Repetition of the test 31
B.5 Assessment of the test 31
B.6 Test report 32

Figure 1 – Test arrangement for short-time current withstand test on busbars 20
Figure 2 – Test arrangement for temperature-rise test on main circuits 22
Figure 3 – Test arrangement for temperature-rise test on the busbars 22
Figure B.1 – Room simulation and indicator positioning, functional unit fitted with roof 33
Figure B.2 – Mounting frame for vertical indicators 34
Figure B.3 – Indicators arranged in a checkerboard pattern 34

Table 1 – Degrees of protection 10
Table 2 – List of applicable tests 16
Table B.1 – Sizes of the copper ignition wire 30

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

RAILWAY APPLICATIONS – FIXED INSTALLATIONS – DC SWITCHGEAR –

Part 6: DC switchgear assemblies

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendments has been prepared for user convenience.

IEC 61992-6 edition 1.2 contains the first edition (2006-02) [documents 9/891/FDIS and 9/913/RVD], its amendment 1 (2014-04) [documents 9/1792/CDV and 9/1852/RVC] and its amendment 2 (2020-05) [documents 9/2542/CDV and 9/2584A/RVC].

This Final version does not show where the technical content is modified by amendments 1 and 2. A separate Redline version with all changes highlighted is available in this publication.

International Standard IEC 61992-6 has been prepared by IEC technical committee 9: Electrical equipment and systems for railways.

IEC 61992 consists of the following parts, under the general title *Railway applications – Fixed installations – DC switchgear*:

Part 1: General

Part 2: D.C. circuit breakers

Part 3: Indoor d.c. disconnectors, switch-disconnectors and earthing switches

Part 4: Outdoor d.c. disconnectors, switch-disconnectors and earthing switches

Part 5: Surge arresters and low-voltage limiters for specific use in d.c. systems

Part 6: D.C. switchgear assemblies

Part 7-1: Measurement, control and protection devices for specific use in d.c. traction systems – Application guide

Part 7-2: Measurement, control and protection devices for specific use in d.c. traction systems – Isolating current transducers and other current measuring devices

Part 7-3: Measurement, control and protection devices for specific use in d.c. traction systems – Isolating voltage transducers and other voltage measuring devices

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

IMPORTANT – The “colour inside” logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

The content of the corrigendum 1 (2025-05) has been included in this copy.

RAILWAY APPLICATIONS – FIXED INSTALLATIONS – DC SWITCHGEAR –

Part 6: DC switchgear assemblies

1 Scope

This part of IEC 61992 covers d.c. metal-enclosed and non-metallic enclosed switchgear assemblies used in indoor stationary installations of traction systems, with nominal voltage not exceeding 3 000 V.

It is intended that individual items of equipment, for example circuit breakers, housed in the assembly are designed, manufactured and individually tested (simulating the enclosure when necessary) in accordance with their respective parts of IEC 61992 or, when appropriate, with another applicable standard.

NOTE 1 The requirements covered in this part of IEC 61992 are those concerning the assembly as such, its enclosure and the mutual influence of the equipment enclosed.

NOTE 2 EMC requirements are covered by IEC 62236-5 and additional requirements concerning dependability (RAMS) are covered by IEC 62278.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60243-1:1998, *Electrical strength of insulating materials – Test methods – Part 1: Tests at power frequencies*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)*

IEC 61992-1:2006+A1:2014, *Railway applications – Fixed installations – DC switchgear – Part 1: General*

IEC 61992-2:2006+A1:2014, *Railway applications – Fixed installations – DC switchgear – Part 2: DC circuit-breakers*

IEC 61992-3:2006, *Railway applications – Fixed installations – DC switchgear – Part 3: Indoor d.c. disconnectors, switch-disconnectors and earthing switches*