IEC 62087-3

Edition 2.0 2023-02
REDLINE VERSION

INTERNATIONAL STANDARD

colour inside

Audio, video, and related equipment – Determination of power consumption – Part 3: Television sets



IEC 62087-3:2023-02 RLV(en)



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC 62087-3

Edition 2.0 2023-02
REDLINE VERSION

INTERNATIONAL STANDARD

colour inside

Audio, video, and related equipment – Determination of power consumption – Part 3: Television sets

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.160.10

ISBN 978-2-8322-6532-1

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 5
INTRODUCTION 7
1 Scope 8
2 Normative references 8
3 Terms, definitions, and abbreviated terms 8
3.1 Terms and definitions 9
3.2 Abbreviated terms 11
4 Specification of operating modes and functions 13
4.1 Table of operating modes and functions 13
4.2 Configurations and picture settings 14
4.2.1 Conceptual framework 14
4.2.2 Selection of ~~home~~ normal configuration 16
4.2.3 Selection of retail configuration 16
5 Measurement conditions 17
5.1 General 17
5.2 Power source 17
5.3 Environmental conditions 17
5.4 Ambient light conditions 17
5.5 Measuring equipment 17
5.5.1 Power measuring instrument 17
5.5.2 Luminance measuring device 17
5.5.3 Illuminance measuring instrument 17
5.6 Signal generation 17
5.6.1 Equipment 17
5.6.2 Interfaces 17
5.6.3 Accuracy 17
5.6.4 Light source for specific illuminance levels 18
5.6.5 Light source for disabling the ABC feature 18
~~5.6.6 Networking equipment ..... 19~~
5.6.6 Test table surface material 19
6 Procedures 19
6.1 Order of activities 19
6.2 Preparation 20
6.2.1 Measuring plan 20
6.2.2 Power source voltage and frequency 21
6.2.3 Test signal input terminals 21
6.2.4 Video signal, On mode power consumption procedure 21
6.2.5 Video signal, peak luminance ratio determination 22
6.2.6 Video format 22
6.2.7 Automatic brightness control capabilities 23
6.2.8 Automatic brightness control levels 23
6.2.9 Motion-based Dynamic Dimming 24
6.2.10 Network connection ~~capabilities~~ selection 24
6.3 Initial activities 25
6.3.1 Order of initial activities 25
~~6.3.2 Cool down ..... 25~~

6.3.2 Main batteries 26
6.3.3 Plug-in module 26
6.3.4 Installation 26
6.3.5 Application of input signals 27
6.3.6 Luminance measuring device setup 27
6.3.7 Light source setup 27
6.3.8 Power on 31
6.3.9 UUT firmware update 31
6.3.10 TV settings 31
6.4 Determination of power consumption, On mode 32
6.4.1 Order of activities 32
6.4.2 Stabilization 33
6.4.3 Television sets without automatic brightness control enabled by default 34
6.4.4 Television sets with automatic brightness control enabled by default 34
6.4.5 Power measurement 34
6.5 Determination of peak luminance ratio and power factor 36
6.5.1 General 36
6.5.2 Activities for peak luminance ratio and power factor determination 37
6.6 Determination of power consumption, Partial On mode 40
6.6.1 General 40
6.6.2 Order of activities 40
6.6.3 AV inputs 40
6.6.4 Standby-passive 40
6.6.5 Standby-active, low 41
6.7 Determination of power consumption, Off mode 42
6.7.1 Connections and networking 42
6.7.2 Availability 42
6.7.3 Measurement 42
Annex A (informative) Considerations for On mode television set power measurements 43
A.1 General 43
~~A.2 Illuminance levels for automatic brightness control ....~~
A.2 Weighting of automatic brightness control levels 43
A.3 Calculating On mode power consumption 44
A.4 Picture level adjustments 45
Annex B (normative) Test report 46
Annex C (informative) Example test report template 48
Annex D (informative) Representative test tools 51
Annex E (normative) Measurement process overview 52
Bibliography 54

Figure 1 – Configurations and picture settings, conceptual framework 16
Figure 2 – Recommended order of activities 20
Figure 3 – Order of initial activities 26
Figure 4 – Light source configuration 28
Figure 5 – Wall-mounted TV with built-in ABC sensor 30
Figure 6 – Wall Mounted TV with External ABC Sensor 30
Figure 7 – Order of activities for determining power consumption, On mode 33

Figure 8 – Order of activities for determining peak luminance ratio and power factor 38
Figure 9 – Order of activities for determining the power consumption, Partial On mode 40
Figure E.1 – Comprehensive measurement process flow chart 53

Table 1 – Operating modes and functions 14
Table 2 – Network Connection Hierarchy 24

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

AUDIO, VIDEO, AND RELATED EQUIPMENT – DETERMINATION OF POWER CONSUMPTION –

Part 3: Television sets

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 62087-3:2015. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 62087-3 has been prepared by technical area 19: Environmental and energy aspects for multimedia systems and equipment, of IEC technical committee 100: Audio, video and multimedia systems and equipment. It is an International Standard.

This second edition cancels and replaces the first edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) it introduces measuring procedures for the determination of power consumption in the On mode while viewing static metadata HDR video content;
b) all tests for On mode power determination are performed with MDD disabled;
c) only progressive video signals are used for testing;
d) a dimmable LED reflector lamp is used as a light source for illuminating the ABC sensor to achieve specific illuminance levels;
e) a dynamic box and outline video signal is used for determining the ratio of peak luminance.

The text of this International Standard is based on the following documents:

Draft	Report on voting
100/3772/CDV	100/3849/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

A list of all parts in the IEC 62087 series, published under the general title *Audio, video, and related equipment – Determination of power consumption*, can be found on the IEC website.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This document specifies the determination of the power consumption of television sets for consumer use. ~~It is used in conjunction with IEC 62087-2:2015, which specifies signals and media.~~

This document includes measuring procedures for the determination of power consumption in the On (operation) mode, which was identified as "On (average) mode" in previous editions of IEC 62087. Additionally, it specifies measuring procedures for the determination of power consumption in the Off mode and Partial On mode. This document also defines the determination of the peak luminance ratio for use associated with television set power consumption evaluation as well as the power factor. It also defines measuring procedures for the determination of power consumption in the On mode while viewing representative static metadata HDR video content.

A verification procedure to assess product compliance is described in Annex A of IEC 62087-1:2015.

The IEC 62087 series consists of the following planned or published parts:

– Part 1: General
– Part 2: Signals and media
– Part 3: Television sets
– Part 4: Video recording equipment
– Part 5: Set-top boxes
– Part 6: Audio equipment
– Part 7: Computer monitors

AUDIO, VIDEO, AND RELATED EQUIPMENT – DETERMINATION OF POWER CONSUMPTION –

Part 3: Television sets

1 Scope

This part of IEC 62087 specifies the determination of the power consumption and related characteristics of television sets. Television sets include, but are not limited to, those with ~~CRT,~~ LCD~~, PDP~~, OLED, or projection technologies.

The operating modes and functions, as they specifically apply to television sets, are defined in detail in this part of IEC 62087.

This document is limited to television sets that can be connected to an external power source. Television sets that include a non-removable, main battery are not covered by this document. Television sets ~~may~~ can include any number of auxiliary batteries.

The measuring conditions in this document represent the normal use of the equipment and ~~may~~ can differ from specific conditions, for example as specified in safety standards.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62087-1:2015, *Audio, video, and related equipment – Determination of power consumption – Part 1: General*

IEC 62087-2:~~2015~~2023, *Audio, video, and related equipment – Determination of power consumption – Part 2: Signals and media*

IEC 62301~~:2011~~, *Household electrical appliances – Measurement of standby power*

3 Terms, definitions, and abbreviated terms

For the purposes of this document, the terms and definitions given in IEC 62087-1:2015, IEC 62087-2:~~2015~~2023 and in the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

3.1 Terms and definitions

3.1.1
television set
TV
equipment for the reception and display of television broadcast and similar services for terrestrial, cable, satellite and broadband network transmission of analogue and/or digital signals

Note 1 to entry: A television set ~~may~~ can include additional functions that are not required for its ~~basic operation~~ primary function.

3.1.2
forced menu
~~configuration selection required of the user when a television set is turned on for the first time that forces the user to choose between the home configuration and the retail configuration~~

on-screen menu that requires the user to choose a configuration option when a television set is first setup or after a factory reset

Note 1 to entry: For example, a forced menu can offer the user the option to select either "Normal"/"Home" or "Retail"/"Store" configuration.

Note 2 to entry: See Figure 1.

3.1.3
normal configuration
setting intended to be chosen for home use from the forced menu

Note 1 to entry: Subclause 4.2.2 describes the selection of normal configuration from the forced menu. This configuration selection is generally named "normal", "home", "standard", or equivalent.

Note 2 to entry: See Figure 1 and 3.1.16.

3.1.4
default configuration
~~configuration for television sets without a forced menu~~

manufacturer's preset configuration for television sets without a forced menu

Note 1 to entry: See Figure 1.

3.1.5
retail configuration
forced menu selection ~~most likely to be chosen~~ intended for use in a retail environment

Note 1 to entry: Subclause 4.2.3 describes the selection of retail configuration from the forced menu. This configuration selection is generally recommended by the manufacturer for presentation in a public space when the television set is offered for sale and might be named "retail", "store", "shop", or equivalent.

Note 2 to entry: See Figure 1.

3.1.6
preset picture setting
common set of manufacturer-defined parameters which differ in their settings

Note 1 to entry: Examples of paraments of preset picture settings are brightness, contrast, colour space, chroma control.

3.1.7
selectable preset picture setting
TV picture setting that is selectable by a user from a set of manufacturer-defined picture settings

Note 1 to entry: See Figure 1.

3.1.8
default picture setting
~~out-of-the-box~~ picture setting for television sets in the ~~home~~ normal or default configuration that is highlighted, or if none is highlighted, the picture setting first available for user selection

Note 1 to entry: See Figure 1. The HDR default picture setting (if different than the default picture setting) is the one that the TV enters when HDR video is played from the starting point of the SDR default picture setting.

3.1.9
brightest selectable preset picture setting
user selectable, preset picture setting that produces the highest luminance picture in the ~~home~~ normal or default configuration

Note 1 to entry: See Figure 1.

3.1.10
overall brightest preset picture setting
~~either the~~ retail picture setting or the brightest selectable preset picture setting, whichever produces the highest luminance picture

Note 1 to entry: See Figure 1.

3.1.11
retail picture setting
~~out-of-the-box picture setting for television sets with a forced menu in the retail configuration~~

selectable preset picture setting intended for use in a retail environment

Note 1 to entry: See Figure 1.

3.1.12
motion-based dynamic dimming
MDD
television feature that adjusts luminance in response to amount of motion in the displayed image

3.1.13
special function
function that is related to, but not required for, the ~~basic operation~~ primary function of the device

Note 1 to entry: Examples of special functions include, but are not limited to, special sound processing and power-saving functions (e.g. automatic brightness control).

Note 2 to entry: Refer to the definition of television set (TV) (3.1.1) for primary function.

3.1.14
conditional access
encryption, decryption, and authorization techniques employed to protect content from unauthorized viewing

3.1.15
conditional access module
plug-in module that enables conditional access

3.1.16
plug-in module
device that plugs into television sets to provide additional functionality

3.1.17
point of deployment module
conditional access module for digital signal reception

3.1.18
CAT5e
category 5e cable
twisted pair cable used for computer networks

Note 1 to entry: See IEC 61156-5 and IEC 61156-6.

3.1.19
neutral density filter
ND filter
optical device that ~~reduces the light intensity in the visible wavelength region~~ is designed to reduce the light intensity equally over the range of visible wavelengths

3.1.20
quick-start
~~feature that, when enabled, presents sound and picture quickly when switching from Partial On mode to On mode~~

function that reduces the television set's resume time from Partial On mode to On mode

Note 1 to entry: Resume time is measured in accordance with 6.6.1.

3.1.21
colour rendering index
CRI
measure of the degree to which the psychophysical colour of an object illuminated by the test illuminant conforms to that of the same object illuminated by the reference illuminant, suitable allowance having been made for the state of chromatic adaptation

Note 1 to entry: See also CIE 13, Method of Measuring and Specifying Colour Rendering of Light Sources.

[SOURCE: IEV 845-22-109, modified – Note 2 to entry and Note 3 to entry removed]

~~**3.1.1**~~
~~**additional functions**~~
~~functions that are not required for the basic operation of the device~~

~~Note 1 to entry: Examples of additional functions include, but are not limited to, a VCR unit, a DVD unit, an HDD unit, an FM-radio unit, a memory card-reader unit, or an ambient lighting unit.~~

~~**3.1.9**~~
~~**home configuration**~~
~~forced menu selection most likely to be chosen for home use~~

~~Note 1 to entry: Subclause 4.2.2 describes the selection of home configuration from the forced menu. This configuration selection is generally named "home", "standard", or equivalent.~~

~~Note 2 to entry: See Figure 1.~~

3.2 Abbreviated terms

ABC automatic brightness control

AV audio-visual

BD Blu-ray Disc™[1]

~~CRT Cathode Ray Tube~~

DVD digital versatile disc

[1] Blu-ray Disc™ is a trade mark of the Blu-ray Disc Association. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the product named. Equivalent products may be used if they can be shown to lead to the same results.

DHCP	dynamic host configuration protocol
DVI	Digital Visual Interface
EMC	electromagnetic compatibility
FM	frequency modulation
HDD	hard disk drive
HDMI®[2]	High Definition Multimedia Interface
HDR	high dynamic range
HLG	hybrid log-gamma
IP	internet protocol
LAN	local area network
LED	light-emitting diode
LCD	liquid-crystal display
LMD	~~Luminance~~ light measuring device
LNB	low-noise block
MDD	motion-based dynamic dimming
NAT	network address translation
ND	neutral density
OLED	organic light-emitting diode
PC	personal computer
~~PDP~~	~~Plasma Display Panel~~
PQ	perceptual quantizer
RF	radio frequency
SCR	silicon-controlled rectifier
SDR	standard dynamic range
STB	set-top box
SSID	service set identifier
TV	television set
USB[3]	Universal Serial Bus
UUT	unit under test
~~VCR~~	~~Video Cassette Recorder~~
VGA	Video Graphics Array
WAN	wide area network
WCG	wide colour gamut
WLAN	wireless local area network
WOL	wake-on-LAN
WoWLAN	wake on wireless LAN
WPA	Wi-Fi protected access

[2] HDMI® and HDMI® High-Definition Multimedia Interface are registered trademarks of HDMI Licensing~~, LLC. Administrator~~, Inc.. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the product named. Equivalent products may be used if they can be shown to lead to the same results.

[3] USB Implementers Forum, Inc. takes the position that the terms "USB" and "Universal Serial Bus" are generic terms. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the product named. Equivalent products may be used if they can be shown to lead to the same results.