IEC 62196-1

Edition 5.0 2025-11

INTERNATIONAL STANDARD

COMMENTED VERSION

Plugs, socket-outlets, vehicle connectors and vehicle inlets - Conductive charging of electric vehicles -
Part 1: General requirements

ICS 29.120.30; 43.120

ISBN 978-2-8327-0904-7

IEC 62196-1:2025-11 CMV(en)

CONTENTS

FOREWORD 6
INTRODUCTION 8
1 Scope 9
2 Normative references 9
3 Terms and definitions 11
4 General 22
4.1 General requirements 22
4.2 Components 22
4.2.1 Ratings 22
4.2.2 Mechanical assembly 22
4.2.3 Current-carrying parts of incorporated components 23
4.2.4 Electrical connections 23
4.3 General notes on tests 23
5 Ratings 27
5.1 Preferred rated operating voltage ranges 27
5.2 Preferred rated currents 27
5.2.1 General 27
5.2.2 Rated current for signal or control purposes 27
5.2.3 Accessories not suitable for making and breaking an electrical circuit under load 28
5.2.4 Accessories suitable for, or not suitable for, making and breaking an electrical circuit under load 28
6 Connection between the power supply and the electric vehicle 28
6.1 Interfaces 28
6.2 Basic interface 28
6.3 DC interface 28
6.4 Combined interface 28
7 Classification of accessories 28
7.1 According to purpose 28
7.2 According to the method of connecting the conductors 28
7.3 According to serviceability 29
7.4 According to electrical operation 29
7.5 According to interface 29
7.6 According to locking facilities 29
7.7 According to interlock facilities 29
7.8 According to the presence of shutter(s) 29
8 Marking 29
9 Dimensions 32
10 Protection against electric shock 33
10.1 General 33
10.2 Accessories with shutters 33
10.3 Contact sequencing and order of contact insertion and withdrawal 36
10.4 Misassembly 37
11 Size and colour of protective earthing and neutral conductors 37
12 Provisions for earthing 38
13 Terminals 40

13.1 Common requirements 40
13.2 Screw-~~type~~ terminals 42
13.3 Mechanical tests on terminals 44
14 Interlocks 47
14.1 Accessories with interlock 47
14.2 Accessories with integral switching device 55
14.3 Control circuit devices and switching elements 56
14.4 Pilot contacts and auxiliary circuits 56
15 Resistance to ageing of rubber and thermoplastic material 56
16 General construction 56
17 Construction of EV socket-outlets ~~— General~~ 61
18 Construction of EV plugs and vehicle connectors 61
19 Construction of vehicle inlets 62
20 Degrees of protection 63
21 Insulation resistance and dielectric strength 65
22 Breaking capacity 66
23 Normal operation 69
23.1 Mechanical, electrical, and thermal stresses and contaminants 69
23.2 Load endurance test 69
23.3 No-load endurance test 70
23.4 Lid springs 71
24 Temperature rise 71
25 Flexible cables and their connection 74
25.1 Strain relief 74
25.2 Requirements for EV plugs and vehicle connectors 74
25.2.1 Non-rewirable EV plugs and vehicle connectors 74
25.2.2 Rewirable EV plugs and vehicle connectors 74
25.3 EV plugs and vehicle connectors provided with a flexible cable 75
25.4 Cables 76
26 Mechanical strength 76
26.1 General 76
26.2 Ball impact 77
26.3 Drop test 79
26.4 Flexing test 80
26.5 Cable gland test 81
26.6 Shutters 82
26.7 Insulated end caps 82
26.7.1 General 82
26.7.2 Insulated end caps – Change of temperature test 83
26.7.3 Insulated end caps – Pull test 83
27 Screws, current-carrying parts and connections 83
28 Creepage distances, clearances and distances through sealing compound 86
29 Resistance to heat and to fire 87
30 Corrosion and resistance to rusting 88
31 Conditional short-circuit current 89
31.1 General 89

31.2 Ratings and test conditions 89
31.3 Test circuit 90
31.4 Calibration 94
31.5 Test procedure 94
31.6 Behaviour of the equipment under test 94
31.7 Acceptance conditions 94
32 Electromagnetic compatibility 94
32.1 Immunity 94
32.2 Emission 94
33 Vehicle drive over 94
34 Thermal cycling 95
34.1 General 95
34.2 Initial temperature rise test 95
34.3 Thermal cycling test 96
34.4 Final temperature rise test 96
35 Humidity exposure 96
35.1 General 96
35.2 Initial temperature rise test 96
35.3 Humidity test 96
35.4 Final temperature rise test 97
36 Misalignment 97
36.1 General 97
36.2 Samples 97
36.3 Misalignment test 98
37 Contact endurance test 100
37.1 Equipment 100
37.2 Test sequence 101
37.3 Compliance 102
Annex A (normative) Standard sheets for test gauges in 14.1.9 104
Annex B (informative) EV accessories directly connected to printed circuit boards (PCBs) 108
B.1 General 108
B.2 Terminals 108
B.2.1 General 108
B.2.2 Accessories intended to be directly connected to PCBs 108
B.3 Temperature rise 109
Bibliography 110
List of comments 113

Figure 1 – Diagram showing the use of the accessories 12
Figure 2 – Lug terminals 16
Figure 3 – Mantle terminals 16
Figure 4 – Pillar terminals 17
Figure 5 – Saddle terminals 19
Figure 6 – Screw terminals 19
Figure 7 – Stud terminals 20
Figure 8 – Test piston 32

Figure 9 – Gauge "A" for checking shutters 34
Figure 10 – Gauge "B" for checking shutters 35
Figure 11 – Gauges for testing insertability of round unprepared conductors having the maximum specified cross-section 43
Figure 12 – Equipment test arrangement 45
Figure 13 – Apparatus for checking the withdrawal force 50
Figure 14 – Verification of the latching device 51
Figure 15 – Apparatus for checking the maximum force (F2) exerted by the retaining means 53
Figure 16 – Test gauge "vehicle inlet" and test arrangement in mated position for checking retaining means zone 54
Figure 17 – Example of an apparatus for checking the proper functioning of the latching device 55
Figure 18 – Nomenclature for a mounted vehicle inlet 64
Figure 19 – Circuit diagrams for breaking capacity and normal operation tests 68
Figure 20 – Example of points of measurement for DUT containing pin contacts 73
Figure 21 – Apparatus for testing the cable anchorage 75
Figure 22 – Ball impact test 77
Figure 23 – Arrangement for mechanical strength test for EV plugs and vehicle connectors 79
Figure 24 – Apparatus for flexing test 81
Figure 25 – Diagram of the test circuit for the verification of short-circuit current withstand of two-pole equipment on a single-phase AC or DC 91
Figure 26 – Diagram of the test circuit for the verification of short-circuit current withstand of three-pole equipment 92
Figure 27 – Diagram of the test circuit for the verification of short-circuit current withstand of four-pole equipment 93
Figure 28 – Overview of the mechanical load test 98
Figure 29 – Application of external mechanical load (mounted according to Figure 28) 99
Figure 30 – Temperature rise criteria under external mechanical load 100
Figure 31 – Forced-air circulating oven 101
Figure 32 – Thermal cycling 102
Figure 33 – Pass/fail based on temperature rise criteria 103

Table 1 – Test sequence A 25
Table 2 – Parallel testing 26
Table 3 – Size for conductors 37
Table 4 – Short-time test currents 39
Table 5 – Values for flexing under mechanical load test 46
Table 6 – Value for terminal pull test 47
Table 7 – Interlock testing 48
Table 8 – Withdrawal force with respect to ratings 51
Table 9 – External force values for tests 55
Table 10 – Cable length used to determine pull force on retaining means 58
Table 11 – Test voltage for dielectric strength test 66
Table 12 – Breaking capacity 67

Table 13 – Normal operation 69
Table 14 – Test current and nominal cross-sectional areas of copper conductors for temperature rise test 72
Table 15 – Pull force and torque test values for cable anchorage 76
Table 16 – Summary of mechanical tests 77
Table 17 – Impact energy for ball impact test 78
Table 18 – Mechanical load flexing test 80
Table 19 – Torque test values for glands 82
Table 20 – Pulling force on insulated end caps 83
Table 21 – Tightening torque for verification of mechanical strength of screw-type terminals 84
Table B.1 – Standards for connecting methods 108

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

Plugs, socket-outlets, vehicle connectors and vehicle inlets - Conductive charging of electric vehicles - Part 1: General requirements

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This commented version (CMV) of the official standard IEC 62196-1:2025 edition 5.0 allows the user to identify the changes made to the previous IEC 62196-1:2022 edition 4.0. Furthermore, comments from IEC SC 23H experts are provided to explain the reasons of the most relevant changes, or to clarify any part of the content.

A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text. Experts' comments are identified by a blue-background number. Mouse over a number to display a pop-up note with the comment.

This publication contains the CMV and the official standard. The full list of comments is available at the end of the CMV.

IEC 62196-1 has been prepared by IEC subcommittee 23H: Plugs, socket-outlets and couplers for industrial and similar applications, and for electric vehicles, of IEC technical committee 23: Electrical accessories. It is an International Standard.

This fifth edition cancels and replaces the fourth edition published in 2022. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) addition of new tests for latching devices and retaining means;

b) inclusion of type 4 accessories.

The text of this International Standard is based on the following documents:

Draft	Report on voting
23H/579/FDIS	23H/586/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

Subsequent parts of IEC 62196 deal with the requirements of particular types of accessories. The clauses of those particular requirements supplement or modify the corresponding clauses in this document.

In this document, the following print types are used:

– requirements proper: in roman type;

– *test specifications: in italic type*;

– notes: in smaller roman type.

A list of all parts in the IEC 62196 series, published under the general title *Plugs, socket-outlets, vehicle connectors and vehicle inlets - Conductive charging of electric vehicles*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

– reconfirmed,

– withdrawn, or

– revised.

INTRODUCTION

The IEC 61851 series specifies requirements for electric vehicle (EV) conductive charging systems.

The IEC 62196 series specifies the requirements for plugs, socket-outlets, vehicle connectors, vehicle inlets and cable assemblies as described in the IEC 61851 series and in IEC 62752.

~~Some charging can be achieved by direct connection from an electric vehicle to standard socket-outlets connected to a supply network (mains or electrical grid).~~

~~Some modes of charging require a dedicated supply and charging equipment incorporating control and communication circuits.~~

~~IEC 62196 (all parts) covers the mechanical, electrical and performance requirements for plugs, socket-outlets, vehicle connectors and vehicle inlets for the connection between the EV supply equipment and the electric vehicle.~~

In some situations, a cable assembly is used to directly connect an electric vehicle to a standard socket-outlet connected to a supply network (mains or electrical grid). In other situations, the electric vehicle is connected to a supply network through EV supply equipment that incorporates control and communication circuits. The IEC 62196 series covers the mechanical, electrical and performance requirements for

– vehicle connectors and vehicle inlets for the direct connection between an electric vehicle and a standard socket-outlet, and
– EV plugs, EV socket-outlets, vehicle connectors and vehicle inlets for the connection between the EV supply equipment and the electric vehicle.

The IEC 62196 series consists of the following parts:

– IEC 62196-1: General requirements, comprising clauses of a general character;
– IEC 62196-2: Dimensional compatibility ~~and interchangeability~~ requirements for AC pin and contact-tube accessories;
– IEC 62196-3: Dimensional compatibility ~~and interchangeability~~ requirements for DC and AC/DC pin and contact-tube vehicle couplers;
~~– Part 3-1: Vehicle connector, vehicle inlet and cable assembly intended to be used with a thermal management system for DC charging.~~
– IEC TS 62196-4[1]: Dimensional compatibility and interchangeability requirements for DC pin and contact-tube accessories for class II or class III applications;
– IEC 62196-6: Dimensional compatibility ~~and interchangeability~~ requirements for DC pin and contact-tube vehicle couplers intended to be used for ~~applications using a system of protective~~ DC EV supply equipment where protection relies on electrical separation.
– IEC TS 62196-7[2]: Vehicle adapter.

~~1 Pending publication.~~

2 Under preparation. Stage at the time of publication: IEC TS/ADTS 62196-7:2025.

1 Scope

This part of IEC 62196 is applicable to EV plugs, EV socket-outlets, vehicle connectors, vehicle inlets, herein referred to as "accessories", and to cable assemblies for electric vehicles (EV) intended for use in conductive charging systems which incorporate control means, with a rated operating voltage not exceeding

– 690 V AC 50 Hz to 60 Hz, at a rated current not exceeding 250 A, and
– 1 500 V DC at a rated current not exceeding 800 A.

These accessories and cable assemblies are intended to be installed by instructed persons (IEV 195-04-02) or skilled persons (IEV 195-04-01) only.

These accessories and cable assemblies are intended to be used for circuits specified in the IEC 61851 series, which operate at different voltages and frequencies, and which can include extra-low voltage circuits, such as control and communication ~~signals~~ circuits.

These accessories and cable assemblies are ~~intended~~ anticipated to be used at an ambient temperature between −30 °C and +40 °C.

NOTE 1 In some countries, other requirements can apply.

NOTE 2 In the following country, −~~35~~40 °C applies: SE.

NOTE 3 The manufacturer can enlarge the temperature range on the condition that the specified range information is provided.

These accessories are intended to be connected only to cables with copper or copper-alloy conductors.

The accessories covered by this document are intended for use in electric vehicle supply equipment in accordance with IEC 61851 (all parts). **1**

This document does not apply to standard plugs and standard socket-outlets used for mode 1 and mode 2 according to IEC 61851-1:2017, 6.2.

NOTE 4 In the following countries, mode 1 is not allowed: UK, US, CA, SG.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-14, *Environmental testing - Part 2-14: Tests - Test N: Change of temperature*

IEC 60068-2-20, *Environmental testing - Part 2-20: Tests - Test Ta and Tb: Test methods for solderability and resistance to soldering heat of devices with leads*

IEC 60068-2-30, *Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)*

IEC 60112, *Method for the determination of the proof and the comparative tracking indices of solid insulating materials*

IEC 60227 (all parts), *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V*

IEC 60228:~~2004~~2023, *Conductors of insulated cables*

IEC 60245-4, *Rubber insulated cables - Rated voltages up to and including 450/750 V - Part 4: Cords and flexible cables*

IEC 60269-1, *Low-voltage fuses - Part 1: General requirements*

IEC 60269-2, *Low-voltage fuses - Part 2: Supplementary requirements for fuses for use by authorized persons (fuses mainly for industrial application) - Examples of standardized systems of fuses A to K*

IEC 60309-4:2021, *Plugs, fixed or portable socket-outlets and appliance inlets for industrial purposes - Part 4: Switched socket-outlets with or without interlock*

IEC 60352-5, *Solderless connections - Part 5: Press-in connections - General requirements, test methods and practical guidance*

IEC 60417, *Graphical symbols for use on equipment*, available at http://www.graphical-symbols.info/equipment

IEC 60529:1989, *Degrees of protection provided by enclosures (IP code)*
IEC 60529:1989/AMD1:1999
IEC 60529:1989/AMD2:2013

IEC 60664-1:2020, *Insulation coordination for equipment within low-voltage supply systems - Part 1: Principles, requirements and tests*

IEC 60664-3, *Insulation coordination for equipment within low-voltage systems - Part 3: Use of coating, potting or moulding for protection against pollution*

IEC 60695-2-11, *Fire hazard testing - Part 2-11: Glowing/hot-wire based test methods - Glow-wire flammability test method for end products (GWEPT)*

IEC 60695-10-2, *Fire hazard testing - Part 10-2: Abnormal heat - Ball pressure test method*

IEC 60947-3~~:2020~~, *Low-voltage switchgear and controlgear - Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units*

IEC 60947-5-1, *Low-voltage switchgear and controlgear - Part 5-1: Control circuit devices and switching elements - Electromechanical control circuit devices*

IEC 61032:1997, *Protection of persons and equipment by enclosures - Probes for verification*

IEC 61058-1:2016, *Switches for appliances - Part 1: General requirements*

IEC 61851-1:2017, *Electric vehicle conductive charging system - Part 1: General requirements*

IEC 61851-23:~~—[3]~~2023, *Electric vehicle conductive charging system - Part 23: DC electric vehicle supply equipment*

~~[3] Second edition under preparation. Stage at the time of publication: IEC PRVC 61851-23:2022.~~

IEC 62196-2:~~2022~~2025, *Plugs, socket-outlets, vehicle connectors and vehicle inlets - Conductive charging of electric vehicles - Part 2: Dimensional compatibility requirements for AC pin and contact-tube accessories*

IEC 62196-3:~~2022~~—, *Plugs, socket-outlets, vehicle connectors and vehicle inlets - Conductive charging of electric vehicles - Part 3: Dimensional compatibility requirements for DC and AC/DC pin and contact-tube vehicle couplers*[4]

IEC 62752, *In-cable control and protection device (IC-CPD) for mode 2 charging of electric road vehicles*

~~ISO 1456, *Metallic and other inorganic coatings – Electrodeposited coatings of nickel, nickel plus chromium, copper plus nickel and of copper plus nickel plus chromium*~~

~~ISO 2081, *Metallic and other inorganic coatings – Electroplated coatings of zinc with supplementary treatments on iron or steel*~~

~~ISO 2093, *Electroplated coatings of tin – Specification and test methods*~~

ISO 12103-1, *Road vehicles - Test contaminants for filter evaluation - Part 1: Arizona test dust*

ISO 4521:2008, *Metallic and other inorganic coatings - Electrodeposited silver and silver alloy coatings for engineering purposes - Specification and test methods*

ISO 5474 (all parts), *Electrically propelled road vehicles - Functional and safety requirements for power transfer between vehicle and external electric circuit*

4 Under preparation. Stage at the time of publication: IEC/AFDIS 62196-3:2025.