IEC 62282-4-102

Edition 2.0 2022-12

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Fuel cell technologies –
Part 4-102: Fuel cell power systems for electrically powered industrial trucks – Performance test methods

Technologies des piles à combustible –
Partie 4-102: Systèmes à piles à combustible pour chariots de manutention électriques – Méthodes d'essai des performances



IEC 62282-4-102:2022-12(en-fr)



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC
La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC
Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform
La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, …). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished
Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc
Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org
Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

IEC 62282-4-102

Edition 2.0 2022-12

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Fuel cell technologies –
Part 4-102: Fuel cell power systems for electrically powered industrial trucks – Performance test methods

Technologies des piles à combustible –
Partie 4-102: Systèmes à piles à combustible pour chariots de manutention électriques – Méthodes d'essai des performances

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 27.070

ISBN 978-2-8322-6175-0

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

® Registered trademark of the International Electrotechnical Commission
Marque déposée de la Commission Electrotechnique Internationale

CONTENTS

FOREWORD 5
INTRODUCTION 7
1 Scope 8
2 Normative references 9
3 Terms and definitions 9
4 Symbols 11
5 Standard conditions 13
6 Heating value base 13
7 Test preparation 13
7.1 General 13
7.2 Data acquisition plan 14
8 Test set-up 14
9 Instruments and measurement methods 15
9.1 General 15
9.2 Measurement instruments 15
9.3 Measurement points 16
9.4 Minimum required measurement systematic uncertainty 17
10 Test conditions 17
10.1 Laboratory conditions 17
10.2 Installation and operating conditions of the system 17
10.3 Indication of battery condition 17
10.4 Determination of state of charge of the battery 18
10.5 Quality of test fuel 18
10.5.1 Hydrogen 18
10.5.2 Methanol solution 18
11 Fuel consumption test 18
11.1 Hydrogen fuel consumption test 18
11.1.1 General 18
11.1.2 Test method 18
11.1.3 Calculation of results 19
11.2 Methanol fuel consumption test 21
11.2.1 General 21
11.2.2 Test method 21
11.2.3 Calculation of average methanol fuel power input 21
12 Electric power output test 22
12.1 General 22
12.2 Test method 22
12.3 Calculation of average electric power output 22
12.4 Computation of electric efficiency 22
13 Type tests on operational performance 23
13.1 Maximum power output test 23
13.1.1 General 23
13.1.2 Test method 23
13.1.3 Processing of data 23
13.2 Power cycling electric load test 23

13.2.1 General 23
13.2.2 Test method 23
13.2.3 Processing of data 23
13.3 Accessory load voltage spike test 24
13.3.1 General 24
13.3.2 Test method 24
13.3.3 Processing of data 24
14 Power stability under operation 24
14.1 General 24
14.2 Delivered power 24
14.3 Regenerated power 25
15 Type tests on environmental performance 25
15.1 General 25
15.2 Noise test 25
15.2.1 General 25
15.2.2 Test conditions 26
15.2.3 Test method 27
15.2.4 Processing of data 27
15.3 Exhaust gas test 27
15.3.1 General 27
15.3.2 Components to be measured 27
15.3.3 Test method 28
15.3.4 Processing of data 28
15.4 Discharge water test 30
15.4.1 General 30
15.4.2 Test method 30
16 Test reports 31
16.1 General 31
16.2 Title page 31
16.3 Table of contents 31
16.4 Summary report 31
16.5 Checklist for performance parameters 31
Annex A (informative) Heating values for hydrogen and methanol at standard conditions 32
Annex B (informative) Guidelines for the contents of detailed and full reports 33
B.1 General 33
B.2 Detailed report 33
B.3 Full report 33
Annex C (informative) Checklist for performance criteria dealt with in this document 34
Bibliography 37

Figure 1 – Fuel cell power systems for electrically powered industrial trucks 9
Figure 2 – Example of a test set-up for hydrogen fuel 14
Figure 3 – Example of a test set-up for methanol fuel 15
Figure 4 – Energy flow for regenerated power and delivered power 24
Figure 5 – Noise measurement points for fuel cell power systems 26

Table 1 – Symbols and their meanings for electric and thermal performance 11
Table 2 – Symbols and their meanings for environmental performance 12
Table 3 – Delivered power measurements 25
Table 4 – Regenerated power measurements 25
Table 5 – Correction values corresponding to the effect of background noise 27
Table A.1 – Heating values for hydrogen and methanol at standard conditions 32

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

FUEL CELL TECHNOLOGIES –

Part 4-102: Fuel cell power systems for electrically powered industrial trucks – Performance test methods

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62282-4-102 has been prepared by IEC technical committee 105: Fuel cell technologies. It is an International Standard.

This second edition cancels and replaces the first edition published in 2017. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) alignment of the Scope with the second edition of IEC 62282-4-101:2022;
b) deletion of terms and definitions (previous entries 3.5, 3.10, and 3.15);
c) addition of new terms in Clause 3: "delivered power" (3.13) and "regenerated power" (3.14);
d) revision of symbols and their meanings in alignment with those of IEC 62282-3-201;
e) replacement of "reference conditions" with "standard conditions" as seen in Clause 5;
f) revision of the test method for the accessory load voltage spike test (13.3.2);

g) addition of clarifications in Clause 14 (Power stability under operation);

h) addition of a checklist for performance criteria dealt with in this document (Annex C).

The text of this International Standard is based on the following documents:

Draft	Report on voting
105/947/FDIS	105/954/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 62282 series, published under the general title *Fuel cell technologies*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

This part of IEC 62282-4 provides consistent and repeatable test methods for the electric, thermal and environmental performance of fuel cell power systems for electrically powered industrial trucks.

The IEC 62282-4 series deals with categories such as safety, performance, and interchangeability of fuel cell power systems for propulsion other than road vehicles and auxiliary power units (APUs). This document (IEC 62282-4-102) focuses on performance test methods for fuel cell power systems used to drive industrial electric trucks, which are being manufactured and used increasingly worldwide. This is because such applications are urgently needed in the world.

This part of IEC 62282-4 describes type tests and their test methods only. No routine tests are required or identified, and no performance targets are set in this document.

Fuel cell systems used in electrically powered industrial trucks, such as forklift trucks, use both batteries and fuel cells, and so operate in several different modes. Similarly, forklift trucks operate in different modes. The purpose of this document is to evaluate the fuel cell system in the various combinations of fuel cell modes and forklift truck modes. This document breaks down these different modes and provides a framework for designing and evaluating a fuel cell system for use specifically in a forklift truck.

This part of IEC 62282-4 is intended to be used by either manufacturers of fuel cell power systems used for electrically powered industrial trucks or those who evaluate the performance of the systems used in them for certification purposes or both.

Users of this document can select and perform the tests they need from those described. This document is not intended to exclude any other tests.

FUEL CELL TECHNOLOGIES –

Part 4-102: Fuel cell power systems for electrically powered industrial trucks – Performance test methods

1 Scope

This part of IEC 62282 specifies the performance test methods of fuel cell power systems for propulsion and auxiliary power units (APU). This document covers fuel cell power systems for propulsion other than those for road vehicles.

This document covers the performance test methods of fuel cell power systems intended to be used for electrically powered industrial trucks as defined in ISO 5053-1, except for:

– rough-terrain trucks;
– non-stacking low-lift straddle carrier;
– stacking high-lift straddle carrier;
– rough-terrain variable-reach truck;
– slewing rough-terrain variable-reach truck;
– variable-reach container handler;
– pedestrian propelled trucks.

This document applies to gaseous hydrogen-fuelled fuel cell power systems and direct methanol fuel cell power systems for electrically powered industrial trucks. The following fuels are considered within the scope of this document:

– gaseous hydrogen, and
– methanol.

This document covers the fuel cell power system as defined in 3.7 and Figure 1.


This document applies to DC type fuel cell power systems, with a rated output voltage not exceeding DC 150 V for indoor and outdoor use.

This document covers fuel cell power systems whose fuel source container is permanently attached to either the industrial truck or the fuel cell power system.

All systems with integrated energy storage systems are covered by this document. This includes systems such as batteries for internal recharges or recharged from an external source.

The following are not included in the scope of this document:

– detachable type fuel source containers;
– hybrid trucks that include an internal combustion engine;
– reformer-equipped fuel cell power systems;
– fuel cell power systems intended for operation in potentially explosive atmospheres;
– fuel storage systems using liquid hydrogen.



Key

EMD electromagnetic disturbance

EMI electromagnetic interference

NOTE A fuel cell power system can contain all or some of the above components.

Figure 1 – Fuel cell power systems for electrically powered industrial trucks

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62282-6-300:2012, *Fuel cell technologies – Part 6-300: Micro fuel cell power systems – Fuel cartridge interchangeability*

ISO 6798-1, *Reciprocating internal combustion engines – Measurement of sound power level using sound pressure – Part 1: Engineering method*

ISO 6798-2, *Reciprocating internal combustion engines – Measurement of sound power level using sound pressure – Part 2: Survey method*

ISO 14687, *Hydrogen fuel quality – Product specification*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

3.1
noise level
sound pressure level produced by the fuel cell power system measured at a specified distance in all operation modes

Note 1 to entry: Noise level is expressed in decibels (dB) and measured as described in 15.2.

3.2
background noise level
sound pressure level of ambient noise at the measurement point

3.3
battery
electrochemical energy storage device that either provides energy input to support parasitic loads or provides electric energy output or both

Note 1 to entry: Back-up batteries for control software memory and similar applications are not included.

3.4
cold state
state of a fuel cell power system at ambient temperature with no power input or output

[SOURCE: IEC 60050-485:2020, 485-21-01]

3.5
discharge water
water discharged from the fuel cell power system including waste water and condensate

Note 1 to entry: Discharge water does not constitute part of a thermal recovery system.

3.6
fuel cell system electric efficiency
ratio of the average electric power output of a fuel cell power system for a given duration to the average fuel power fed to the same fuel cell power system for the same duration

3.7
fuel cell power system
generator system that uses one or more fuel cell modules to generate electric power and heat

Note 1 to entry: The fuel cell power system for use with industrial trucks will be in one of the forms as outlined in IEC 62282-4-101:2022, 3.9 and 3.10.

[SOURCE: IEC 60050-485:2020, 485-09-01, modified – Note 1 to entry has been added.]

3.8
fuel input
amount of hydrogen or methanol supplied to the fuel cell power system

3.9
fuel consumption
volume or mass of fuel consumed by the fuel cell power system under specified operating conditions

3.10
minimum electric power output
minimum power output, at which a fuel cell power system is able to operate continuously at a steady state

3.11
rated power
maximum continuous electric power output that a fuel cell power system is designed to achieve under normal operating conditions specified by the manufacturer

[SOURCE: IEC 60050-485:2020, 485-14-04, modified – Note 1 to entry has been deleted.]

3.12
test duration
time interval in which data points required for the computation of test results are recorded

3.13
delivered power
current and voltage delivery requirements of the industrial truck at various intervals as necessary in order to maintain acceptable truck performance

3.14
regenerated power
electro-dynamic power in which the energy produced by the motors is fed into the contact line or into energy storage on-board devices

Note 1 to entry: Examples of storage devices: batteries, flywheels.

[SOURCE: IEC 60050-811:2017, 811-06-25, modified – The term "regenerative braking" has been replaced with "regenerated power" and in the definition "braking" has been replaced with "power".]

4 Symbols

The symbols and their meanings used in this document are given in Table 1 for electric and thermal performance and in Table 2 for environmental performance, with the appropriate units.

Table 1 – Symbols and their meanings for electric and thermal performance

Symbol	Definition	Unit
$\boldsymbol{M, m}$	**Molar mass, mass**	
M_f	Molar mass of fuel	kg/mol
m_f	Fuel mass measured over the test duration	kg
$\boldsymbol{p}$	**Pressure**	
p_s	Standard pressure (101,325 kPa (abs))	kPa (abs)
p_f	Average fuel pressure	kPa (abs)
$\boldsymbol{P}$	**Power**	
P_n	Average net electric power output	kW
P_{fin}	Average fuel power input	kJ/s
$\boldsymbol{E}$	**Input energy**	
E_{mf}	Input energy of fuel per mass	kJ/kg
E_{vf}	Input energy of fuel per volume	kJ/l
E_{fin}	Total fuel input energy	kJ
$\boldsymbol{q_m}$	**Mass flow rate**	
q_{mf}	Average mass flow rate of fuel under the test conditions	kg/s