INTERNATIONAL STANDARD

IEC 62328-2

First edition
2005-07

Multimedia home server systems – Interchangeable volume/file structure adaptation for broadcasting receivers –

Part 2: General recording structure

© IEC 2005 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch

Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE XC

For price, see current catalogue

CONTENTS

FOREWORD 6
INTRODUCTION 8
1 Scope 9
2 Normative references 9
3 Definitions 9
4 Abbreviations 10
5 Notation 11
5.1 Numerical values 11
6 General 12
6.1 Generic timestamp (GTS) 12
6.2 Timestamp on AV stream (TSAVS) 14
6.3 Duration 15
6.4 Dstring[n] 15
6.5 Generic pointer position format 16
6.6 Generic thumbnail pointer format 17
6.7 Mark entry format 20
7 File and directory 24
7.1 Composition of directories 24
7.2 File composition of the RT_TVRS directory 51
7.3 Location indication rule 76
7.4 Naming rule 76

Annex A (normative) Main TS stream file structure and its allocation 78
Annex B (informative) Location notation example 81
Annex C (informative) Relationship between pointer and stream 82
Annex D (informative) Example of an external thumbnail file structure 86

Bibliography 89

Figure 1 – File structure 25
Figure 2 – PROG_SET.MGR 38
Figure 3 – EXT_PS.MGR 45
Figure 4 – RT_TVRS directory 51
Figure 5 – Structure of PROGxxxx.PIF 51
Figure 6 – Structure of programme information 53
Figure 7 – Examples of files and directories 77
Figure A.1 – Transport stream packet 78
Figure A.2 – Recording packet 78
Figure A.3 – Aligned unit 78
Figure A.4 – Allocation unit 79
Figure A.5 – Structure of TYPE1 RP header 79
Figure A.6 – Structure of TYPE2 RP header 80

Figure C.1 – Access unit point of video ES 82
Figure C.2 – Access unit point of recording packet 83
Figure C.3 – Module access unit point 83
Figure C.4 – Recording data packet access unit point 84
Figure C.5 – Relationship between mark point and AV stream 85
Figure D.1 – External thumbnail file structure 86

Table 1 – Structure of GTS 12
Table 2 – Structure of TTZ 12
Table 3 – Structure of EI 13
Table 4 – Day-of-week interpretation 13
Table 5 – Structure of TSAVS 14
Table 6 – Structure of AVTS 14
Table 7 – Frame rate interpretation 14
Table 8 – Structure duration 15
Table 9 – Structure of Dstring[n] 15
Table 10 – Interpretation of character set 16
Table 11 – Structure of GPPF 16
Table 12 – Structure of BASEP 16
Table 13 – Block_Length interpretation 17
Table 14 – Structure of LGTPF 17
Table 15 – Structure of TTYPE 18
Table 16 – Thumbnail compression type interpretation 18
Table 17 – Structure of SGTPF 19
Table 18 – Structure of LMEF 20
Table 19 – Mark type interpretation 21
Table 20 – Structure of FLMEF 21
Table 21 – Structure of PIDPLUS 22
Table 22 – PID_Type interpretation 23
Table 23 – Structure of SMEF 23
Table 24 – Structure of PGR 25
Table 25 – Structure of VER 26
Table 26 – Structure of PGRTYPE 26
Table 27 – Structure of PGRSA 29
Table 28 – PGR specific area TYPE interpretation 29
Table 29 – Structure of TYPE1 PGRSA 30
Table 30 – Structure of FL1 30
Table 31 – Structure of TYPE 2 PGRSA 31
Table 32 – Structure of FL2 32
Table 33 – TSI type interpretation 32
Table 34 – Structure of TYPE3 PGRSA 34
Table 35 – Structure of PGRG 34
Table 36 – Structure of VER 35

Table 37 – Structure of PGRGTYPE 35
Table 38 – Structure of RMETYPE 37
Table 39 – Structure of PGRGSA 37
Table 40 – PGRG specific area TYPE interpretation 37
Table 41 – Structure of TYPE1 PGRGSA 38
Table 42 – Structure of PROG_SET.MGR 39
Table 43 – Structure of user interface entry information 39
Table 44 – PGR general information 40
Table 45 – Structure of PGRGIF 40
Table 46 – PGRG general information 41
Table 47 – Structure of PGRGGIF 41
Table 48 – Structure of PGReferences 43
Table 49 – Structure of PGRGroups 43
Table 50 – Structure of PGRG_xxxxxxxx stream file 44
Table 51 – Structure of FLPGRG 44
Table 52 – Structure of EXT_PS.MGR 45
Table 53 – Structure EI 46
Table 54 – File type of structure EI 47
Table 55 – Structure of FLEI 47
Table 56 – Structure of EISA 48
Table 57 – Extended info TYPE interpretation 48
Table 58 – Structure of TYPE1 EISA 48
Table 59 – Structure of MetaDataTable 49
Table 60 – Structure of MDE 49
Table 61 – MDE TYPE interpretation 49
Table 62 – Structure of MarkTable 50
Table 63 – Structure of programme management header 52
Table 64 – Structure of programme general information 53
Table 65 – Programme identification type interpretation 53
Table 66 – Recorded stream type interpretation 54
Table 67 – Service type interpretation 54
Table 68 – Structure of FLPGI 54
Table 69 – Structure of broadcasting TV programme information 55
Table 70 – BTVPI TYPE interpretation 55
Table 71 – Structure of recording information 56
Table 72 – Structure of component information 56
Table 73 – COMPI TYPE interpretation 56
Table 74 – Structure of time search information 57
Table 75 – Structure of TSIF 57
Table 76 – Structure of ACUIE 58
Table 77 – Structure of FLACUIE 59
Table 78 – Structure of PIDPLUS2 59

Table 79 – PID_Type Interpretation 59
Table 80 – Structure of ALUIE 60
Table 81 – Structure of TUIE 60
Table 82 – Structure of license information 61
Table 83 – Structure of LIF 61
Table 84 – Rights management specification identifier interpretation 62
Table 85 – Cipher algorithm interpretation 62
Table 86 – Structure of CASTYPE 62
Table 87 – Key length interpretation 63
Table 88 – TYPE 1 interpretation 63
Table 89 – Encrypted area on AV stream interpretation 63
Table 90 – CBC type interpretation 64
Table 91 – Structure of other information 65
Table 92 – Structure of OIF 65
Table 93 – Structure of AccessUnitInfo stream file 66
Table 94 – Structure of ACUE 66
Table 95 – Structure of ACUTP 67
Table 96 – PTYPE interpretation 67
Table 97 – Structure of AllocationUnitInfo stream file 68
Table 98 – Structure of ALUE 68
Table 99 – Structure of TimeUnitInfo stream file 68
Table 100 – Structure of TUE 69
Table 101 – Structure of CipherInfo stream file 69
Table 102 – Structure of CIF 69
Table 103 – LETYPE interpretation 70
Table 104 – Structure of LERE 70
Table 105 – Structure of LFLAG 71
Table 106 – Structure of IndexInfo stream file 72
Table 107 – Structure of IERE 73
Table 108 – Structure of DataInfo stream file 73
Table 109 – Structure DCE 74
Table 110 – Structure of *UDF_LICENSE stream file 74
Table 111 – Structure LR 75
Table D.1 – Structure of header 86
Table D.2 – Structure of ETFL 87
Table D.3 – Structure of thumbnail 87
Table D.4 – Structure of FMT 87
Table D.5 – DataType interpretation 88

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

MULTIMEDIA HOME SERVER SYSTEMS – INTERCHANGEABLE VOLUME/FILE STRUCTURE ADAPTATION FOR BROADCASTING RECEIVERS –

Part 2: General recording structure

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62328-2 has been prepared by IEC technical committee 100: Audio, video and multimedia systems and equipment.

The text of this standard is based on the following documents:

FDIS	Report on voting
100/964A/FDIS	100/988/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 62328 consists of the following parts, under the general title *Multimedia home server systems – Interchangeable volume/file structure adaptation for broadcasting receivers*:

Part 1: General description and architecture

Part 2: General recording structure

Part 3: Broadcasting system specific recording structure - ISDB

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

Broadcast data in a transport stream can contain multiple associated objects. When that data is distributed on interchangeable storage media, for example, optical disks, the associated objects should be synchronized. Open distribution of the media requires that the data be adapted to a standardized volume and file structure, which should conform to the existing basic volume and file structure.

MULTIMEDIA HOME SERVER SYSTEMS – INTERCHANGEABLE VOLUME/FILE STRUCTURE ADAPTATION FOR BROADCASTING RECEIVERS –

Part 2: General recording structure

1 Scope

This part of IEC 62328 defines the volume and file structure required for interchanging multimedia data of a home server/broadcasting receiver, which consists of an AV stream with multiple associated objects.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62328-1: *Multimedia home service systems – Interchangeable volume/file structure adaptation for broadcasting receivers – Part 1: General description and architecture*

IEC 62328-3: *Multimedia home service systems – Interchangeable volume/file structure adaptation for broadcasting receivers – Part 3: Broadcasting system specific recording structure – ISDB*

ISO/IEC 646:1991, *Information technology – ISO 7-bit coded character set for information interchange*

ISO/IEC 10918-1:1994, *Information technology – Digital compression and coding of continuous-tone still images: Requirements and guidelines*

ISO/IEC 13818-2:2000, *Information technology – Generic coding of moving pictures and associated audio information: Video*