IEC 62541-22

Edition 1.0 2025-12

# INTERNATIONAL STANDARD

**OPC unified architecture –**
**Part 22: Base Network Model**

ICS 25.040

ISBN 978-2-8327-0877-4

IEC 62541-22:2025-12(en)

**THIS PUBLICATION IS COPYRIGHT PROTECTED**
**Copyright © 2025 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

**About the IEC**
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About IEC publications**
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

**IEC publications search - webstore.iec.ch/advsearchform**
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - webstore.iec.ch/justpublished**
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

**IEC Customer Service Centre - webstore.iec.ch/csc**
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

**IEC Products & Services Portal - products.iec.ch**
Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

**Electropedia - www.electropedia.org**
The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

**Warning! Make sure that you obtained this publication from an authorized distributor.**

# CONTENTS

FOREWORD ..... 4
1 Scope ..... 6
2 Normative references ..... 7
3 Terms, definitions and abbreviated terms ..... 7
3.1 Terms and definitions ..... 7
3.2 Abbreviated terms ..... 7
4 Concepts ..... 8
4.1 Type and Naming Conventions ..... 8
4.2 Usage of OPC UA Interfaces ..... 8
5 Base Network Model ..... 8
5.1 Overview ..... 8
5.2 OPC UA InterfaceTypes ..... 10
5.2.1 IIetfBaseNetworkInterfaceType Interface ..... 10
5.2.2 IIeeeBaseEthernetPortType Interface ..... 11
5.2.3 IIeeeAutoNegotiationStatusType Interface ..... 11
5.2.4 IBaseEthernetCapabilitiesType Interface ..... 12
5.2.5 IVlanIdType Interface ..... 12
5.2.6 ISrClassType Interface ..... 13
5.2.7 IIeeeBaseTsnStreamType Interface ..... 14
5.2.8 IIeeeBaseTsnTrafficSpecificationType Interface ..... 14
5.2.9 IIeeeBaseTsnStatusStreamType Interface ..... 15
5.2.10 IIeeeTsnInterfaceConfigurationType Interface ..... 16
5.2.11 IIeeeTsnInterfaceConfigurationTalkerType Interface ..... 16
5.2.12 IIeeeTsnInterfaceConfigurationListenerType Interface ..... 17
5.2.13 IIeeeTsnMacAddressType Interface ..... 17
5.2.14 IIeeeTsnVlanTagType Interface ..... 18
5.2.15 IPriorityMappingEntryType Interface ..... 18
5.3 DataTypes ..... 19
5.3.1 Enumeration DataTypes ..... 19
5.3.2 Structure DataTypes ..... 24
5.4 Instance Entry Points ..... 25
5.4.1 Resources Folder ..... 26
5.4.2 Communication Folder ..... 27
5.4.3 MappingTables Folder ..... 27
5.4.4 NetworkInterfaces Folder ..... 27
5.4.5 Streams Folder ..... 28
5.4.6 TalkerStreams Folder ..... 28
5.4.7 ListenerStreams Folder ..... 28
5.5 ObjectTypes ..... 29
5.5.1 IetfBaseNetworkInterfaceType ..... 29
5.5.2 PriorityMappingTableType ..... 31
5.6 ReferenceTypes ..... 34
5.6.1 UsesPriorityMappingTable ReferenceType ..... 34
5.6.2 HasLowerLayerInterface ReferenceType ..... 35
Annex A (informative) Modelling Examples ..... 36
A.1 Modelling Examples for Network Interfaces ..... 36

A.1.1 Virtual Network Interfaces ..... 36
A.1.2 Link Aggregation ..... 37
A.2 Modelling Examples for PriorityMappingEntries and IetfBaseNetworkInterface ..... 37
A.3 Usage of BNM in other UA Specifications ..... 39
A.3.1 Usage of BNM for PubSub over TSN ..... 39
A.3.2 Usage of BNM in PROFINET Companion Spec ..... 39

Figure 1 – Scope of Base Network Model ..... 6
Figure 2 – Overview of Base Network Model ..... 9
Figure 3 – Instance Entry Points for Network Interfaces and Streams ..... 26
Figure 4 – IetfBaseNetworkInterfaceType ..... 29
Figure 5 – PriorityMappingTableType ..... 31
Figure A.1 – Modelling Example for virtual network interfaces ..... 36
Figure A.2 – Modelling example for link aggregation ..... 37
Figure A.3 – Modelling Example for PriorityMappingTableType and IetfBaseNetworkInterface ..... 38
Figure A.4 – Possible Integration of BNM into PubSub ..... 39
Figure A.5 – Recommended Integration of BNM into Companion Spec exemplified by PROFINET ..... 39

Table 1 – IIetfBaseNetworkInterfaceType definition ..... 10
Table 2 – IIetfBaseNetworkInterfaceType Attribute values for child Nodes ..... 10
Table 3 – IIeeeBaseEthernetPortType definition ..... 11
Table 4 – IIeeeBaseEthernetPortType Attribute values for child Nodes ..... 11
Table 5 – IIeeeAutoNegotiationStatusType definition ..... 12
Table 6 – IBaseEthernetCapabilitiesType definition ..... 12
Table 7 – IVlanIdType definition ..... 13
Table 8 – ISrClassType definition ..... 13
Table 9 – IIeeeBaseTsnStreamType definition ..... 14
Table 10 – IIeeeBaseTsnTrafficSpecificationType definition ..... 15
Table 11 – IIeeeBaseTsnStatusStreamType definition ..... 15
Table 12 – IIeeeTsnInterfaceConfigurationType definition ..... 16
Table 13 – IIeeeTsnInterfaceConfigurationTalkerType definition ..... 16
Table 14 – IIeeeTsnInterfaceConfigurationListenerType definition ..... 17
Table 15 – IIeeeTsnMacAddressType definition ..... 17
Table 16 – IIeeeTsnVlanTagType definition ..... 18
Table 17 – IPriorityMappingEntryType definition ..... 18
Table 18 – Duplex Values ..... 19
Table 19 – Duplex Definition ..... 19
Table 20 – InterfaceAdminStatus Values ..... 20
Table 21 – InterfaceAdminStatus Definition ..... 20
Table 22 – InterfaceOperStatus Values ..... 20
Table 23 – InterfaceOperStatus Definition ..... 21
Table 24 – NegotiationStatus Values ..... 21

Table 25 – NegotiationStatus Definition ..... 21
Table 26 – TsnFailureCode values ..... 22
Table 27 – TsnFailureCode Definition ..... 22
Table 28 – TsnStreamState Values ..... 23
Table 29 – TsnStreamState Definition ..... 23
Table 30 – TsnTalkerStatus Values ..... 23
Table 31 – TsnTalkerStatus Definition ..... 24
Table 32 – TsnListenerStatus Values ..... 24
Table 33 – TsnListenerStatus Definition ..... 24
Table 34 – PriorityMappingEntryType structure ..... 25
Table 35 – PriorityMappingEntryType Definition ..... 25
Table 36 – Resources definition ..... 26
Table 37 – Communication definition ..... 27
Table 38 – MappingTables definition ..... 27
Table 39 – NetworkInterfaces definition ..... 28
Table 40 – Streams definition ..... 28
Table 41 – TalkerStreams definition ..... 28
Table 42 – ListenerStreams definition ..... 29
Table 43 – IetfBaseNetworkInterfaceType definition ..... 30
Table 44 – IetfBaseNetworkInterfaceType Attribute values for child Nodes ..... 31
Table 45 – IetfBaseNetworkInterfaceType Additional References ..... 31
Table 46 – PriorityMappingTableType definition ..... 32
Table 47 – AddPriorityMappingEntry Method arguments ..... 33
Table 48 – AddPriorityMappingEntry Method result codes ..... 33
Table 49 – AddPriorityMappingEntry Method AddressSpace definition ..... 33
Table 50 – DeletePriorityMappingEntry Method arguments ..... 33
Table 51 – DeletePriorityMappingEntry Method result codes ..... 34
Table 52 – DeletePriorityMappingEntry Method AddressSpace definition ..... 34
Table 53 – UsesPriorityMappingTable definition ..... 34
Table 54 – HasLowerLayerInterface definition ..... 35

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

# OPC unified architecture - Part 22: Base Network Model

## FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62541-22 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

The text of this International Standard is based on the following documents:

| Draft | Report on voting |
|---|---|
| 65E/1047/CDV | 65E/1104/RVC |

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

Throughout this document and the other Parts of the series, certain document conventions are used:

*Italics* are used to denote a defined term or definition that appears in the "Terms and definitions" clause in one of the parts of the series.

*Italics* are also used to denote the name of a service input or output parameter or the name of a structure or element of a structure that are usually defined in tables.

The *italicized terms* and *names* are also often written in camel-case (the practice of writing compound words or phrases in which the elements are joined without spaces, with each element's initial letter capitalized within the compound). For example, the defined term is *AddressSpace* instead of Address Space. This makes it easier to understand that there is a single definition for *AddressSpace*, not separate definitions for Address and Space.

A list of all parts in the IEC 62541 series, published under the general title *OPC Unified Architecture*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

– reconfirmed,
– withdrawn, or
– revised.

## 1 Scope

This part of IEC 62541 specifies an OPC UA *Information Model* for a basic set of network related components used in other *Information Models*.

The initial version of this document defines parameter sets for TSN Talkers and Listeners as well as network interfaces and ports as shown in Figure 1. A future version of this document is expected to have a broader scope of other network technologies than Ethernet only.





**Figure 1 – Scope of Base Network Model**

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62541-1, *OPC Unified Architecture - Part 1: Overview and Concepts*

IEC 62541-5, *OPC Unified Architecture - Part 5: Information Model*

IEC 62541-8, *OPC Unified Architecture - Part 8: Data Access*

IEEE Std 802.3-2022, *IEEE Standard for Ethernet*

IEEE Std 802.1Q-2018, *IEEE Standard for Local and Metropolitan Area Networks Bridges and Bridged Networks*

IEEE Std 802.1Qcc-2018, *EEE Standard for Local and Metropolitan Area Networks-Bridges and Bridged Networks - Amendment 31: Stream Reservation Protocol (SRP) Enhancements and Performance Improvements*

IETF RFC 2863, K. McCloghrie, "The Interfaces Group MIB", June 2000, available at https://tools.ietf.org/html/rfc2863