IEC 62541-8

Edition 4.0 2025-12

INTERNATIONAL STANDARD

OPC unified architecture -
Part 8: Data access

ICS 25.040.40; 35.100.05

ISBN 978-2-8327-0849-1

IEC 62541-8:2025-12(en)

THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD 5
1 Scope 7
2 Normative references 7
3 Terms, definitions and abbreviated terms 7
3.1 Terms and definitions 7
3.2 Abbreviated terms 8
4 Concepts 9
5 Model 9
5.1 General 9
5.2 SemanticsChanged 10
5.3 Variable Types 10
5.3.1 DataItemType 10
5.3.2 AnalogItem VariableTypes 12
5.3.3 DiscreteItemType 15
5.3.4 ArrayItemType 18
5.4 Address Space model 25
5.5 Attributes of DataItems 26
5.6 DataTypes 27
5.6.1 Overview 27
5.6.2 Range 27
5.6.3 EUInformation 27
5.6.4 ComplexNumberType 30
5.6.5 DoubleComplexNumberType 30
5.6.6 AxisInformation 31
5.6.7 AxisScaleEnumeration 32
5.6.8 XVType 32
6 Quantities and Units model 33
6.1 General 33
6.2 Quantities entry point 34
6.3 Syntax References 34
6.3.1 General 34
6.3.2 Using Dictionary References 35
6.3.3 Syntax Reference Identifier 36
6.4 ObjectTypes 37
6.4.1 QuantityType ObjectType definition 37
6.4.2 UnitType and subtypes 39
6.4.3 SyntaxReferenceEntryType ObjectType definition 43
6.5 References 44
6.5.1 HasEngineeringUnitDetails 44
6.5.2 HasQuantity 45
6.6 DataTypes 45
6.6.1 AnnotationDataType DataType definition 45
6.6.2 LinearConversionDataType DataType definition 46
6.6.3 ConversionLimitEnum 47
6.6.4 QuantityDimension 48
7 Data Access specific usage of Services 50

7.1 General 50
7.2 PercentDeadband 50
7.3 Data Access status codes 51
7.3.1 Overview 51
7.3.2 Operation level result codes 51
7.3.3 LimitBits 52
Annex A (normative) OPC COM DA to UA mapping 53
A.1 Introduction 53
A.2 Security Considerations 53
A.3 COM UA wrapper for OPC DA Server 53
A.3.1 Information Model mapping 53
A.3.2 Data and error mapping 58
A.3.3 Read data 60
A.3.4 Write Data 61
A.3.5 Subscriptions 62
A.4 COM UA proxy for DA Client 62
A.4.1 Guidelines 62
A.4.2 Information Model and Address Space mapping 63
A.4.3 Data and error mapping 67
A.4.4 Read data 70
A.4.5 Write data 71
A.4.6 Subscriptions 72
Annex B (normative) UCUM Symbols 73
B.1 Introduction – License 73
B.2 Representation 73
B.3 Tables of terminal symbols 74
B.3.1 General 74
B.3.2 Prefixes 74
B.3.3 Base units 75
B.3.4 Derived unit atoms 76
B.3.5 Customary unit atoms 79
B.3.6 Other legacy units 83
Annex C (informative) Outline of syntax references 88
C.1 UCUM syntax reference 88
C.2 QUDT syntax reference 88
C.3 UNECE syntax reference 89
C.4 IEC CDD Syntax Reference 90
C.5 LATEX_SIUNITX Syntax Reference 91
Bibliography 92

Figure 1 – OPC *DataItems* are linked to automation data 9
Figure 2 – *DataItem VariableType* hierarchy 10
Figure 3 – Graphical view of a *YArrayItem* 20
Figure 4 – Representation of DataItems in the AddressSpace 26
Figure 5 – Enhanced EUInformation example 28
Figure 6 – Quantity model overview 34
Figure 7 – References to external works 36

Figure 8 – QuantityType 37
Figure 9 – Units model 39
Figure 10 – MathML example linear conversion 43
Figure 11 – MathML example inverse linear conversion 43
Figure A.1 – Sample OPC UA Information Model for OPC DA 54
Figure A.2 – OPC COM DA to OPC UA data and error mapping 58
Figure A.3 – Status Code mapping 59
Figure A.4 – Sample OPC DA mapping of OPC UA Information Model and Address Space 64
Figure A.5 – OPC UA to OPC DA data & error mapping 68
Figure A.6 – OPC UA Status Code to OPC DA quality mapping 69

Table 1 – DataItemType definition 11
Table 2 – BaseAnalogType definition 12
Table 3 – AnalogItemType definition 14
Table 4 – AnalogUnitType definition 14
Table 5 – AnalogUnitRangeType definition 15
Table 6 – DiscreteItemType definition 15
Table 7 – TwoStateDiscreteType definition 16
Table 8 – MultiStateDiscreteType definition 16
Table 9 – MultiStateValueDiscreteType definition 17
Table 10 – ArrayItemType definition 18
Table 11 – YArrayItemType definition 19
Table 12 – *YArrayItem* item description 21
Table 13 – XYArrayItemType definition 22
Table 14 – ImageItemType definition 23
Table 15 – CubeItemType definition 24
Table 16 – NDimensionArrayItemType definition 25
Table 17 – *Range* DataType structure 27
Table 18 – *Range* definition 27
Table 19 – *EUInformation* DataType structure 28
Table 20 – *EUInformation* definition 29
Table 21 – Examples from the UNECE Recommendation 29
Table 22 – ComplexNumberType DataType structure 30
Table 23 – ComplexNumberType definition 30
Table 24 – DoubleComplexNumberType DataType structure 31
Table 25 – DoubleComplexNumberType definition 31
Table 26 – AxisInformation DataType structure 31
Table 27 – AxisInformation definition 32
Table 28 – AxisScaleEnumeration values 32
Table 29 – AxisScaleEnumeration definition 32
Table 30 – XVType DataType structure 33
Table 31 – XVType definition 33

Table 32 – Quantities definition 34
Table 33 – List of Syntax References 35
Table 34 – Definition of NodeId for instances of the SyntaxReferenceEntryType 35
Table 35 – List of Syntax Reference Identifiers 36
Table 36 – QuantityType definition 38
Table 37 – QuantityType Additional Subcomponents 39
Table 38 – UnitType definition 40
Table 39 – Non-exhaustive list of well-known systems of units 40
Table 40 – ServerUnitType definition 41
Table 41 – ServerUnitType Additional Subcomponents 41
Table 42 – AlternativeUnitType definition 42
Table 43 – SyntaxReferenceEntryType Definition 44
Table 44 – HasEngineeringUnitDetails definition 44
Table 45 – HasQuantity definition 45
Table 46 – AnnotationDataType Structure 45
Table 47 – AnnotationDataType examples 46
Table 48 – AnnotationDataType definition 46
Table 49 – LinearConversionDataType Structure 47
Table 50 – LinearConversionDataType Definition 47
Table 51 – ConversionLimitEnum Items 47
Table 52 – ConversionLimitEnum Definition 48
Table 53 – QuantityDimension DataType structure 48
Table 54 – QuantityDimension definition 49
Table 55 – QuantityDimension examples 49
Table 56 – Operation level result codes for BAD data quality 51
Table 57 – Operation level result codes for UNCERTAIN data quality 52
Table 58 – Operation level result codes for GOOD data quality 52
Table A.1 – OPC COM DA to OPC UA Properties mapping 57
Table A.2 – DataTypes and mapping 59
Table A.3 – Quality mapping 60
Table A.4 – OPC DA Read error mapping 61
Table A.5 – OPC DA Write error code mapping 62
Table A.6 – DataTypes and Mapping 69
Table A.7 – Quality mapping 70
Table A.8 – OPC UA Read error mapping 71
Table A.9 – OPC UA Write error code mapping 71

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

OPC unified architecture - Part 8: Data access

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62541-8 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2020. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) addition of a "Quantity Model" which can be referenced from EngineeringUnit Properties. The model defines quantities and assigned units. In addition it provides alternative units and the conversion to them.

b) addition of rules for ValuePrecision Property:

- can also be used for other subtypes like Duration and Decimal.
- rules have been added when ValuePrecision has negative values.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65E/1055/CDV	65E/1108/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

Throughout this document and the other parts of the IEC 62541 series, certain document conventions are used:

Italics are used to denote a defined term or definition that appears in the "Terms and definitions" clause in one of the parts of the IEC 62541 series.

Italics are also used to denote the name of a service input or output parameter or the name of a structure or element of a structure that are usually defined in tables.

The *italicized terms and names* are, with a few exceptions, written in camel-case (the practice of writing compound words or phrases in which the elements are joined without spaces, with each element's initial letter capitalized within the compound). For example, the defined term is *AddressSpace* instead of Address Space. This makes it easier to understand that there is a single definition for *AddressSpace*, not separate definitions for Address and Space.

A list of all parts in the IEC 62541 series, published under the general title *OPC Unified Architecture*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

– reconfirmed,

– withdrawn, or

– revised.

1 Scope

This part of IEC 62541 is part of the overall OPC Unified Architecture (OPC UA) standard series and defines the information model associated with Data Access (DA). It particularly includes additional *VariableTypes* and complementary descriptions of the *NodeClasses* and *Attributes* needed for Data Access, additional *Properties*, and other information and behaviour.

The complete address space model, including all *NodeClasses* and *Attributes* is specified in IEC 62541-3. The services to detect and access data are specified in IEC 62541-4.

Annex A specifies how the information received from OPC COM Data Access (DA) Servers is mapped to the Data Access model.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62541-1, *OPC Unified Architecture - Part 1: Overview and Concepts*

IEC 62541-3, *OPC Unified Architecture - Part 3: Address Space Model*

IEC 62541-4, *OPC Unified Architecture - Part 4: Services*

IEC 62541-5, *OPC Unified Architecture - Part 5: Information Model*

IEC 62541-19, *OPC Unified Architecture - Part 19: Dictionary References*

UN/CEFACT: UNECE Recommendation N°20, *Codes for Units of Measure Used in International Trade*
https://www.unece.org/cefact/codesfortrade/codes_index.html

Bibliography

IEC CDD, *IEC Common Data Dictionary*, available at https://cdd.iec.ch/

LATEX_SIUNITX: *A comprehensive (si) units package*, available at
https://ctan.org/pkg/siunitx
https://www.texdev.net/

QUDT, *Quantities, Units, Dimensions and Data Types Ontologies*, available at
https://QUDT.org
https://github.com/qudt/qudt-public-repo

UCUM, *Unified Code for Units of Measure*, available at https://ucum.org

UNECE, Recommendation N° 20, *Codes for Units of Measure Used in International Trade*, available at https://www.unece.org/cefact/

_____