IEC 62541-8

Edition 4.0 2026-01

INTERNATIONAL STANDARD

REDLINE VERSION

OPC unified architecture -
Part 8: Data access

ICS 25.040.40; 35.100.05

ISBN 978-2-8327-0999-3

IEC 62541-8:2026-01 RLV(en)

CONTENTS

FOREWORD 5
1 Scope 8
2 Normative references 8
3 Terms, definitions and abbreviated terms 8
3.1 Terms and definitions 8
3.2 Abbreviated terms 9
4 Concepts 10
5 Model 10
5.1 General 10
5.2 SemanticsChanged 11
5.3 Variable Types 12
5.3.1 DataItemType 12
5.3.2 AnalogItem VariableTypes 13
5.3.3 DiscreteItemType 16
5.3.4 ArrayItemType 19
5.4 Address Space model 26
5.5 Attributes of DataItems 27
5.6 DataTypes 28
5.6.1 Overview 28
5.6.2 Range 28
5.6.3 EUInformation 28
5.6.4 ComplexNumberType 32
5.6.5 DoubleComplexNumberType 33
5.6.6 AxisInformation 33
5.6.7 AxisScaleEnumeration 34
5.6.8 XVType 35
6 Quantities and Units model 35
6.1 General 35
6.2 Quantities entry point 36
6.3 Syntax References 36
6.3.1 General 36
6.3.2 Using Dictionary References 37
6.3.3 Syntax Reference Identifier 38
6.4 ObjectTypes 39
6.4.1 QuantityType ObjectType definition 39
6.4.2 UnitType and subtypes 41
6.4.3 SyntaxReferenceEntryType ObjectType definition 45
6.5 References 46
6.5.1 HasEngineeringUnitDetails 46
6.5.2 HasQuantity 47
6.6 DataTypes 47
6.6.1 AnnotationDataType DataType definition 47
6.6.2 LinearConversionDataType DataType definition 48
6.6.3 ConversionLimitEnum 49
6.6.4 QuantityDimension 50
7 Data Access specific usage of Services 52

7.1 General 52
7.2 PercentDeadband 52
7.3 Data Access status codes 53
7.3.1 Overview 53
7.3.2 Operation level result codes 53
7.3.3 LimitBits 54
Annex A (~~informative~~normative) OPC COM DA to UA mapping 55
A.1 ~~Overview~~Introduction 55
A.2 Security Considerations 55
A.3 COM UA wrapper for OPC DA Server 55
A.3.1 Information Model mapping 55
A.3.2 Data and error mapping 60
A.3.3 Read data 63
A.3.4 Write Data 64
A.3.5 Subscriptions 65
A.4 COM UA proxy for DA Client 65
A.4.1 Guidelines 65
A.4.2 Information Model and Address Space mapping 66
A.4.3 Data and error mapping 70
A.4.4 Read data 73
A.4.5 Write data 74
A.4.6 Subscriptions 75
Annex B (normative) UCUM Symbols 76
B.1 Introduction – License 76
B.2 Representation 76
B.3 Tables of terminal symbols 77
B.3.1 General 77
B.3.2 Prefixes 77
B.3.3 Base units 78
B.3.4 Derived unit atoms 79
B.3.5 Customary unit atoms 82
B.3.6 Other legacy units 86
Annex C (informative) Outline of syntax references 91
C.1 UCUM syntax reference 91
C.2 QUDT syntax reference 91
C.3 UNECE syntax reference 92
C.4 IEC CDD Syntax Reference 93
C.5 LATEX_SIUNITX Syntax Reference 94
Bibliography 95

Figure 1 – OPC *DataItems* are linked to automation data 10
Figure 2 – *DataItem VariableType* hierarchy 11
Figure 3 – Graphical view of a *YArrayItem* 21
Figure 4 – Representation of DataItems in the AddressSpace 27
Figure 5 – Enhanced EUInformation example 29
Figure 6 – Quantity model overview 36
Figure 7 – References to external works 38

Figure 8 – QuantityType 39
Figure 9 – Units model 41
Figure 10 – MathML example linear conversion 45
Figure 11 – MathML example inverse linear conversion 45
Figure A.1 – Sample OPC UA Information Model for OPC DA 56
Figure A.2 – OPC COM DA to OPC UA data and error mapping 61
Figure A.3 – Status Code mapping 62
Figure A.4 – Sample OPC DA mapping of OPC UA Information Model and Address Space 67
Figure A.5 – OPC UA to OPC DA data & error mapping 71
Figure A.6 – OPC UA Status Code to OPC DA quality mapping 72

Table 1 – DataItemType definition 12
Table 2 – BaseAnalogType definition 13
Table 3 – AnalogItemType definition 15
Table 4 – AnalogUnitType definition 15
Table 5 – AnalogUnitRangeType definition 16
Table 6 – DiscreteItemType definition 16
Table 7 – TwoStateDiscreteType definition 17
Table 8 – MultiStateDiscreteType definition 17
Table 9 – MultiStateValueDiscreteType definition 18
Table 10 – ArrayItemType definition 19
Table 11 – YArrayItemType definition 20
Table 12 – *YArrayItem* item description 22
Table 13 – XYArrayItemType definition 23
Table 14 – ImageItemType definition 24
Table 15 – CubeItemType definition 25
Table 16 – NDimensionArrayItemType definition 26
Table 17 – *Range* DataType structure 28
Table 18 – *Range* definition 28
Table 19 – *EUInformation* DataType structure 29
Table 20 – *EUInformation* definition 30
Table 21 – Examples from the UNECE Recommendation ~~N° 20~~ 31
Table 22 – ComplexNumberType DataType structure 32
Table 23 – ComplexNumberType definition 33
Table 24 – DoubleComplexNumberType DataType structure 33
Table 25 – DoubleComplexNumberType definition 33
Table 26 – AxisInformation DataType structure 34
Table 27 – AxisInformation definition 34
Table 28 – AxisScaleEnumeration values 34
Table 29 – AxisScaleEnumeration definition 35
Table 30 – XVType DataType structure 35
Table 31 – XVType definition 35

Table 32 – Quantities definition 36
Table 33 – List of Syntax References 37
Table 34 – Definition of NodeId for instances of the SyntaxReferenceEntryType 37
Table 35 – List of Syntax Reference Identifiers 38
Table 36 – QuantityType definition 40
Table 37 – QuantityType Additional Subcomponents 41
Table 38 – UnitType definition 42
Table 39 – Non-exhaustive list of well-known systems of units 42
Table 40 – ServerUnitType definition 43
Table 41 – ServerUnitType Additional Subcomponents 43
Table 42 – AlternativeUnitType definition 44
Table 43 – SyntaxReferenceEntryType Definition 46
Table 44 – HasEngineeringUnitDetails definition 46
Table 45 – HasQuantity definition 47
Table 46 – AnnotationDataType Structure 47
Table 47 – AnnotationDataType examples 48
Table 48 – AnnotationDataType definition 48
Table 49 – LinearConversionDataType Structure 49
Table 50 – LinearConversionDataType Definition 49
Table 51 – ConversionLimitEnum Items 49
Table 52 – ConversionLimitEnum Definition 50
Table 53 – QuantityDimension DataType structure 50
Table 54 – QuantityDimension definition 51
Table 55 – QuantityDimension examples 51
Table 56 – Operation level result codes for BAD data quality 53
Table 57 – Operation level result codes for UNCERTAIN data quality 54
Table 58 – Operation level result codes for GOOD data quality 54
Table A.1 – OPC COM DA to OPC UA Properties mapping 59
Table A.2 – DataTypes and mapping 62
Table A.3 – Quality mapping 63
Table A.4 – OPC DA Read error mapping 64
Table A.5 – OPC DA Write error code mapping 65
Table A.6 – DataTypes and Mapping 72
Table A.7 – Quality mapping 73
Table A.8 – OPC UA Read error mapping 74
Table A.9 – OPC UA Write error code mapping 74

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

OPC unified architecture - Part 8: Data access

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 62541-8:2020. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 62541-8 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2020. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) addition of a "Quantity Model" which can be referenced from EngineeringUnit Properties. The model defines quantities and assigned units. In addition it provides alternative units and the conversion to them.
b) addition of rules for ValuePrecision Property:
   - can also be used for other subtypes like Duration and Decimal.
   - rules have been added when ValuePrecision has negative values.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65E/1055/CDV	65E/1108/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

Throughout this document and the other parts of the IEC 62541 series, certain document conventions are used:

Italics are used to denote a defined term or definition that appears in the "Terms and definitions" clause in one of the parts of the IEC 62541 series.

Italics are also used to denote the name of a service input or output parameter or the name of a structure or element of a structure that are usually defined in tables.

The *italicized terms and names* are, with a few exceptions, written in camel-case (the practice of writing compound words or phrases in which the elements are joined without spaces, with each element's initial letter capitalized within the compound). For example, the defined term is *AddressSpace* instead of Address Space. This makes it easier to understand that there is a single definition for *AddressSpace*, not separate definitions for Address and Space.

A list of all parts in the IEC 62541 series, published under the general title *OPC Unified Architecture*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

– reconfirmed,
– withdrawn, or
– revised.

1 Scope

This part of IEC 62541 is part of the overall OPC Unified Architecture (OPC UA) standard series and defines the information model associated with Data Access (DA). It particularly includes additional *VariableTypes* and complementary descriptions of the *NodeClasses* and *Attributes* needed for Data Access, additional *Properties*, and other information and behaviour.

The complete address space model, including all *NodeClasses* and *Attributes* is specified in IEC 62541-3. The services to detect and access data are specified in IEC 62541-4.

Annex A specifies how the information received from OPC COM Data Access (DA) Servers is mapped to the Data Access model.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC ~~TR~~ 62541-1, *OPC Unified Architecture - Part 1: Overview and Concepts*

IEC 62541-3, *OPC Unified Architecture - Part 3: Address Space Model*

IEC 62541-4, *OPC Unified Architecture - Part 4: Services*

IEC 62541-5, *OPC Unified Architecture - Part 5: Information Model*

IEC 62541-19, *OPC Unified Architecture - Part 19: Dictionary References*

UN/CEFACT: UNECE Recommendation N°20, *Codes for Units of Measure Used in International Trade*
https://www.unece.org/cefact/codesfortrade/codes_index.html

Bibliography

IEC CDD, *IEC Common Data Dictionary*, available at https://cdd.iec.ch/

LATEX_SIUNITX: *A comprehensive (si) units package*, available at
https://ctan.org/pkg/siunitx
https://www.texdev.net/

QUDT, *Quantities, Units, Dimensions and Data Types Ontologies*, available at
https://QUDT.org
https://github.com/qudt/qudt-public-repo

UCUM, *Unified Code for Units of Measure*, available at https://ucum.org

UNECE, Recommendation N° 20, *Codes for Units of Measure Used in International Trade*, available at https://www.unece.org/cefact/