IEC 62561-7

Edition 3.0 2024-02
REDLINE VERSION

INTERNATIONAL STANDARD

colour inside

Lightning protection system components (LPSC) – Part 7: Requirements for earthing enhancing compounds



IEC 62561-7:2024-02 RLV(en)

THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC 62561-7

Edition 3.0 2024-02
REDLINE VERSION

INTERNATIONAL STANDARD

colour inside

Lightning protection system components (LPSC) – Part 7: Requirements for earthing enhancing compounds

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.020, 91.120.40

ISBN 978-2-8322-8353-0

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 4
INTRODUCTION 6
1 Scope 7
2 Normative references 7
3 Terms and definitions 7
4 Requirements 8
4.1 General 8
4.2 Documentation and installation instructions 8
4.3 Material 9
4.4 Marking 9
5 Tests 9
5.1 General 9
5.2 Leaching test 10
5.2.1 General 10
5.2.2 Determination of leachable ions 10
5.2.3 ~~Passing~~ Acceptance criteria 10
5.3 Sulphur determination 10
5.3.1 General 10
5.3.2 ~~Passing~~ Acceptance criteria 10
5.4 Determination of resistivity 10
5.4.1 General 10
5.4.2 Testing apparatus 11
5.4.3 Test procedure 12
5.4.4 ~~Passing~~ Acceptance 13
5.5 pH measurement 13
5.5.1 General 13
5.5.2 Testing apparatus – Reagents 13
5.5.3 Material preparation 13
5.5.4 Test procedure 14
5.5.5 Acceptance criteria 14
5.6 Corrosion tests 14
5.6.1 General 14
5.6.2 Test apparatus 14
5.6.3 Test preparation 14
5.6.4 Test procedure 15
5.6.5 ~~Passing~~ Acceptance 15
5.7 Documentation and installation instructions 15
5.8 Marking ~~and indications~~ 15
6 Structure and content of the test report 16
6.1 General 16
6.2 Report identification 16
6.3 Specimen description 16
6.4 Standards and references 17
6.5 Test procedure 17
6.6 Testing equipment description 17
6.7 Measuring instruments description 17

6.8 Results and parameters recorded 17
6.8.1 Measured, observed or derived results 17
6.8.2 Statement of pass or fail 17
Annex A (informative) Corrosion load 18
Annex B (normative) Applicability of previous tests 20
Bibliography 21

Figure 1 – Typical configurations for a four-electrode soil box 12
Figure A.1 – Corrosion load (free corrosion without concentration cell) 19

Table B.1 – Differences in the requirements for earthing enhancing compounds complying with IEC 62561-7:2011 or IEC 62561-7:2018 20

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

LIGHTNING PROTECTION SYSTEM COMPONENTS (LPSC) –

Part 7: Requirements for earthing enhancing compounds

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 62561-7:2018. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 62561-7 has been prepared by IEC technical committee 81: Lightning protection. It is an International Standard.

This third edition cancels and replaces the second edition published in 2018. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) Figure A.1 has been replaced with a simpler one that clearly shows the high and low corrosion load limits of the earth enhancing compounds without the need for special knowledge;
b) pH measurement has been introduced.

The text of this International Standard is based on the following documents:

Draft	Report on voting
81/755/FDIS	81/761/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 62561 series, published under the general title *Lightning protection system components (LPSC)*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 62561 deals with the requirements and tests for earthing enhancing compounds used as lightning protection system components (LPSC) designed and implemented in accordance with the IEC 62305 series.

LIGHTNING PROTECTION SYSTEM COMPONENTS (LPSC) –

Part 7: Requirements for earthing enhancing compounds

1 Scope

This part of IEC 62561 specifies the requirements and tests for earthing enhancing compounds producing low resistance of an earth termination system.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4689-3, *Iron ores – Determination of sulfur content – Part 3: Combustion/infrared method*

~~ISO 14869-1, *Soil quality – Dissolution for the determination of total element content – Part 1: Dissolution with hydrofluoric and perchloric acids*~~

EN 12457-2, *Characterisation of waste – Leaching – Compliance test for leaching of granular waste materials and sludges – Part 2: One stage batch test at a liquid to solid ratio of 10 l/kg for materials with particle size below 4 mm (without or with size reduction)*

~~EN 16192, *Characterization of waste – analysis of eluates*~~

CEN/TR 16192, *Waste – Guidance on analysis of eluates*

~~ASTM G57-06, *Standard Test Method for Field Measurement of Soil Resistivity, Using the Wenner, Four-Electrode Method*~~

ASTM G57-20, *Standard Test Method for Measurement of Soil Resistivity Using the Wenner Four-Electrode Method*

ASTM G59-97, *Standard Test Method for Conducting Potentiodynamic Polarization Resistance Measurements*

ASTM G102-89, *Standard Practice for Calculation of Corrosion Rates and Related Information from Electrochemical Measurements*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

3.1
earthing enhancing compound
EEC
~~conductive compound producing low resistance of an earth termination system~~

low resistivity compound that is intended to lower the resistance to earth of an earth termination system when added between the buried earth electrode and the surrounding soil

~~**3.2**~~
~~**manufacturer's instructions**~~
~~**supplier's instructions**~~
~~written instructions provided by the manufacturer or the supplier in his documentation~~

~~Note 1 to entry: See 4.2.~~

3.2
leaching test
test during which the earthing enhancing compound is put into contact with a leachant and some constituents of the material are extracted

~~**3.4**~~
~~**corrosive load**~~
~~sum of all the effects of a corrosive environment~~

3.3
aggressive EEC
compound characterized by a pH value and resistivity within the range specified in Annex A

3.4
non-aggressive EEC
compound characterized by a pH value and resistivity within the range specified in Annex A

4 Requirements

4.1 General

Earthing enhancing compounds shall be so designed and constructed that in normal use their performance is reliable and without danger to persons and the surrounding environment.

The choice of a material depends on its ability to match the requirements of a particular application.

NOTE National regulations can apply.

4.2 Documentation and installation instructions

The manufacturer or supplier of the earthing enhancing compounds shall provide adequate information in his literature to ensure that the installer can select and install the materials in a suitable and safe manner, containing the following information:

a) preparation instructions;

a) installation instructions;

b) resistivity value and the test method used;

c) conformity statement to the present document (IEC 62561-7).

Compliance is checked ~~by inspection~~ in accordance with 5.7.