IEC 62709

Edition 2.0 2024-09
REDLINE VERSION

INTERNATIONAL STANDARD

colour inside

Radiation protection instrumentation – Security screening of humans – Measuring the imaging performance of X-ray systems

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 13.280

ISBN 978-2-8322-9743-8

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 5
INTRODUCTION 2
1 Scope ~~and object~~ 8
2 Normative references 8
3 Terms, definitions, abbreviated terms, quantities and units 9
3.1 Terms and definitions 9
3.2 Abbreviated terms 13
3.3 Quantities and units 13
4 Imaging performance evaluation procedures 13
4.1 General characteristics and test procedures 13
4.2 Location of testing 13
4.3 Body phantom and test objects 15
4.4 ~~Spatial~~Pentalith resolution test 17
4.4.1 Purpose 17
4.4.2 Test object description 17
4.4.3 Procedure 17
4.4.4 Evaluation and record 17
4.5 Wire detection test 18
4.5.1 Purpose 18
4.5.2 Test object description 18
4.5.3 Procedure 18
4.5.4 Evaluation and record 18
4.6 Materials detection on body test 19
4.6.1 General 19
4.6.2 Purpose 19
4.6.3 Test object description 19
4.6.4 Procedure 19
4.6.5 Evaluation and record 19
4.7 Materials detection in air test 20
4.7.1 General 20
4.7.2 Purpose 20
4.7.3 Test object description 20
4.7.4 Procedure 20
4.7.5 Evaluation and record 20
4.8 Penetration test 20
4.8.1 General 20
4.8.2 Purpose 21
4.8.3 Test object description 21
4.8.4 Procedure 21
4.8.5 Evaluation and record 21
5 Minimum acceptable imaging performance 21
6 Environmental requirements 22
Annex A (normative) Mechanical drawings of the test objects 23
Annex B (informative) Example of reporting form 36
Annex C (informative) Image resolution measurement using the pentalith 39
C.1 General 39

C.2 Strategy 39
C.3 Pentalith description 39
C.4 Pass/fail criterion 42
C.5 Repeatability 43
Annex D (informative) Comparison of whole body imaging systems 45
Bibliography 46

Figure 1 – Generic illustration of the testing configuration showing a HDPE body phantom with a test object on one end supported 1 m off the ground 15
Figure 2 – Body phantom and test objects 16
Figure A.1 – Components of the test phantom 23
Figure A.2 – Material detection in air phantom 24
Figure A.3 – Subassembly of the material detection in air phantom (Figure A.2), metal comb, three teeth 24
Figure A.4 – Subassembly of the material detection in air phantom (Figure A.2), metal comb, two teeth 25
Figure A.5 – Subassembly of the material detection in air phantom (Figure A.2), metal comb, one tooth 25
Figure A.6 – Subassembly of the material detection in air phantom (Figure A.2), plastic comb 26
Figure A.7 – Subassembly of the material detection in air phantom (Figure A.2), mounting sheet 26
Figure A.8 – Material detection on body 1 27
Figure A.9 – Material detection on body 2 27
Figure A.10 – Wire detection phantom 28
Figure A.11 – Subassembly of the wire detection phantom (Figure A.10), mounting base 28
Figure A.12 – Subassembly of the wire detection phantom (Figure A.10), cover 29
Figure A.13 – Pentalith resolution phantom 30
Figure A.14 – Subassembly of the ~~spatial~~ pentalith resolution phantom (Figure A.13), mounting base 31
Figure A.15 – Subassembly of the ~~spatial~~ pentalith resolution phantom (Figure A.13); hole placement in mounting base 32
Figure A.16 – Subassembly of the ~~spatial~~ pentalith resolution phantom (Figure A.13), cover 33
Figure A.17 – Body phantom, 55 mm thick 33
Figure A.18 – Body phantom, 75 mm thick 34
Figure A.19 – Body phantom, 50 mm thick 34
Figure A.20 – Storing space 35
Figure C.1 – Dimensional design of the pentalith pattern 40
Figure C.2 – Example of a pentalith overlying a pixel grid 41
Figure C.3 – Example of a pentalith test phantom suitable for optical measurements 41
Figure C.4 – Example of a pentalith test phantom suitable for X-ray imaging 42
Figure C.5 – Example of using image thresholding as an objective pass/fail criterion 43

Table 1 – Wire sizes for the wire detection test 18
Table 2 – Minimum acceptable imaging performance at the reference location 21

Table 3 – Standard test conditions 22
Table D.1 – Comparison of whole body imaging systems for security screening 45

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

RADIATION PROTECTION INSTRUMENTATION – SECURITY SCREENING OF HUMANS – MEASURING THE IMAGING PERFORMANCE OF X-RAY SYSTEMS

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 62709:2014. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 62709 has been prepared by subcommittee 45B: Radiation protection instrumentation, of IEC technical committee 45: Nuclear instrumentation. It is an International Standard.

This second edition cancels and replaces the first edition published in 2014. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) Clarified the test procedures to maintain consistency with IEC 62463.
b) Changed the term "spatial resolution" to "pentalith resolution".
c) Modified some standard test conditions.
d) Modified some terms and definitions.
e) Changed the imaging requirements for transmission general-use systems.

The text of this International Standard is based on the following documents:

Draft	Report on voting
45B/1059/FDIS	45B/1069/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This document establishes standard test methods and test objects for measuring the imaging performance of X-ray systems for security screening of humans. For each image quality test, this document also sets minimum acceptable levels of performance. These procedures and minimum acceptable requirements should not be construed as an all-inclusive measure of performance for any situation. Depending on the circumstances and detection needs, user institutions will continue to generate their own requirements and are encouraged to do so. Rather, it is hoped that this document will provide a starting point for evaluating systems, provide a uniform set of readily available information to compare equipment, and offer a standard procedure for periodic quality control testing.

Four annexes are included. Annex A (normative) provides mechanical drawings of the imaging test objects. Sample test report forms are given in Annex B (informative). Annex C (informative) provides a generic description of the pentalith~~, the spatial~~ resolution test object. Annex D (informative) seeks to describe the different types of security systems presently being used for whole-body imaging.

RADIATION PROTECTION INSTRUMENTATION – SECURITY SCREENING OF HUMANS – MEASURING THE IMAGING PERFORMANCE OF X-RAY SYSTEMS

1 Scope ~~and object~~

This document applies to security screening systems that utilize X-ray radiation and are used to inspect people who are not inside vehicles, containers, or enclosures. Specifically, this document applies to systems used to detect objects carried on or within the body of the individual being inspected. ~~This standard does not include requirements related to electromagnetic compatibility, radiological, electrical and mechanical safety. These requirements are covered in IEC 62463:2010.~~

The following types of systems are included in the scope of this document:

– Systems designated as ~~fixed, portal, transportable,~~ mobile or ~~gantry~~ fixed.

– Systems employing detection of primary radiation, backscattered radiation, forward-scattered radiation, (see Annex D) or some combination of these modalities to form two-dimensional X-ray images.

– Systems that are primarily imaging but that also may have complementary features such as material discrimination, automatic active or passive detection alerts. This document does not address how to test these complementary features.

The objective is to provide standard methods of measuring and reporting imaging quality characteristics that enable system manufacturers, potential system users and other interested parties to:

a) Establish a consistent indicator of the expected technical performance of screening systems used for the inspection of individuals. Such technical performance testing complements explicit detection testing and evaluation. In this document "detection" refers to items in an image.

b) Provide repeatable and verifiable imaging performance data that can be used to compare systems from different vendors.

c) Establish a baseline that can be used over time to calibrate the system or detect any performance degradation. (It is not intended that the entire test method be employed for daily quality assurance testing.)

d) Establish minimum acceptable performance requirements for the systems described above.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

~~NOTE Users of this standard should note that standards referenced herein may not fulfil the legal requirements and practices in all countries, or jurisdictions. Care should be taken to ensure regulatory compliance.~~

~~IEC 60050-393:2003, *International Electrotechnical Vocabulary (IEV) – Part 393: Nuclear instrumentation – Physical phenomena and basic concepts*~~

~~IEC 60050-394:2007, *International Electrotechnical Vocabulary (IEV) – Part 394: Nuclear instrumentation – instruments, systems, equipment and detectors*~~

IEC 60050-395:2014, *International Electrotechnical Vocabulary (IEV) – Part 395: Nuclear instrumentation – Physical phenomena, basic concepts, instruments, systems, equipment and detectors*
IEC 60050-395:2014/AMD1:2016
IEC 60050-395:2014/AMD2:2020

IEC 60050-881:1983, *International Electrotechnical Vocabulary (IEV) – Part 881: Radiology and radiological physics*
IEC 60050-881:1983/AMD1:2014
IEC 60050-881:1983/AMD2:2019
IEC 60050-881:1983/AMD3:2020

IEC 62463:~~2010~~2024, *Radiation protection instrumentation – X-ray systems for the security screening of persons ~~for security and the carrying of illicit items~~*

ISO 683-17:~~1999~~2023, *Heat-~~treated~~treatable steels, alloy steels and free-cutting steels – Part 17: Ball and roller bearing steels*

IEC 62709

Edition 2.0 2024-09

INTERNATIONAL STANDARD

colour inside

Radiation protection instrumentation – Security screening of humans – Measuring the imaging performance of X-ray systems



IEC 62709:2024-09(en)

CONTENTS

FOREWORD 5
INTRODUCTION 7
1 Scope 8
2 Normative references 8
3 Terms, definitions, abbreviated terms, quantities and units 9
3.1 Terms and definitions 9
3.2 Abbreviated terms 12
3.3 Quantities and units 12
4 Imaging performance evaluation procedures 12
4.1 General characteristics and test procedures 12
4.2 Location of testing 13
4.3 Body phantom and test objects 14
4.4 Pentalith resolution test 15
4.4.1 Purpose 15
4.4.2 Test object description 16
4.4.3 Procedure 16
4.4.4 Evaluation and record 16
4.5 Wire detection test 16
4.5.1 Purpose 16
4.5.2 Test object description 17
4.5.3 Procedure 17
4.5.4 Evaluation and record 17
4.6 Materials detection on body test 18
4.6.1 General 18
4.6.2 Purpose 18
4.6.3 Test object description 18
4.6.4 Procedure 18
4.6.5 Evaluation and record 18
4.7 Materials detection in air test 18
4.7.1 General 18
4.7.2 Purpose 19
4.7.3 Test object description 19
4.7.4 Procedure 19
4.7.5 Evaluation and record 19
4.8 Penetration test 19
4.8.1 General 19
4.8.2 Purpose 19
4.8.3 Test object description 20
4.8.4 Procedure 20
4.8.5 Evaluation and record 20
5 Minimum acceptable imaging performance 20
6 Environmental requirements 21
Annex A (normative) Mechanical drawings of the test objects 22
Annex B (informative) Example of reporting form 35
Annex C (informative) Image resolution measurement using the pentalith 37
C.1 General 37

C.2 Strategy 37
C.3 Pentalith description 37
C.4 Pass/fail criterion 40
C.5 Repeatability 41
Annex D (informative) Comparison of whole body imaging systems 42
Bibliography 43

Figure 1 – Generic illustration of the testing configuration showing a HDPE body phantom with a test object on one end supported 1 m off the ground 13
Figure 2 – Body phantom and test objects 15
Figure A.1 – Components of the test phantom 22
Figure A.2 – Material detection in air phantom 23
Figure A.3 – Subassembly of the material detection in air phantom (Figure A.2), metal comb, three teeth 23
Figure A.4 – Subassembly of the material detection in air phantom (Figure A.2), metal comb, two teeth 24
Figure A.5 – Subassembly of the material detection in air phantom (Figure A.2), metal comb, one tooth 24
Figure A.6 – Subassembly of the material detection in air phantom (Figure A.2), plastic comb 25
Figure A.7 – Subassembly of the material detection in air phantom (Figure A.2), mounting sheet 25
Figure A.8 – Material detection on body 1 26
Figure A.9 – Material detection on body 2 26
Figure A.10 – Wire detection phantom 27
Figure A.11 – Subassembly of the wire detection phantom (Figure A.10), mounting base 27
Figure A.12 – Subassembly of the wire detection phantom (Figure A.10), cover 28
Figure A.13 – Pentalith resolution phantom 29
Figure A.14 – Subassembly of the pentalith resolution phantom (Figure A.13), mounting base 30
Figure A.15 – Subassembly of the pentalith resolution phantom (Figure A.13); hole placement in mounting base 31
Figure A.16 – Subassembly of the pentalith resolution phantom (Figure A.13), cover 32
Figure A.17 – Body phantom, 55 mm thick 32
Figure A.18 – Body phantom, 75 mm thick 33
Figure A.19 – Body phantom, 50 mm thick 33
Figure A.20 – Storing space 34
Figure C.1 – Dimensional design of the pentalith pattern 38
Figure C.2 – Example of a pentalith overlying a pixel grid 38
Figure C.3 – Example of a pentalith test phantom suitable for optical measurements 39
Figure C.4 – Example of a pentalith test phantom suitable for X-ray imaging 39
Figure C.5 – Example of using image thresholding as an objective pass/fail criterion 41

Table 1 – Wire sizes for the wire detection test 17
Table 2 – Minimum acceptable imaging performance at the reference location 20

Table 3 – Standard test conditions 21
Table D.1 – Comparison of whole body imaging systems for security screening 42

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

RADIATION PROTECTION INSTRUMENTATION – SECURITY SCREENING OF HUMANS – MEASURING THE IMAGING PERFORMANCE OF X-RAY SYSTEMS

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62709 has been prepared by subcommittee 45B: Radiation protection instrumentation, of IEC technical committee 45: Nuclear instrumentation. It is an International Standard.

This second edition cancels and replaces the first edition published in 2014. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) Clarified the test procedures to maintain consistency with IEC 62463.
b) Changed the term "spatial resolution" to "pentalith resolution".
c) Modified some standard test conditions.
d) Modified some terms and definitions.
e) Changed the imaging requirements for transmission general-use systems.

The text of this International Standard is based on the following documents:

Draft	Report on voting
45B/1059/FDIS	45B/1069/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This document establishes standard test methods and test objects for measuring the imaging performance of X-ray systems for security screening of humans. For each image quality test, this document also sets minimum acceptable levels of performance. These procedures and minimum acceptable requirements should not be construed as an all-inclusive measure of performance for any situation. Depending on the circumstances and detection needs, user institutions will continue to generate their own requirements and are encouraged to do so. Rather, it is hoped that this document will provide a starting point for evaluating systems, provide a uniform set of readily available information to compare equipment, and offer a standard procedure for periodic quality control testing.

Four annexes are included. Annex A (normative) provides mechanical drawings of the imaging test objects. Sample test report forms are given in Annex B (informative). Annex C (informative) provides a generic description of the pentalith resolution test object. Annex D (informative) seeks to describe the different types of security systems presently being used for whole-body imaging.

RADIATION PROTECTION INSTRUMENTATION – SECURITY SCREENING OF HUMANS – MEASURING THE IMAGING PERFORMANCE OF X-RAY SYSTEMS

1 Scope

This document applies to security screening systems that utilize X-ray radiation and are used to inspect people who are not inside vehicles, containers, or enclosures. Specifically, this document applies to systems used to detect objects carried on or within the body of the individual being inspected.

The following types of systems are included in the scope of this document:

– Systems designated as mobile or fixed.
– Systems employing detection of primary radiation, backscattered radiation, forward-scattered radiation, (see Annex D) or some combination of these modalities to form two-dimensional X-ray images.
– Systems that are primarily imaging but that also may have complementary features such as material discrimination, automatic active or passive detection alerts. This document does not address how to test these complementary features.

The objective is to provide standard methods of measuring and reporting imaging quality characteristics that enable system manufacturers, potential system users and other interested parties to:

a) Establish a consistent indicator of the expected technical performance of screening systems used for the inspection of individuals. Such technical performance testing complements explicit detection testing and evaluation. In this document "detection" refers to items in an image.
b) Provide repeatable and verifiable imaging performance data that can be used to compare systems from different vendors.
c) Establish a baseline that can be used over time to calibrate the system or detect any performance degradation. (It is not intended that the entire test method be employed for daily quality assurance testing.)
d) Establish minimum acceptable performance requirements for the systems described above.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-395:2014, *International Electrotechnical Vocabulary (IEV) – Part 395: Nuclear instrumentation – Physical phenomena, basic concepts, instruments, systems, equipment and detectors*
IEC 60050-395:2014/AMD1:2016
IEC 60050-395:2014/AMD2:2020

IEC 60050-881:1983, *International Electrotechnical Vocabulary (IEV) – Part 881: Radiology and radiological physics*
IEC 60050-881:1983/AMD1:2014
IEC 60050-881:1983/AMD2:2019
IEC 60050-881:1983/AMD3:2020

IEC 62463:2024, *Radiation protection instrumentation – X-ray systems for the security screening of persons*

ISO 683-17:2023, *Heat-treatable steels, alloy steels and free-cutting steels – Part 17: Ball and roller bearing steels*