IEC 63119-1

Edition 2.0 2025-07

INTERNATIONAL STANDARD

REDLINE VERSION

Information exchange for electric vehicle charging roaming service –
Part 1: General

ICS 43.120; 29.130.20; 35.240.01

ISBN 978-2-8327-0576-6

IEC 63119-1:2025-07 RLV(en)

CONTENTS

FOREWORD 2
1 Scope 1
2 Normative references 5
3 Terms and definitions 5
4 General description for roaming service models 6
4.1 General 8
4.2 System architecture 11
4.3 Communication interfaces 11
5 Classification of roaming service models – Roaming modes 14
6 Communication – Protocol stack 14
7 Security and privacy 15
7.1 General requirements 15
7.2 Authentication and authorization 15
7.3 Data transfer security 15
8 Privacy mechanisms 15
Bibliography 17

Figure 1 – Overview of roaming and relevant technologies 10
Figure 2 – Overview of system architecture 11
Figure 3 – Overview of EV services and communication interfaces 13
Figure 4 – Overview of EV roaming classification 14

Table 1 – Network communication protocols 15

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

Information exchange for electric vehicle charging roaming service - Part 1: General

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 63119-1:2019. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 63119-1 has been prepared by IEC technical committee 69: Electrical power/energy systems for electrically propelled road vehicles and industrial trucks. It is an International Standard.

This second edition cancels and replaces the first edition published in 2019.

This edition includes the following significant technical changes with respect to the previous edition:

a) the scope is expanded to include differentiation between home and visited service provider roles and adds an explicit definition of roaming entity;
b) adds definitions for "home charging service provider (home-CSP)", "visited charging station operator (visited-CSO)", and "charging detail record (CDR)", and expands related terms such as "service" and "roaming entity";
c) introduces abbreviation variants for "home-CSP" and "visited-CSO" in the terminology, aligning with North American and European conventions;
d) updates the communication protocol stack by adopting a newer TLS version (upgraded from 1.2 to 1.3);
e) system architecture and communication interfaces include detailed interactions between home-CSP and visited-CSO;
f) adds a definition for "service" to cover a broader range of applications such as parking and reservation management;
g) adds a distinction between "charging detail record (CDR)" and "service detail record (SDR)" and clarifies their relationship in the terminology;
h) enhances the description of user credential transfer methods in communication interfaces with greater diversity;
i) enhances the description of the mixed mode in the classification of roaming service models, emphasizing improved user experience through faster response times.

The text of this International Standard is based on the following documents:

Draft	Report on voting
69/1050/FDIS	69/1063/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 63119 series, published under the general title *Information exchange for electric vehicle charging roaming service*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

1 Scope

This part of IEC 63119 establishes a basis for the other parts of IEC 63119, specifying the terms and definitions, general description of the system model, classification, information exchange and security mechanisms for roaming between EV ~~charge~~ charging service providers (CSPs), charging station operators (CSOs) and clearing house platforms through roaming endpoints. It provides an overview and describes the general requirements of the EV roaming service system.

The IEC 63119 series is applicable to high-level communication involved in information exchange/interaction between different CSPs, as well as between a CSP and a CSO with or without a clearing house platform through the roaming endpoint.

The IEC 63119 series does not specify the information exchange, either between the charging station (CS) and the charging station operator (CSO), or between the EV and the CS.

2 Normative references

~~The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.~~

~~RFC 5246, The Transport Layer Security (TLS) Protocol Version 1.2~~

There are no normative references in this document.

IEC 63119-1

Edition 2.0 2025-07

INTERNATIONAL STANDARD

Information exchange for electric vehicle charging roaming service – Part 1: General

ICS 43.120; 29.130.20; 35.240.01

ISBN 978-2-8327-0532-2

CONTENTS

FOREWORD 2
1 Scope 4
2 Normative references 4
3 Terms and definitions 4
4 General description for roaming service models 7
4.1 General 7
4.2 System architecture 8
4.3 Communication interfaces 9
5 Classification of roaming service models – Roaming modes 10
6 Communication – Protocol stack 11
7 Security and privacy 11
7.1 General requirements 11
7.2 Authentication and authorization 11
7.3 Data transfer security 12
8 Privacy mechanisms 12
Bibliography 13

Figure 1 – Overview of roaming and relevant technologies 8
Figure 2 – Overview of system architecture 9
Figure 3 – Overview of EV services and communication interfaces 10
Figure 4 – Overview of EV roaming classification 11

Table 1 – Network communication protocols 11

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

Information exchange for electric vehicle charging roaming service - Part 1: General

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 63119-1 has been prepared by IEC technical committee 69: Electrical power/energy systems for electrically propelled road vehicles and industrial trucks. It is an International Standard.

This second edition cancels and replaces the first edition published in 2019.

This edition includes the following significant technical changes with respect to the previous edition:

a) the scope is expanded to include differentiation between home and visited service provider roles and adds an explicit definition of roaming entity;
b) adds definitions for "home charging service provider (home-CSP)", "visited charging station operator (visited-CSO)", and "charging detail record (CDR)", and expands related terms such as "service" and "roaming entity";
c) introduces abbreviation variants for "home-CSP" and "visited-CSO" in the terminology, aligning with North American and European conventions;

d) updates the communication protocol stack by adopting a newer TLS version (upgraded from 1.2 to 1.3);

e) system architecture and communication interfaces include detailed interactions between home-CSP and visited-CSO;

f) adds a definition for "service" to cover a broader range of applications such as parking and reservation management;

g) adds a distinction between "charging detail record (CDR)" and "service detail record (SDR)" and clarifies their relationship in the terminology;

h) enhances the description of user credential transfer methods in communication interfaces with greater diversity;

i) enhances the description of the mixed mode in the classification of roaming service models, emphasizing improved user experience through faster response times.

The text of this International Standard is based on the following documents:

Draft	Report on voting
69/1050/FDIS	69/1063/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 63119 series, published under the general title *Information exchange for electric vehicle charging roaming service*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

1 Scope

This part of IEC 63119 establishes a basis for the other parts of IEC 63119, specifying the terms and definitions, general description of the system model, classification, information exchange and security mechanisms for roaming between EV charging service providers (CSPs), charging station operators (CSOs) and clearing house platforms through roaming endpoints. It provides an overview and describes the general requirements of the EV roaming service system.

The IEC 63119 series is applicable to high-level communication involved in information exchange/interaction between different CSPs, as well as between a CSP and a CSO with or without a clearing house platform through the roaming endpoint.

The IEC 63119 series does not specify the information exchange, either between the charging station (CS) and the charging station operator (CSO), or between the EV and the CS.

2 Normative references

There are no normative references in this document.