IEC 63380-1

Edition 1.0 2025-04

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Standard interface for connecting charging stations to local energy management systems –
Part 1: General requirements, use cases and abstract messages

Interface normalisée pour la connexion des bornes de charge aux systèmes locaux de gestion de l'énergie –
Partie 1 : Exigences générales, cas d'utilisation et messages abstraits



IEC 63380-1:2025-04(en-fr)



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC
La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC
Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC - webstore.iec.ch/advsearchform
La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, …). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished
Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc
Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications, symboles graphiques et le glossaire. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org
Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 500 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 25 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

IEC 63380-1

Edition 1.0 2025-04

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Standard interface for connecting charging stations to local energy management systems – Part 1: General requirements, use cases and abstract messages

Interface normalisée pour la connexion des bornes de charge aux systèmes locaux de gestion de l'énergie – Partie 1 : Exigences générales, cas d'utilisation et messages abstraits

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 29.240.99, 43.120

ISBN 978-2-8327-0343-4

Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

® Registered trademark of the International Electrotechnical Commission
Marque déposée de la Commission Electrotechnique Internationale

CONTENTS

FOREWORD 13
INTRODUCTION 15
1 Scope 17
2 Normative references 17
3 Terms, definitions, and abbreviated terms 17
3.1 Terms and definitions 17
3.2 Abbreviated terms 19
4 Scenarios and user stories 20
4.1 General 20
4.2 Stakeholders 21
4.3 User stories 21
4.4 Use case actors 23
4.4.1 General 23
4.4.2 Charging station 23
4.4.3 Energy management system (EMS) 23
4.4.4 Electric vehicle (EV) 24
4.5 Mapping of user stories to use cases 24
5 Technical use cases 25
5.1 Overview 25
5.1.1 General 25
5.1.2 Wording 25
5.1.3 Reading the graphics 26
5.2 Charging station commissioning and configuration 26
5.2.1 General 26
5.2.2 Scenario overview 26
5.2.3 Scenario implementation requirements 27
5.2.4 Scenario details 27
5.2.5 Scenarios and use case functions 28
5.3 Coordinated EV charging 29
5.3.1 General 29
5.3.2 Scenario overview 30
5.3.3 Scenario implementation requirements 31
5.3.4 Scenario flow 32
5.3.5 Scenario details 33
5.3.6 Scenarios and use case functions 42
5.3.7 Dependencies to other use cases 42
5.4 EV charging electricity measurement 43
5.4.1 General 43
5.4.2 Scenario overview 43
5.4.3 Scenario implementation requirements 44
5.4.4 Scenario details 44
5.4.5 Scenarios and use case functions 46
5.4.6 Dependencies to other use cases 46
5.5 EV charging summary 46
5.5.1 General 46
5.5.2 Scenario overview 47

5.5.3 Scenario implementation requirements 47
5.5.4 Scenario details – Scenario 1 – EMS sends charging session summary to charging station 47
5.5.5 Scenarios and use case functions 48
5.5.6 Dependencies to other use cases 48
5.6 EV commissioning and configuration 49
5.6.1 General 49
5.6.2 Scenario overview 49
5.6.3 Scenario implementation requirements 50
5.6.4 Scenario details 51
5.6.5 Scenarios and use case functions 56
5.6.6 Dependencies to other use cases 56
5.7 EV state of charge 56
5.7.1 General 56
5.7.2 Scenario overview 57
5.7.3 Scenario implementation requirements 57
5.7.4 Scenario details : Scenario 1 – Monitor EV's state of charge 57
5.7.5 Scenarios and use case functions 58
5.8 Limitation of active power consumption 58
5.8.1 General 58
5.8.2 Detailed background information and rules 59
5.8.3 State machine 62
5.8.4 Scenario overview 64
5.8.5 Scenario implementation requirements 65
5.8.6 Scenario details 65
5.8.7 Scenarios and use case functions 69
5.8.8 Dependencies to other use cases 69
5.8.9 Further information and rules 69
5.9 Monitoring of active power consumption 70
5.9.1 General 70
5.9.2 Scenario overview 70
5.9.3 Scenario implementation requirements 71
5.9.4 Scenario details 71
5.9.5 Scenarios and use case functions 74
5.10 Optimization of self-consumption during EV charging 75
5.10.1 General 75
5.10.2 Scenario overview 75
5.10.3 Scenario implementation requirements 75
5.10.4 Scenario details 76
5.10.5 Dependencies to other use cases 78
5.11 Overload protection by EV charging current curtailment 79
5.11.1 General 79
5.11.2 Derivation of the time limits for the involved units 79
5.11.3 Further information 80
5.11.4 Scenario overview 80
5.11.5 Scenario implementation requirements 80
5.11.6 Scenario details 81
5.11.7 Scenarios and use case functions 82
5.11.8 Dependencies to other use cases 83

5.12 Basic EV charging/discharging 84
5.12.1 General 84
5.12.2 Scenario overview 84
5.12.3 Scenario implementation requirements 85
5.12.4 Scenario details 85
5.12.5 Scenarios and use case functions 88
5.12.6 Dependencies to other use cases – EV commissioning and configuration 88
5.13 Dynamic bidirectional EV charging 89
5.13.1 General 89
5.13.2 Dynamic mode 90
5.13.3 Scenario overview 90
5.13.4 Scenario implementation requirements 91
5.13.5 Scenarios and use case functions 91
5.13.6 Scenarios and use case functions 96
5.13.7 Dependencies to other use cases 97
5.13.8 Further information and rules 97
6 Generic use case functions (UCF) 98
6.1 General 98
6.2 Concepts 98
6.3 UCF_AC_Measurement ─ Generic description 98
6.3.1 General 98
6.3.2 Measurement 100
6.3.3 Electrical connection data 107
6.4 UCF_Characteristics ─ Generic description 112
6.4.1 General 112
6.4.2 Characteristics 113
6.5 UCF_Charging_Power_Limits ─ Generic description 113
6.5.1 General 113
6.5.2 Electrical connection parameters 114
6.5.3 Electrical connection permitted values 114
6.6 UCF_Consumption_Curve ─ Generic description 115
6.6.1 General 115
6.6.2 Consumption curve 116
6.7 UCF_Device_Configuration ─ Generic description 120
6.7.1 General 120
6.7.2 Device configuration – Key value description 121
6.7.3 Device configuration data 121
6.7.4 Write device configuration data 122
6.8 UCF_Device_State ─ Generic description 123
6.8.1 General 123
6.8.2 Device state 124
6.9 UCF_EV_Connected ─ Generic description 125
6.9.1 General 125
6.9.2 Information content 125
6.10 UCF_Heartbeat ─ Generic description 125
6.10.1 General 125
6.10.2 Heartbeat 126
6.11 UCF_Identification ─ Generic description 126

6.11.1 General ... 126
6.11.2 Identification ... 126
6.12 UCF_Incentive_Table ─ Generic description ... 127
6.12.1 General ... 127
6.12.2 Incentive table ... 128
6.12.3 Write incentive table ... 132
6.13 UCF_Load_Control ─ Generic description ... 135
6.13.1 General ... 135
6.13.2 Load constraints ... 136
6.14 UCF_Manufacturer_Information ─ Generic description ... 138
6.14.1 General ... 138
6.14.2 Manufacturer data ... 138
6.15 UCF_Maximum_Power_Limitation_Curve ─ Generic description ... 139
6.15.1 General ... 139
6.15.2 Maximum power limitation curve ... 140
6.15.3 Update maximum power limitation curve ─ Time series data ... 142
6.16 UCF_Measurement ─ Generic description ... 142
6.16.1 General ... 142
6.16.2 Measurement ... 143
6.17 UCF_Power_Limit ... 144
6.17.1 Generic description ... 144
6.17.2 Additional information ... 146
6.18 UCF_Operation_Mode ─ Generic description ... 146
6.18.1 General ... 146
6.18.2 Current operation mode ─ Operation mode description ... 147
6.18.3 Send operation mode ─ Operation mode description ... 147
6.19 UCF_Session_Summary ─ Generic description ... 147
6.19.1 General ... 147
6.19.2 Session summary ... 148
6.19.3 Session summary write ─ Charging summary data ... 150
6.20 UCF_Setpoint ─ Generic description ... 151
6.20.1 General ... 151
6.20.2 Setpoint ... 152
Bibliography ... 154

Figure 1 – Overview of the IEC 63380 series ... 20
Figure 2 – Communication scope of the IEC 63380 series ... 21
Figure 3 – Sources of information for an EMS ... 24
Figure 4 – Charging station commissioning and configuration – High-level use case functionality overview ... 26
Figure 5 – Charging station commissioning and configuration – Scenario overview ... 26
Figure 6 – Charging station commissioning and configuration – Scenario 1 overview ... 27
Figure 7 – Charging station commissioning and configuration – Scenario 2 overview ... 28
Figure 8 – Coordinated EV charging – High-level use case functionality overview ... 29
Figure 9 – Charging session example ... 30
Figure 10 – Coordinated EV charging – Scenario overview ... 31
Figure 11 – Coordinated EV charging – Scenario flow ... 32

Figure 12 – Energy demand example 33
Figure 13 – Maximum power limitation curve example 35
Figure 14 – Incentive table example with consideration of the P_{max} curve from scenario 2 37
Figure 15 – Incentive table example (single incentive slot) for different tiers 38
Figure 16 – Charging plan curve example 39
Figure 17 – EV Charging electricity measurement – High-level use case functionality overview 43
Figure 18 – EV charging electricity measurement – Scenario overview 44
Figure 19 – EV charging current overview 44
Figure 20 – EV charging power overview 45
Figure 21 – EV charged energy overview 45
Figure 22 – EV charging summary – High-level use case functionality overview 47
Figure 23 – EV charging summary – Scenario overview 47
Figure 24 – Charging session summary 48
Figure 25 – EV commissioning and configuration – High-level use case functionality overview 49
Figure 26 – EV commissioning and configuration – Scenario overview 50
Figure 27 – EV commissioning and configuration – Scenario 1 overview 51
Figure 28 – EV commissioning and configuration – Scenario 2 overview 52
Figure 29 – EV commissioning and configuration – Scenario 3 overview 53
Figure 30 – EV Commissioning and Configuration – Scenario 4 overview 53
Figure 31 – EV commissioning and configuration – Scenario 5 overview 54
Figure 32 – EV commissioning and configuration – Scenario 6 overview 55
Figure 33 – EV commissioning and configuration – Scenario 7 overview 55
Figure 34 – EV commissioning and configuration – Scenario 8 overview 56
Figure 35 – EV state of charge – High-level use case functionality overview 57
Figure 36 – EV state of charge – Scenario overview 57
Figure 37 – Monitor EV's state of charge 57
Figure 38 – Limitation of active power consumption – High-level use case functionality overview 59
Figure 39 – State machine after connection establishment 63
Figure 40 – Limitation of active power consumption – Scenario overview 65
Figure 41 – Monitoring of active power consumption – High-level use case functionality overview 70
Figure 42 – Monitoring of active power consumption – Scenario overview 71
Figure 43 – Optimization of self-consumption during EV charging – High-level use case functionality overview 75
Figure 44 – Optimization of self-consumption during EV Charging – Scenario overview 75
Figure 45 – Optimization of self-consumption during EV charging – Scenario 1 overview 76
Figure 46 – Overload protection by EV charging current curtailment – High-level use case functionality overview 79
Figure 47 – Overload protection by EV charging current curtailment – Scenario overview 80

Figure 48 – Overload protection by EV charging current curtailment – Scenario 1 overview 81
Figure 49 – Example for asymmetric versus symmetric charging curtailment 81
Figure 50 – Basic EV charging/discharging – High-level use case functionality overview 84
Figure 51 – Basic EV charging/discharging – Scenario overview 85
Figure 52 – Basic EV charging/discharging – Scenario 1 overview 86
Figure 53 – EMS monitors EV's state of charge – Scenario 2 overview 86
Figure 54 – Basic EV Charging/Discharging – Scenario 3 overview 87
Figure 55 – Basic EV charging/discharging – Scenario 4 overview 87
Figure 56 – Basic EV Charging/Discharging – Scenario 5 overview 88
Figure 57 – Dynamic bidirectional EV charging – High-level use case functionality overview 90
Figure 58 – Dynamic bidirectional EV charging – Scenario overview 91
Figure 59 – Example of energy request dependencies 94
Figure 60 ─ Messaging sequence for UCF_AC_Measurement 99
Figure 61 – Messaging sequence for UCF_Characteristics 112
Figure 62 – Messaging sequence for UCF_Charging_Power_Limits 114
Figure 63 – Messaging sequence for UCF_Consumption_Curve 115
Figure 64 – Messaging sequence for UCF_Device_Configuration 120
Figure 65 – Messaging sequence for UCF_Device_State 123
Figure 66 – Messaging sequence for UCF_Heartbeat 125
Figure 67 – Messaging sequence for UCF_Identification 126
Figure 68 – Messaging sequence for UCF_Incentive_Table 127
Figure 69 – Messaging sequence for UCF_Load_Control 135
Figure 70 – Messaging sequence for UCF_ Manufacturer_Information 138
Figure 71 – Messaging sequence for UCF_ Maximum_Power_Limitation_Curve 139
Figure 72 – Messaging sequence for UCF_Measurement 142
Figure 73 – Messaging sequence for UCF_Power_Limit 144
Figure 74 – Messaging sequence for UCF_Operation_Mode 146
Figure 75 – Messaging sequence for UCF_Session_Summary 148
Figure 76 – Messaging sequence for UCF_Setpoint 151

Table 1 – User stories 22
Table 2 – Mapping of user stories to use cases 25
Table 3 – Presence indication description 26
Table 4 – Charging station commissioning and configuration – Scenario implementation requirements for actors 27
Table 5 – Charging station commissioning and configuration – Scenarios and primary use case functions (UCFs) 28
Table 6 – Coordinated EV charging – Scenario implementation requirements for actors 31
Table 7 – Coordinated EV charging – Scenarios and primary use case functions (UCFs) 42
Table 8 – EV charging electricity measurement – Scenario implementation requirements for actors 44

Table 9 – EV charging electricity measurement – Scenarios and primary use case functions (UCFs) 46
Table 10 – EV charging summary – Scenario implementation requirements for actors 47
Table 11 – EV charging summary – Scenarios and primary use case functions (UCFs) 48
Table 12 – EV commissioning and configuration – Scenario implementation requirements for actors 51
Table 13 – EV commissioning and configuration – Scenarios and primary use case functions (UCFs) 56
Table 14 – EV state of charge – Scenario implementation requirements for actors 57
Table 15 – EV state of charge – Scenarios and primary use case functions (UCFs) 58
Table 16 – Charging station power limitation behaviour 59
Table 17 – Limitation of active power consumption – Scenario implementation requirements for actors 65
Table 18 – Scenario 1 – Control active power consumption limit – Data point list 66
Table 19 – Scenario 2 – Failsafe values – Data point list 67
Table 20 – Scenario 3 – Heartbeat – Data point list 68
Table 21 – Scenario 4 – Constraints – Data point list 68
Table 22 – Limitation of active power consumption – Scenarios and primary use case functions (UCFs) 69
Table 23 – Monitoring of active power consumption – Scenario implementation requirements for actors 71
Table 24 – Scenario 1 – Monitor power consumption – Data point list 72
Table 25 – Scenario 2 – Monitor consumed energy – Data point list 72
Table 26 – Scenario 3 – Monitor current – Data point list 73
Table 27 – Scenario 4 – Monitor voltage – Data point list 73
Table 28 – Scenario 5 – Monitor frequency – Data point list 74
Table 29 – Monitoring of active power consumption – Scenarios and primary use case functions (UCFs) 74
Table 30 – Optimization of self-consumption during EV charging – Scenario implementation requirements for actors 76
Table 31 – Optimization of self-consumption during EV charging – Scenarios and primary use case functions (UCFs) 78
Table 32 – Overload protection by EV charging current curtailment – Scenario implementation requirements for actors 81
Table 33 – Overload protection by EV charging current curtailment – Scenarios and primary use case functions (UCFs) 83
Table 34 – Basic EV charging/discharging – Scenario implementation requirements for actors 85
Table 35 – Basic EV charging/discharging – Scenarios and primary use case functions (UCFs) 88
Table 36 – Dynamic bidirectional EV charging – Scenario implementation requirements for actors 91
Table 37 – Scenario 1 – Control active power setpoint – Data point list 92
Table 38 – Scenario 2 – Monitor energy requests – Data point list 95
Table 39 – Scenario 3 – Monitor constraints – Data point list 95
Table 40 – Scenario 4 – Configuration parameters – Data point list 96
Table 41 – Dynamic bidirectional EV charging – Scenarios and primary use case functions (UCFs) 96

Table 42 – Information content for measurement description at actor charging station for power (use case "monitoring of active power consumption")..... 100
Table 43 – Information content for measurement description at actor charging station for power (use case "ev charging electricity measurement")..... 100
Table 44 – Information content for measurement constraints at actor charging station for power (use cases "monitoring of active power consumption" and "EV charging electricity measurement")..... 101
Table 45 – Information content for measurement data at actor charging station for power (use case "monitoring of active power consumption")..... 101
Table 46 – Information content for measurement data at actor charging station for power (use case "EV charging electricity measurement")..... 101
Table 47 – Information content for measurement description at actor charging station for energy (use case "monitoring of active power consumption")..... 102
Table 48 – Information content for measurement description at actor charging station for energy (use case "EV charging electricity measurement")..... 102
Table 49 – Information content for measurement constraints at actor charging station for energy (use cases "monitoring of active power consumption" and "EV charging electricity measurement")..... 102
Table 50 – Information content for measurement data at actor charging station for energy (use case "monitoring of active power consumption")..... 103
Table 51 – Information content for measurement data at actor charging station for energy (use case "EV charging electricity measurement")..... 103
Table 52 – Information content for measurement description at actor charging station for current (use cases "monitoring of active power consumption" and "EV charging electricity measurement")..... 104
Table 53 – Information content for measurement constraints at actor charging station for current (use cases "monitoring of active power consumption" and "EV charging electricity measurement")..... 104
Table 54 – Information content for measurement data at actor charging station for current (use case "monitoring of active power consumption")..... 104
Table 55 – Information content for measurement data at actor charging station for power (use case "EV charging electricity measurement")..... 105
Table 56 – Information content for measurement description at actor charging station for current (use case "monitoring of active power consumption")..... 105
Table 57 – Information content for measurement constraints at actor charging station for current (use case "monitoring of active power consumption")..... 105
Table 58 – Information content for measurement data at actor charging station for current (use case "monitoring of active power consumption")..... 106
Table 59 – Information content for measurement description at actor charging station for frequency (use case "monitoring of active power consumption")..... 106
Table 60 – Information content for measurement constraints at actor charging station for frequency (use case "monitoring of active power consumption")..... 106
Table 61 – Information content for measurement data at actor charging station for frequency (use case "monitoring of active power consumption")..... 107
Table 62 – Information content for electrical connection description at actor charging station for power (use cases "monitoring of active power consumption" and "EV charging electricity measurement")..... 107
Table 63 – Information content for electrical connection parameters at actor charging station for power (use case "monitoring of active power consumption") – phase specific..... 108
Table 64 – Information content for electrical connection parameters at actor charging station for power (use case "monitoring of active power consumption") – non phase specific..... 108

Table 65 – Information content for electrical connection parameters at actor charging station for power (use case "EV charging electricity measurement") – phase specific 108

Table 66 – Information content for electrical connection description at actor charging station for energy (use cases "monitoring of active power consumption" and "EV charging electricity measurement")..... 109

Table 67 – Information content for electrical connection parameters at actor charging station for energy (use case "monitoring of active power consumption")..... 109

Table 68 – Information content for electrical connection parameters at actor charging station for energy (use case "EV charging electricity measurement") 109

Table 69 – Information content for electrical connection description at actor charging station for current (use cases "monitoring of active power consumption" and "EV charging electricity measurement")..... 110

Table 70 – Information content for electrical connection parameters at actor charging station for current (use case "monitoring of active power consumption")..... 110

Table 71 – Information content for electrical connection parameters at actor charging station for current (use case "EV charging electricity measurement")..... 110

Table 72 – Information content for electrical connection description at actor charging station for voltage (use case "monitoring of active power consumption") 111

Table 73 – Information content for electrical connection parameters at actor charging station for current (use case "monitoring of active power consumption")..... 111

Table 74 – Information content for electrical connection description at actor charging station for frequency (use case "monitoring of active power consumption")..... 112

Table 75 – Information content for electrical connection parameters at actor charging station for frequency (use case "monitoring of active power consumption")..... 112

Table 76 – Information content for characteristics at actor charging station ("use case limitation of active power consumption", scenario 4) and (use case "dynamic bidirectional EV charging", scenario 3) 113

Table 77 – Information content for electrical connection parameters at actor charging station ("use case EV commissioning and configuration", scenario 6)..... 114

Table 78 – Information content for electrical connection permitted values at actor charging station ("use case EV commissioning and configuration", scenario 6) 115

Table 79 – Information content for time series description at actor charging station (use case "coordinated EV charging", scenario 1) and (use case "dynamic bidirectional EV charging", scenario 2)..... 116

Table 80 – Information content for time series description at actor charging station (use case "coordinated EV charging", scenario 4)..... 117

Table 81 – Information content for time series constraints at actor charging station (use case "coordinated EV charging", scenarios 1,4)..... 117

Table 82 – Information content for time series data at actor charging station (use case "coordinated EV charging", scenario 1)..... 118

Table 83 – Information content for time series data at actor charging station (use case "coordinated EV charging", scenario 4)..... 119

Table 84 – Information content for time series data at actor charging station (use case "dynamic bidirectional EV charging", scenario 2) 120

Table 85 – Information content for key value description at actor charging station (use case "EV commissioning and configuration" scenario 2, and 3) 121

Table 86 – Information content for key value description at actor charging station (use case "limitation of active power consumption" scenario 2)..... 121

Table 87 – Information content for key value description at actor charging station (use case "dynamic bidirectional EV Charging" scenario 4)..... 121

Table 88 – Information content for device configuration at actor charging station (use case "limitation of active power consumption") 122

Table 89 – Information content for device configuration at actor charging (use case "dynamic bidirectional EV Charging" scenario 4) 122
Table 90 – Information content for device configuration at actor charging station (use case "EV commissioning and configuration" scenario 2) 122
Table 91 – Information content for device configuration at actor charging station (use case "EV commissioning and configuration" scenario 3) 122
Table 92 – Information content for key value description at actor EMS (scenario 2, failsafe consumption active power limit) 123
Table 93 – Information content for key value description at actor EMS (scenario 2, failsafe duration minimum) 123
Table 94 – Information content for device state at actor EMS (use cases "overload protection by EV charging current curtailment", "charging station commissioning and configuration" and "optimization of self-consumption during EV charging") 124
Table 95 – Information content for device state at actor EMS (use cases "coordinated EV charging", scenario 7,8) 124
Table 96 – Information content for device state at actor charging station (use case "EV commissioning and configuration") 124
Table 97 – Information content for device state at actor charging station (use case "basic EV charging/discharging") 124
Table 98 – Information content for Heartbeat at Actor EMS 126
Table 99 – Information content for identification at actor charging station (use case "EV commissioning and configuration") 127
Table 100 – Information content for incentive table description at actor charging station (use case "coordinated EV charging") 128
Table 101 – Information content for incentive table constraints at actor charging station (use case "coordinated EV charging") 130
Table 102 – Information content for incentive table data at actor charging station (use case "coordinated EV charging") 131
Table 103 – Information content for incentive table description at actor EMS (use case "coordinated EV charging") 132
Table 104 – Information content for incentive table data at actor EMS (use case "coordinated EV charging") 134
Table 105 – Information content for load control limit description at actor charging station (use case "overload protection during EV charging") 136
Table 106 – Information content for load control limit description at actor charging station (use case "optimization of self-consumption during EV charging") 136
Table 107 – Information content for load power limit data at actor charging station 136
Table 108 – Information content for electrical connection description at actor charging station 137
Table 109 – Information content for electrical connection permitted values at actor charging station 137
Table 110 – Information content for load power limit data at actor EMS 137
Table 111 – Information content for manufacturer data at actor charging station (use case "EV commissioning and configuration", use case "charging station commissioning and configuration") 139
Table 112 – Information content for time series description at actor charging station 140
Table 113 – Information content for time series constraints at actor charging station 141
Table 114 – Information content for time series data at actor charging station 141
Table 115 – Information content for time series data at actor EMS 142

Table 116 – Information content for measurement description at actor charging station (use case "EV state of charge") – state of charge 143
Table 117 – Information content for measurement constraints at actor charging station (use case "EV state of charge") 143
Table 118 – Information content for measurement data at actor charging station (use case "EV state of charge")..... 144
Table 119 – Information content for active power limit description at actor charging station (use case "limitation of active power consumption")..... 145
Table 120 – Information content for active power limit data at actor charging station (use case "limitation of active power consumption") 145
Table 121 – Information content for active power limit data at actor EMS (use case "limitation of active power consumption") 146
Table 122 – Information content for operation mode description at actor charging station (use case "basic EV charging/discharging")..... 147
Table 123 – Information content for operation mode description at actor EMS (use case "basic EV charging/discharging")..... 147
Table 124 – Information content for session summary description at actor charging station..... 149
Table 125 – Information content for session summary constraints at actor charging station..... 149
Table 126 – Information content for session summary data at actor EMS 150
Table 127 – Information content for setpoint description at actor charging station (use case "dynamic EV charging/discharging") 152
Table 128 – Information content for setpoint constraints at actor charging station (use cases "dynamic EV charging/discharging")..... 152
Table 129 – Information content for setpoint data at actor charging station (use cases "dynamic EV charging/discharging") 153

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

STANDARD INTERFACE FOR CONNECTING CHARGING STATIONS TO LOCAL ENERGY MANAGEMENT SYSTEMS –

Part 1: General requirements, use cases and abstract messages

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 63380-1 has been prepared by IEC technical committee 69: Electrical power/energy transfer systems for electrically propelled road vehicles and industrial trucks. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
69/1036/FDIS	69/1048/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 63380 series, published under the general title *Standard interface for connecting charging stations to local energy management systems*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

INTRODUCTION

The expansion of renewable energy and the simultaneous reduction in conventional generation of electricity result in new power flows and loads on the equipment in the grid and at the house connection point. At the same time, electrical consumers with high power consumption are increasingly being installed in low-voltage systems in private customer systems. These include charging systems for electric vehicles and heat pumps. These two developments can temporarily lead to peak loads and bottlenecks in the network. An expansion of the distribution grids for the comparatively few hours of high simultaneous power consumption is not considered economically sensible. The legislator of energy efficiency has therefore introduced the concept of "network-friendly control of controllable consumer devices".

It is crucial to define a standardized interface for the connected consumers and generating facilities, which also includes the charging infrastructure for electric vehicles. When developing a local, standardized interface, it is important to make a fundamental distinction between the terms power and energy management.

In order to avoid an overload and the associated emergency shutdown due to specified power limits in the property while all consumers are drawing electricity at the same time – especially heating and air conditioning technology as well as charging infrastructure – power management is of great urgency. The maximum load at the grid connection point can therefore be reduced. Accordingly, it is important to give priority to local power management over, for example, optimization of operations and tariffs or desired charging plans.

Furthermore, the tariff-optimized operation can be pursued within the limits specified by the grid infrastructure – controlled by the energy management system. As a consequence, a charging infrastructure will be able to transmit information about procurement and tariff-optimized operation from the local energy management of the property to the electric vehicle so that it can coordinate its charging plan according to local demands. Effective coordination becomes essential if generating systems are used within the property in order to achieve the highest possible self-consumption of electricity.

The long-term goal is to buffer power and energy bottlenecks within a property using the energy stored in the vehicle, which also brings the topic of energy recovery into focus and this aspect needs to be considered during the development of a standardized interface for local power and energy management.

The aim of the IEC 63380 series is to define a standard interface for connecting charging stations to local energy management systems and the information exchange.

The IEC 63380 series specifies use cases, the sequences of information exchange, the data models as well as the communication protocols to be used and includes all aspects of local energy management of charging stations.

The IEC 63380 series covers scenarios where the charging infrastructure is managed by the entity that operates the private electrical network, and local energy management systems are used for local load management.

The IEC 63380 series addresses the energy management in installations with forward and bidirectional charging whereby the overall energy management is ensured by the customer energy manager.

The IEC 63380 series does not cover the secure information exchange between the charging station and the IT backend system(s), such as the management of energy transfer of the charge session, contractual and billing data, provided by the IT backend.

The IEC 63380 series consists of the following structure, describing the interface between charging stations and local energy management systems.

- IEC 63380-1: General requirements, use cases and abstract messages
- IEC 63380-2: Specific data model mapping
- IEC 63380-3: Communication protocol and cybersecurity specific aspects
- IEC 63380-4: Test specifications

STANDARD INTERFACE FOR CONNECTING CHARGING STATIONS TO LOCAL ENERGY MANAGEMENT SYSTEMS –

Part 1: General requirements, use cases and abstract messages

1 Scope

This part of IEC 63380 defines the secure information exchange between local energy management systems and electric vehicle charging stations. The local energy management systems communicate to the charging station controllers via the resource manager.

This document specifies use cases, the sequences of information exchange and generic data models.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61851-1:2017, *Electric vehicle conductive charging system – Part 1: General requirements*

ISO 15118-2:2014, *Road vehicles – Vehicle-to-grid communication interface – Part 2: Network and application protocol requirements*

ISO 15118-20:2022, *Road vehicles – Vehicle to grid communication interface – Part 20: 2nd generation network layer and application layer requirements*

3 Terms, definitions, and abbreviated terms

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

3.1 Terms and definitions

3.1.1
actor
entity that communicates and interacts

[SOURCE: ISO/IEC TR 22417:2017, 3.1, modified – The note to entry has been deleted.]