INTERNATIONAL STANDARD

IEC 88528-11

First edition
2004-03

Reciprocating internal combustion engine driven alternating current generating sets –

Part 11: Rotary uninterruptible power systems – Performance requirements and test methods

© IEC 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland



PRICE CODE X

For price, see current catalogue

CONTENTS

FOREWORD 5

1 Scope 7
2 Normative references 7
3 Terms and definitions 8
3.1 General 8
3.2 Performance of systems and components 9
3.3 Specified values 10
3.4 Input values 11
3.5 Output values 12
4 Symbols and abbreviations 12
5 Selection criteria 12
6 General description 13
6.1 Rotary UPS 13
6.2 Types of rotary UPS 13
6.2.1 Series connected rotary UPS 13
6.2.2 Line interactive rotary UPS 14
6.3 Parallel operation of a rotary UPS installation 15
6.3.1 General 15
6.3.2 Parallel operation 15
6.3.3 Redundant operation 15
6.4 Power system changeover with rotary UPS installations (bypass) 16
6.5 Enclosure protection 16
7 Modes of operation 16
7.1 Power conditioning mode 17
7.2 Independent mode 17
7.3 Bypass mode 18
7.4 Off mode 18
7.5 Transitions 18
7.5.1 Transition 1, starting the system with mains voltage present 18
7.5.2 Transition 2, start-up without mains voltage (black start) 18
7.5.3 Transition 3, disconnect from grid 19
7.5.4 Transition 4, connect to grid 19
7.5.5 Transition 6, transfer 19
7.5.6 Transition 7, 8, retransfer 19
8 Service conditions 19
8.1 Normal service conditions 19
8.2 Operation at extended ambient 19
8.2.1 Ambient service temperature 19
8.2.2 Ambient storage and transportation conditions 19
8.3 Engines 20
8.4 Rotating electrical machines 20
8.5 Control logic 20

9 Electrical service conditions and performance 20
9.1 General – all rotary UPS 20
9.2 Performance 21
10 Manufacturer technical declarations 22
10.1 General 22
10.2 Purchaser specification guidelines 22
10.2.1 Type of rotary UPS, additional features, and system requirements 23
10.2.2 Rotary UPS input 23
10.2.3 Load to be supplied from a rotary UPS 23
10.2.4 Rotary UPS output 24
10.2.5 Battery (where applicable) 24
10.2.6 General application requirements and special service conditions 25
10.2.7 Multi-module system configurations 25
10.2.8 Electromagnetic compatibility 26
11 Testing 27
11.1 Static output voltage and frequency deviations 27
11.2 Dynamic output voltage and frequency deviations 28
11.3 Input current characteristics 28
11.4 Measurement of filter properties 28
11.4.1 From mains to output 28
11.4.2 From output to mains 30
11.5 System performance 30
11.5.1 Efficiency 30
11.5.2 Stored energy times 30
11.5.3 Multi-module rotary UPS performance 30
11.6 Black start test 31
11.7 Environmental tests 31
11.8 Audible noise 31
11.9 Testing 31
12 Maintenance and product marking 33
12.1 Nameplate markings 33
12.2 Label requirements 34
12.3 Name plate marker 34
12.4 Decals – labelling 35
12.4.1 Safety instructions and documentation 35
12.5 Maintenance 35

Annex A (informative) Typical energy storage devices 36
Annex B (normative) Reference non-linear load – Single-phase 40
Annex C (normative) Reference non-linear load – Three-phase 42
Annex D (normative) Input mains failure – Test method 43
Annex E (informative) Types of uninterruptible power systems (UPS) configurations 44

Figure 1 – Types of UPS systems 13
Figure 2 – Typical example series connected rotary UPS 13
Figure 3 – Typical example of a line interactive rotary UPS 14
Figure 4 – Parallel operation of a rotary UPS 15

Figure 5 – Bypass operation 16
Figure 6 – Illustration of rotary UPS operation 17
Figure 7 – Operating modes 18
Figure 8 – Surge test 29
Figure 9 – Warning label 34
Figure A.1 – Dual conversion – direct-coupled flywheel 37
Figure A.2 – Line interactive – direct-coupled flywheel 37
Figure A.3 – Dual conversion – indirect coupled flywheel 37
Figure A.4 – Line interactive – indirect coupled flywheel 38
Figure A.5 – Double fed a.c. machine 38
Figure A.6 – Dual conversion with battery 38
Figure A.7 – Line interactive with battery 39
Figure B.1 – Single-phase non-linear load 40
Figure C.1 – Three-phase non-linear load 42
Figure D.1 – Input mains failure test method 43
Figure E.1 – Series connected type 1 44
Figure E.2 – Series connected type 2 45
Figure E.3 – Line interactive 45
Figure E.4 – Typical UPS 46
Figure E.5 – Typical switchless dual feed UPS 47

Table 1 – Compatibility levels for individual harmonic voltages in mains power 21
Table 2 – Operating steady-state limit values for performance classes 21
Table 3 – Operating dynamic limit values for performance classes (note 1) 22
Table 4 – Technical data sheets – Manufacturers declaration 26
Table 5 – Test methods for rotary UPS performance characteristics 32

INTERNATIONAL ELECTROTECHNICAL COMMISSION

RECIPROCATING INTERNAL COMBUSTION ENGINE DRIVEN ALTERNATING CURRENT GENERATING SETS –

Part 11: Rotary uninterruptible power systems – Performance requirements and test methods

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 88528-11 has been prepared jointly by IEC technical committee 2: Rotating machinery, and ISO technical committee 70: Internal combustion engines.

The text of this standard is based on the following documents:

FDIS	Report on voting
2/1275/FDIS	2/1280/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until 2007. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

IEC 88528-11 is integrated into the ISO 8528 series listed below, under the general title *Reciprocating internal combustion engine driven alternating current generating sets:*

Part 1: Application, ratings and performance

Part 2: Engines

Part 3: Alternating current generators for generating sets

Part 4: Controlgear and switchgear

Part 5: Generating sets

Part 6: Test methods

Part 7: Technical declarations for specification and design

Part 8: Requirements and tests for low-power generating sets (available in English only)

Part 9: Measurement and evaluation of mechanical vibrations (available in English only)

Part 10: Measurement of airborne noise by the enveloping surface method

Part 12: Emergency power supply to safety services

RECIPROCATING INTERNAL COMBUSTION ENGINE DRIVEN ALTERNATING CURRENT GENERATING SETS –

Part 11: Rotary uninterruptible power systems – Performance requirements and test methods

1 Scope

This International Standard, which forms part of the ISO 8528 series, specifies criteria, including performance and test methods, for rotary uninterruptible power systems (UPS) arising out of a combination of mechanical and electrical rotating machines. This standard applies to power supplies primarily designed for supplying uninterrupted a.c. power to the consumer. When operated without input mains feed, the power is provided by stored energy and/or reciprocating internal combustion (RIC) engine and the output power is provided by one or more rotating electrical machines.

This part 11 applies to a.c. power supplies primarily designed for supplying uninterruptible electrical power for stationary land and marine use, excluding supplies for aircraft, land vehicles or locomotives. It also excludes power supplies where the output power is generated by static converters. (See IEC 62040-3.)

The use of a rotary UPS installation to improve the quality of a.c. power supply, to provide voltage and/or frequency conversion, and to provide peak shaving is also described.

For some specific applications (for example, essential hospital supplies, offshore, non-stationary applications, high rise buildings, nuclear, etc.) supplementary requirements may be necessary. The provisions of this part of ISO 8528 should be used as a basis.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-1:2003, *Rotating Electrical Machines – Part 1: Rating and performance*

IEC 60034-22:1996, *Rotating Electrical Machines – Part 22: AC generators for reciprocating internal combustion (RIC) engine driven generating sets*

IEC 60417 (all parts), *Graphical symbols for use on equipment. Index, survey and compilation of the single sheets*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)*

IEC 61000, *Electromagnetic compatibility (EMC)*

ISO 3046-1:2003, *Reciprocating internal combustion engines*

ISO 7000, *Graphical symbols for use on equipment*

ISO 8178-1, *Reciprocating internal combustion engines – Exhaust emission measurement – Part 1: Test-bed measurement of gaseous and particulate exhaust emissions*

ISO 8528-1, *Reciprocating internal combustion engine driven alternating current generating sets – Part 1: Application, ratings and performance*

ISO 8528-6, *Reciprocating internal combustion engine driven alternating current generating sets – Part 6: Test methods*

ISO 8528-9, *Reciprocating internal combustion engine driven alternating current generating sets – Part 9: Measurement and evaluation of mechanical vibrations*

ISO 8528-10, *Reciprocating internal combustion engine driven alternating current generating sets – Part 10: Measurement of airborne noise by the enveloping surface method*