IEC SRD 63152-2

Edition 1.0 2022-12

SYSTEMS REFERENCE DELIVERABLE

colour inside

Smart cities – City service continuity –
Part 2: Implementation guideline and city service cases



IEC SRD 63152-2:2022-12(en)



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC SRD 63152-2

Edition 1.0 2022-12

SYSTEMS REFERENCE DELIVERABLE

colour inside

Smart cities – City service continuity – Part 2: Implementation guideline and city service cases

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 33.040.60; 03.100.70

ISBN 978-2-8322-6200-9

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 5
INTRODUCTION 7
0.1 General 7
0.2 Why ECP and ECS are needed 7
0.3 How to develop ECP and ECS using this document 8
0.4 What is the benefit? 8
1 Scope 10
2 Normative references 10
3 Terms and definitions 10
4 Overview of electricity continuity plan (ECP) and electricity continuity system (ECS) based on IEC 63152 11
4.1 Necessity of electricity continuity 11
4.2 Countermeasures to disasters 13
4.3 Implementation of disaster preparedness 14
4.4 Planning, design and introduction of ECP & ECS 14
4.5 Operation of ECP & ECS 15
5 Design guideline for ECP & ECS 15
5.1 Design flow of ECP & ECS 15
5.2 ECP & ECS creation by using use case template 16
5.2.1 Short use case template for city service continuity 16
5.2.2 The first step: conceptual design 18
5.2.3 The second step: basic design 19
5.2.4 The third step: detailed design – Management timetable of ECP & ECS 23
5.2.5 The final step: detailed design completion – Specifications of ECP & ECS 25
5.2.6 Useful information for ECP development 27
5.3 ECP & ECS creation example 28
5.3.1 System configuration (example) – Community centre and public shelter 28
5.3.2 The first step: conceptual design 29
5.3.3 The second step: basic design 29
5.3.4 The third step: detailed design – Management timetable of ECP & ECS 35
5.3.5 The final step: detailed design completion – Specifications of ECP & ECS 38
6 Operation guideline for ECP & ECS 42
6.1 Outline of ECP & ECS operation 42
6.2 Normal time operation 43
6.3 Emergency time operation 43
6.4 Update operation 44
7 Collaboration across ECP & ECS for plural city services 44
7.1 Collaboration between related services 44
7.2 ECP & ECS collaboration model for city services 45
7.3 Adaptation of 3D ECP & ECS collaboration model 46
7.3.1 Adaptation procedure of ECP & ECS collaboration model 46
7.3.2 Application to CSC planning 47
Annex A (informative) Necessity of electricity continuity in a city 48
A.1 Impacts of power outage 48
A.2 Examples of impacts of power outage 48

A.2.1 Life, home and buildings fields 48
A.2.2 Mobility, transportation and logistics fields 49
A.2.3 Medical and commerce fields 50
A.2.4 Public and infrastructures fields 52
A.2.5 Industry and energy fields 54
Annex B (informative) Characteristics of the progression of disasters to be considered for planning CSC 56
Annex C (informative) Case of electricity continuity design 1: Regional disaster prevention base using a free access passage of a railway station 57
C.1 Summary 57
C.2 Use case description 57
C.3 ECP 60
C.4 ECS 61
Bibliography 63

Figure 1 – Impact of power outage in traffic 7
Figure 2 – Design flow image of ECP and ECS 8
Figure 3 – Examples of hazards that can strike cities 12
Figure 4 – Introduction and operation process of ECP & ECS 14
Figure 5 – Design flow diagram of ECP & ECS 16
Figure 6 – Short description in the template 18
Figure 7 – Complete description in the template 21
Figure 8 – Diagram(s) of use case and actors in the template 22
Figure 9 – Derivation of management timetable of ECP & ECS 23
Figure 10 – Basic model of ECP & ECS and its configuration 26
Figure 11 – Basic model of ECP & ECS – internal configuration 26
Figure 12 – System configuration of a community centre and public shelter 28
Figure 13 – Narrative of use case "Short description" 29
Figure 14 – Narrative of use case – Preparedness for disaster phase 30
Figure 15 – Narrative of use case – Disaster strike phase 30
Figure 16 – Narrative of use case – Response phase 31
Figure 17 – Narrative of use case – Recovery phase 31
Figure 18 – Narrative of use case – Review for next preparation phase 31
Figure 19 – Diagram(s) of use case and actors list 32
Figure 20 – ECP & ECS management timetable (top half) 36
Figure 21 – ECP & ECS management timetable (bottom half) 37
Figure 22 – Relationship of the ECP & ECS operations with the disaster phases 43
Figure 23 – Collaboration between related services on management timetables 45
Figure 24 – ECP & ECS collaboration model for city services 46
Figure 25 – ECP & ECS collaboration model for CSC planning 47
Figure A.1 – Life, home and buildings fields 48
Figure A.2 – Mobility, road traffic and logistics fields 49
Figure A.3 – Public transportation, air traffic and logistics fields 50
Figure A.4 – Medical and commerce fields 51
Figure A.5 – Tourism and entertainment fields 52

Figure A.6 – Public service fields 52
Figure A.7 – Education and public service fields 53
Figure A.8 – Social infrastructure fields 54
Figure A.9 – Industry fields 55
Figure A.10 – Energy fields 55

Table 1 – Short use case template for city service continuity 17
Table 2 – Relationship of interoperability layers to ECP or ECS 24
Table 3 – Use case using the template 33
Table 4 – Summary of ECP (for Manager) 38
Table 5 – Estimation of electricity demand 40
Table 6 – Estimation of electricity source and storage 41
Table 7 – Summary of ECS (for Battery) 42
Table C.1 – Use case description 57
Table C.2 – Summary of ECS (for EMS) 62

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

SMART CITIES – CITY SERVICE CONTINUITY –

Part 2: Implementation guideline and city service cases

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC SRD 63152-2 has been prepared by IEC systems committee Smart Cities. It is a Systems Reference Deliverable.

The text of this Systems Reference Deliverable is based on the following documents:

Draft	Report on voting
SyCSmartCities/253/DTS	SyCSmartCities/263/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Systems Reference Deliverable is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 63152 series, published under the general title *Smart cities – City service continuity against disasters*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

0.1 General

It is important that organizations providing services are able to develop and implement preparedness measures to maintain and restore required services in the event of a disaster.

Because many of the services depend on electricity, an electricity continuity plan (ECP) and an electricity continuity system (ECS) can help maintain and restore necessary services in power failure that is caused by a disaster. IEC 63152 describes the concept and minimum requirements of ECP and ECS based on a business continuity plan (BCP).

However, depending on the type, degree, and quality of services, there are various ways to respond to disasters, and ECP and ECS cannot be created in the same way.

This document is designed to serve as a guideline for the design of basic parts by showing the process and points to be noted in the preparation of ECP and ECS for power outages based on normal service.

It is assumed that ECP and ECS will be useful to urban developers, urban operators, public service providers, disaster managers and system integrators, and manufacturers of systems related equipment and facilities.

0.2 Why ECP and ECS are needed

Services in cities are not just public services. There are a lot of different types of services and service users such as residential services, transportation services, medical services, manufacturing services, etc. These services are also composed of various services.

Electricity is a very important resource to provide these services. Physical damage can be unavoidable due to a disaster, but even in areas not directly affected physically, the power disruption affects the surrounding areas, making it impossible to maintain normal services.

For example, what about the transportation system when there is a blackout due to a disaster?




Figure 1 – Impact of power outage in traffic

During normal times, traffic signals display instructions regularly, and the traffic centre can control traffic signals based on traffic volume sensor information.

As shown in Figure 1, a power failure causes traffic jams in many places because traffic lights cannot display instructions. In that case, the traffic centre will not be able to grasp the traffic jam situation and will not be able to give appropriate instructions to emergency vehicles. Of course, the distribution will be delayed due to the traffic jam. Also, if the signal display disappears, there can be many accidents. (See Annex A for more examples.)

It would be helpful to have a system (ECS) in place to back up the power supply to important traffic signals, traffic sensors, etc., and to plan (ECP) activities to minimize the adverse effects on traffic with the minimum necessary information in the event of a power failure.

In addition, ECP and ECS cannot be used effectively if users are not familiar with them. It is important to conduct regular training to familiarize users with ECP and ECS. Furthermore, small power outages can be opportunities to check the effectiveness of ECP and ECS as well as identify points for improvements.

0.3 How to develop ECP and ECS using this document

With this in mind, this document shows as much as possible what should be considered when continuing service in the event of a power failure.

Here is how to develop the core ECP and ECS (See Figure 2).




Figure 2 – Design flow image of ECP and ECS

First of all, a conceptual design is performed while clarifying the following points:

- assumption of disaster and level of damage to the city and to the organization;
- all services provided in the organization in normal time;
- policy and intention regarding what service and what level of service needs to be secured at the time of disaster.

Next, use cases for establishing ECP and ECS are described using templates to match the conceptual design, and basic requirements are summarized in the description as a basic design.

Finally, in the detailed design, the basic design is described in detail in the management timetable to clarify the overall picture of the disaster response, and then the ECP document is prepared and the ECS is designed.

0.4 What is the benefit?

There are many benefits to ECP and ECS, in addition to maintaining a certain level of service after a disaster. They include the following.

- Increase of the likelihood of early recovery.

  The implementation of ECP and ECS not only ensures that basic services are maintained for a period of time after a disaster, but also increases the likelihood of early recovery.

  If ECP and ECS maintain basic services during a power outage, they reduce the burden of responding to services that need to be restored after a power outage. In addition, they will reserve the capacity to create scenarios and preparation for the recovery during the power outage.

- ECP and ECS collaboration across multiple services.

  By considering ECP and ECS for each of the important services, and by understanding and coordinating the measures related among them, we can expand what can be covered by multiple ECP and ECS.

  As a result, we will be able to cover more facilities, more areas, and even apply them to the supply chain.

  If these efforts are accumulated, it will become possible to build cities that can respond to a variety of power outages, not just in times of disaster.

- Preparation and application for multiple disasters response (e.g. coronavirus + earthquake).

  Sometimes multiple disasters occur at the same time. For example, an earthquake can occur where an infectious disease, such as a coronavirus, is widespread.

  ECP controls human activity and ECS controls systems. When disasters are compounded in this way, staff shortages also need to be addressed. Several additional measures can be needed to identify gaps in staff and maintain ECP and ECS.

  The effectiveness of ECP and ECS can be enhanced by considering them in various disaster situations.

It is expected that the use of this document will enable many service providers to aim for more effective and advanced disaster response.

SMART CITIES – CITY SERVICE CONTINUITY –

Part 2: Implementation guideline and city service cases

1 Scope

This part of IEC 63152, which is a Systems Reference Deliverable, provides design guidelines for implementation of city service continuity (CSC) specified in IEC 63152 and includes city service cases for various target organizations (municipality, town developer, building administrator, etc.). The city service cases to be included are not only for emergency use but also for normal time use.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 63152, *Smart cities – City service continuity against disasters – The role of the electrical supply*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1
business continuity plan
BCP
documented information that guides an organization to respond to a disruption and resume, recover and restore the delivery of products and services consistent with its business continuity objectives

[SOURCE: ISO 22301:2019, 3.4]

3.2
electricity continuity plan
ECP
documented procedures that guide organizations to ensure continuity of electricity supply to maintain city services in a business continuity plan that addresses disruption caused by a critical event

[SOURCE: IEC 63152:2020, 3.2]

3.3
electricity continuity system
ECS
system required to ensure reliable and effective implementation of functions which are necessary for ECP

[SOURCE: IEC 63152:2020, 3.3]

3.4
city service
service that is performed for the benefit of the public

Note 1 to entry: In this document, services depend on provision of electricity supply.

[SOURCE: IEC 63152:2020, 3.4]

3.5
city service continuity
CSC
status in which, and capability with which, city services (i.e. public, medical, transportation communication services) that are provided to users in normal times, continue to be fully or partly provided, even in a state of emergency in which the normal functions of city infrastructures are interrupted

[SOURCE: IEC 63152:2020, 3.5]

3.6
disaster
rapid or slow onset event that causes significant disruption to one or more city services for an extended period of time

Note 1 to entry: This can include natural disasters, failures of key components or systems whether in hardware or software, physical damage to systems, and cyber attacks.

[SOURCE: IEC 63152:2020, 3.6]

3.7
use case
specification of a set of actions performed by a system, which yields an observable result that is, typically, of value for one or more actors or other stakeholders of the system

[SOURCE: IEC 62559-2:2015, 3.1]

3.8
use case template
form which allows the structured description of a use case in predefined fields

[SOURCE: IEC 62559-2:2015, 3.4]

4 Overview of electricity continuity plan (ECP) and electricity continuity system (ECS) based on IEC 63152

4.1 Necessity of electricity continuity

Smart cities aim to provide more convenience and efficiency to their residents often through useful functions built on information and communication technology platforms powered by electricity. A smart city is advanced and complex due to the numerous functions it provides.