IEC TR 60728-3-2

Edition 1.0 2016-10

TECHNICAL REPORT

colour inside

Cable networks for television signals, sound signals and interactive services – Part 3-2: Method of measurement of 5th order non-linearity for active electronic equipment using five carriers



IEC TR 60728-3-2:2016-10(en)



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue
The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org
The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary
65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

IEC TR 60728-3-2

Edition 1.0 2016-10

TECHNICAL REPORT

colour inside

Cable networks for television signals, sound signals and interactive services – Part 3-2: Method of measurement of 5th order non-linearity for active electronic equipment using five carriers

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.060.40; 33.170

ISBN 978-2-8322-3646-8

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD....4
INTRODUCTION....6
1 Scope....7
2 Normative references....7
3 Terms, definitions, symbols and abbreviated terms....7
3.1 Terms and definitions....7
3.2 Symbols....9
3.3 Abbreviated terms....9
4 Method of measurement of 5th order non-linearity for active electronic equipment using five carriers....10
4.1 General....10
4.2 Equipment required....11
4.3 Connection of the equipment....11
4.4 Measurement procedure for 3rd order and 5th order intermodulation products....11
4.5 Measurement procedure for 2nd order intermodulation products....13
4.6 Presentation of the results....13
4.7 Estimated maximum usable output level with a higher number of channels....14
4.8 Setting of the 5 carriers frequencies for narrow-band equipment....14
5 Equipment characteristics required to be published....14
6 Example of measurement results....15
Annex A (informative) Examples of measurement frequencies for channel spacing of 7 MHz and 8 MHz....16
A.1 Wide-band equipment....16
A.1.1 General....16
A.1.2 Operating frequency range: VHF....16
A.1.3 Operating frequency range: UHF....16
A.2 Narrow-band equipment....17
A.2.1 General....17
A.2.2 Operating frequency range: VHF....17
A.2.3 Operating frequency range: UHF....17
Annex B (informative) Examples of measurement frequencies for channel spacing of 6 MHz....20
B.1 Wide-band equipment....20
B.1.1 General....20
B.1.2 Operating frequency range: VHF....20
B.1.3 Operating frequency range: UHF....20
B.2 Narrow-band equipment....21
B.2.1 General....21
B.2.2 Operating frequency range: VHF....21
B.2.3 Operating frequency range: UHF....21
Bibliography....24

Figure 1 – Measurement configuration with 5 carriers....11
Figure 2 – The five carriers equally spaced at distance D and the intermodulation products....12

Figure 3 – Example of measurement results using the measuring method with 5 carriers 15

Table A.1 – Allocation of measurement carrier frequencies (MHz) and intermodulation products in VHF – Band III 16
Table A.2 – Allocation of measurement carrier frequencies (MHz) and intermodulation products in UHF – Band IV 16
Table A.3 – Allocation of measurement carrier frequencies (MHz) and intermodulation products in UHF – Band V (Low part) 16
Table A.4 – Allocation of measurement carrier frequencies (MHz) and intermodulation products in UHF – Band V (High part) 17
Table A.5 – Allocation of measurement carrier frequencies (MHz) and intermodulation products in VHF – Band III, narrow-band equipment 17
Table A.6 – Allocation of measurement carrier frequencies (MHz) and intermodulation products in UHF – Band IV, narrow-band equipment 18
Table A.7 – Allocation of measurement carrier frequencies (MHz) and intermodulation products in UHF – Band V, narrow-band equipment 19
Table B.1 – Allocation of measurement carrier frequencies (MHz) and intermodulation products in VHF – Band III 20
Table B.2 – Allocation of measurement carrier frequencies (MHz) and intermodulation products in UHF – Band IV 20
Table B.3 – Allocation of measurement carrier frequencies (MHz) and intermodulation products in UHF – Band V (Low part) 20
Table B.4 – Allocation of measurement carrier frequencies (MHz) and intermodulation products in UHF – Band V (High part) 21
Table B.5 – Allocation of measurement carrier frequencies (MHz) and intermodulation products in VHF – Band III, narrow-band equipment 21
Table B.6 – Allocation of measurement carrier frequencies (MHz) and intermodulation products in UHF – Band IV, narrow-band equipment 22
Table B.7 – Allocation of measurement carrier frequencies (MHz) and intermodulation products in UHF – Band V, narrow-band equipment 23

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

Part 3-2: Method of measurement of 5th order non-linearity for active electronic equipment using five carriers

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC TR 60728-3-2, which is a technical report, has been prepared by technical area 5: Cable networks for television signals, sound signals and interactive services, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
100/2708/DTR	100/2761/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

The list of all parts of the IEC 60728 series, under the general title, *Cable networks for television signals, sound signals and interactive services*, can be found on the IEC website.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Standards and deliverables of the IEC 60728 series deal with cable networks including equipment and associated methods of measurement for headend reception, processing and distribution of television and sound signals, and for processing, interfacing and transmitting all kinds of data signals for interactive services using all applicable transmission media. These signals are typically transmitted in networks by frequency-multiplexing techniques.

This includes, for instance:

- regional and local broadband cable networks,
- extended satellite and terrestrial television distribution systems,
- individual satellite and terrestrial television receiving systems,

and all kinds of equipment, systems and installations used in such cable networks, distribution and receiving systems.

The extent of this standardization work is from the antennas and/or special signal source inputs to the headend or other interface points to the network up to the terminal input of the equipment on the customer's premises.

The standardization work will consider coexistence with users of the RF spectrum in wired and wireless transmission systems.

The standardization of any user terminals (i.e. tuners, receivers, decoders, multimedia terminals etc.) as well as of any coaxial, balanced and optical cables and accessories thereof is excluded.

CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

Part 3-2: Method of measurement of 5th order non-linearity for active electronic equipment using five carriers

1 Scope

This part of IEC 60728 is applicable to the measurement of 5th order non-linearity for active electronic equipment which carries only digitally modulated television signals, sound signals and signals for interactive services. This method of measurement is specifically applicable to MATV installations but could be applied to broadband and channel selective amplifiers used in all kinds of cable networks.

NOTE 1 The methods of measurement of non-linearity (intermodulation products) applicable to active equipment, when loaded with analogue signals, considered that third order intermodulation products were the most important ones. The new era of television digital signals, transmitted according to DVB-S/S2, DVB-C/C2 and DVB-T/T2 modulation formats, has shown that the non-linear distortions (intermodulation products) in active equipment, when loaded with digital signals, are significant up to the 5th order.

NOTE 2 With this method of measurement it is possible to obtain information on non-linear distortions (intermodulation products) up to the 5th order in active wideband equipment, using only 5 carriers, placed in an appropriate and suitable way in the equipment bandwidth. Moreover, with this method of measurement it is possible to obtain information on non-linear distortions (up to the 5th order) in narrowband equipment (channel amplifiers and channel frequency converters) carrying DVB-C/C2 and/or DVB-T/T2 signals.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60728-3, *Cable networks for television signals, sound signals and interactive services – Part 3: Active wideband equipment for cable networks*

3 Terms, definitions, symbols and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60728-3 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1.1
extended satellite television distribution network or system
distribution network or system designed to provide sound and television signals received by a satellite receiving antenna to households in one or more buildings

Note 1 to entry: This kind of network or system could be combined with terrestrial antennas for the additional reception of TV and/or radio signals via terrestrial networks.