IEC TR 61000-1-4

Edition 2.0 2022-06
REDLINE VERSION

TECHNICAL REPORT

colour inside

Electromagnetic compatibility (EMC) – Part 1-4: General – Historical rationale for the limitation of power-frequency conducted harmonic current emissions from equipment, in the frequency range up to 2 kHz

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.100.10

ISBN 978-2-8322-3848-6

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 5
INTRODUCTION 7
1 Scope 8
2 Normative references 8
3 Terms and definitions 9
4 General appraisal 9
5 Acceptable provisions in standards related to regulatory legislation 11
6 History of IEC 61000-3-2 and its predecessors 11
6.1 History table 11
6.2 Before 1960 12
6.3 1960 to 1975 12
6.4 1975 to 1982 13
6.5 1982 to 1995 13
6.6 1995 to 2000 15
6.7 The “Millennium Amendment” 16
~~6.7 Future development of IEC 61000-3-2 .....~~
6.8 2000 to 2019 16
6.9 2020 to 2022 17
6.9.1 Impact factor approach 17
6.9.2 Effect of the coronavirus pandemic from 2020 to 2022 17
7 History of IEC 61000-3-12 and its predecessor 17
7.1 Origin 17
7.2 1989 to 1998 18
7.3 After 1998 19
8 History of IEC 61000-4-7 up to 2008 19
8.1 First edition in 1991 19
8.2 Second edition in 2002 19
8.3 Amendment 1 to the second edition 19
8.4 Developments since 2008 20
9 Economic considerations taken into account in setting limits in IEC 61000-3-2 before publication in 1995, and before the finalization of the text of the Millennium Amendment 20
Annex A (informative) Compatibility level and compensation factor 22
A.1 Explanation of the allocation of only part of the total compatibility level to the low-voltage network 22
A.2 Compensation factor 24
A.2.1 ~~Derivation from the model in Figure A.1~~ Maximum permissible current emission – original approach 24
A.2.2 Detailed consideration 25
A.2.3 New work prompted by the preparation of this document 27
Annex B (informative) Comparison of Class A limits and the harmonic spectra of phase-controlled dimmers of incandescent lamps at 90° firing angle 31
Annex C (informative) Comparison of Class C (IEC 61000-3-2:2018 and IEC 61000-3-2:2018/AMD1:2020, Table 2) limits and the harmonic spectrum of a discharge lamp with inductive ballast 32

Annex D (informative) Comparison of Class D limits and the harmonic spectra of capacitor-filtered single-phase rectifiers with 35° and 65° conduction angles 33

Annex E (informative) Economic considerations taken into account in setting limits, before finalization of the text of the Millennium Amendment to IEC 61000-3-2 34

Annex F (Informative) Concept plan for a full revision of IEC 61000-3-2 36

F.1 ~~Introduction~~ Rationale 36

F.2 Density 36

F.3 Usage factor 36

F.4 Contribution 36

F.5 Phase angle factor 36

F.6 System and site mitigation 37

F.7 Network factors 37

~~Annex G (informative) Derivation of the limits in IEC 61000-3-12 .....~~

~~Annex H (informative) Explanation of the reasons for using the concepts of total harmonic distortion (THD) and partial weighted harmonic distortion (PWHD) .....~~

Annex G (informative) Histories of IEC 61000-3-2 and IEC 61000-3-12 and related standards 52

Bibliography 54

~~Figure 1 – Diagram showing compatibility level in relation to disturbance and immunity levels .....~~

~~Figure A.1 – Allocation of harmonic voltage drops over the transformer impedances in a typical system .....~~

Figure A.1 – Harmonic voltage drops and harmonic current injections in a typical system 24

Figure A.2 – Permissible number of Class A loads versus harmonic order, with an additional 10 Ω load on the feeder 30

Figure B.1 – Comparison of Class A limits and spectra of dimmers 31

Figure C.1 – Comparison of Class C limits and the harmonic spectrum of a discharge lamp 32

Figure D.1 – Comparison of Class D limits and harmonic spectra of single-phase 230 W rectifiers with capacitor filters 33

Figure E.1 – Illustration of the concept of total aggregate cost trade-offs for meeting compatibility levels 35

~~Figure H.1a – Diagram of a LV system consisting of a transformer, a busbar and *n* equal feeders .....~~

~~Figure H.1b – Equivalent circuit for the LV system with "fictitious" feeders .....~~

~~Figure H.2 – Relative total distortion weight "tdw" as a function of the short-circuit ratio R_{sce} .....~~

Table A.1 – Compensation factors $k_{p,h}$ considered valid in 1995 (IEC 61000-3-2:1995 [1] (first edition)) 25

Table A.2 – Sub-factors of $k_{p,h}$ 26

Table A.3 – Compensated sharing factors 28

~~Table G.1 – Relative total distortion weight depending on the point *x* where the distorting load is connected .....~~

~~Table G.2 – Comparison of limit values of IEC 61000-3-12 (columns 2 and 4) with the approximation by equation (8) (columns 3 and 5) .....~~

~~Table G.3 – Compatibility levels~~

~~Table G.4 – Maximum harmonic currents and voltages for one piece of single phase equipment (from Table 2 of IEC 61000-3-12)~~

~~Table G.5 – Maximum harmonic currents and voltages for one piece of balanced three phase equipment (from Table 3 of IEC 61000-3-12)~~

~~Table G.6 – Maximum harmonic currents and voltages for one piece of balanced three phase equipment (from Table 4 of IEC 61000-3-12):~~

~~Table G.7 – Maximum harmonic currents and voltages for *n* pieces of single phase equipment (from Table 2 of IEC 61000-3-12)~~

~~Table G.8 Maximum harmonic currents and voltages for *n* pieces of balanced three phase equipment (from Table 3 of IEC 61000-3-12):~~

~~Table G.9 – Maximum harmonic currents and voltages for *n* pieces of balanced three phase equipment (from Table 4 of IEC 61000-3-12):~~

~~Table G.10 – Maximum harmonic currents and voltages for *n* pieces of single phase equipment (from Table 2 of IEC 61000-3-12):~~

~~Table G.11 Maximum harmonic currents and voltages for *n* pieces of balanced three phase equipment (from Table 3 of IEC 61000-3-12):~~

~~Table G.12 – Maximum harmonic currents and voltages for *n* pieces of balanced three phase equipment (from Table 4 of IEC 61000-3-12):~~

Table G.1 – Publication history of IEC 61000-3-2 52

Table G.2 – Publication history of IEC 61000-3-12 53

Table G.3 – Publication history of IEC 61000-4-7 53

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

ELECTROMAGNETIC COMPATIBILITY (EMC) –

Part 1-4: General – Historical rationale for the limitation of power-frequency conducted harmonic current emissions from equipment, in the frequency range up to 2 kHz

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC TR 61000-1-4:2005. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC TR 61000-1-4 has been prepared by subcommittee 77A: EMC – Low frequency phenomena, of IEC technical committee 77: Electromagnetic compatibility. It is a Technical Report.

This second edition cancels and replaces the first edition published in 2005. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) relation between compatibility levels, emission limits and immunity requirements clarified;

b) sharing of emission levels between LV, MV and HV clarified;

c) new historical information added.

The text of this Technical Report is based on the following documents:

Draft	Report on voting
77A/1136/DTR	77A/1141/RVDTR

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Report is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 61000 series, published under the general title *Electromagnetic compatibility (EMC)*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 61000 is published in separate parts according to the following structure:

Part 1: General

General considerations (introduction, fundamental principles)

Definitions, terminology

Part 2: Environment

Description of the environment

Classification of the environment

Compatibility levels

Part 3: Limits

Emission limits

Immunity limits (in so far as they do not fall under the responsibility of product committees)

Part 4: Testing and measurement techniques

Measurement techniques

Testing techniques

Part 5: Installation and mitigation guidelines

Installation guidelines

Mitigation methods and devices

Part 6: Generic standards

Part 9: Miscellaneous

Each part is further subdivided into several parts published either as international standards or as technical specifications or technical reports, some of which have already been published as sections. Others will be published with the part number followed by a dash and a second number identifying the subdivision (example: IEC 61000-6-1).

IEC TR 61000-1-4:2005 (first edition) gave a historical rationale for the emission limits for equipment up to 2005. Since there is new historical material available about the developments in the past several years, SC77A is adding this new historical material as a revision of IEC TR 61000-1-4. The revision also clarifies and amends some existing statements that are now known not to report the history until 2005 correctly.

ELECTROMAGNETIC COMPATIBILITY (EMC) –

Part 1-4: General – Historical rationale for the limitation of power-frequency conducted harmonic current emissions from equipment, in the frequency range up to 2 kHz

1 Scope

This part of IEC 61000, which is a technical report, reviews the sources and effects of power frequency conducted harmonic current emissions in the frequency range up to 2 kHz on the public electricity supply, and gives an account of the reasoning and calculations leading to the existing emission limits for equipment in the editions of IEC 61000-3-2 [1][1], up to and including ~~the second edition (2000) and its first amendment (2001), and in the first edition of IEC 61000-3-12 (2004)~~ the fifth edition (2018) with Amendment 1 (2020), and in the second edition of IEC 61000-3-12 (2011) [2].

The history is traced from the first supra-national standard on low-frequency conducted emissions into the public electricity supply, EN 50006:1975 [3] and its evolution through IEC (60)555-2 [4] to IEC 61000-3-2 [1], IEC TR 61000-3-4 [5] and IEC 61000-3-12 [2]. To give a full picture of the history, that of the standard for the measuring instrument IEC 61000-4-7 [6] is mentioned as well.

NOTE All IEC standards were renumbered starting from 60000 from 1998-01-01. To indicate the references of standards withdrawn before, or not reprinted after, that date, the “60x” prefix is here enclosed in parentheses. Hence “IEC (60)555-2”.

Some concepts in this document apply to all low voltage AC systems, but the numerical values apply specifically to the European 230 V/400 V 50 Hz system.

~~NOTE A rationale for the limits in future complete revisions of IEC 61000-3-2 or IEC 61000-3-12 or both will be included in a new technical report.~~

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61000 (all parts), *Electromagnetic compatibility (EMC)*

~~IEC 61000-2-2:2002[2)], *Electromagnetic compatibility (EMC) – Part 2-2: Environment – Compatibility levels for low-frequency conducted disturbances and signalling in public low-voltage power supply systems*~~

---

1 Numbers in square brackets refer to the Bibliography.

~~2) This technical report also refers to the first edition of IEC 61000-2-2 (1990), *Electromagnetic compatability (EMC) – Part 2: Environment – Section 2: Compatibility levels for low-frequency conducted disturbances and signalling in public low-voltage power supply systems*, since superseded by the second edition of that publication.~~

~~IEC 61000-3-2:2000[3], *Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)*[4]~~
~~Amendment 1 (2001)~~

~~IEC 61000-3-3:1994, *Electromagnetic compatibility (EMC) – Part 3-3: Limits – Limitation of voltage fluctuations and flicker in public low-voltage supply systems for equipment with rated current ≤ 16 A*[5]~~
~~Amendment 1 (2001)~~

~~IEC 61000-3-4, *Electromagnetic compatibility (EMC – Part 3-4: Limits – Limitation of emission of harmonic currents in low-voltage power supply systems for equipment with rated current greater than 16 A*~~

~~IEC 61000-3-6, *Electromagnetic compatibility (EMC) – Part 3: Limits – Section 6: Assessment of emission limits for distorting loads in MV and HV power systems*~~

~~IEC 61000-3-11, *Electromagnetic compatibility (EMC) – Part 3-11: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems – Equipment with rated current ≤ 75 A and subjet to conditional connection*~~

~~IEC 61000-3-12, *Electromagnetic compatibility (EMC) – Part 3-12: Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current > 16 A and ≤ 75 A per phase*~~

~~IEC 61000-4-13, *Electromagnetic compatibility (EMC) – Part 4-13: Testing and measurement techniques – Harmonics and interharmonics including mains signalling at a.c. power port, low frequency immunity tests*~~

~~3) This technical report also refers to the first edition of IEC 61000-3-2 (1995), *Electromagnetic compatability (EMC) – Part 3: Limits – Section 2: Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)*, and its Amendment 1 (1995), since superseded by the second edition and its amendments of that publication.~~

~~4) A consolidated edition 2.2 exists, which includes IEC 61000-3-2:2000 and its Amendments 1 (2001) and 2 (2004).~~

~~5) A consolidated edition 1.1 exists, which includes IEC 61000-3-3:1994 and its Amendment 1 (2001), *Electromagnetic compatibility (EMC) – Part 3-3: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection*~~

IEC TR 61000-1-4

Edition 2.0 2022-06

TECHNICAL REPORT

colour inside

Electromagnetic compatibility (EMC) – Part 1-4: General – Historical rationale for the limitation of power-frequency conducted harmonic current emissions from equipment, in the frequency range up to 2 kHz



IEC TR 61000-1-4:2022-06(en)

CONTENTS

FOREWORD 4
INTRODUCTION 6
1 Scope 7
2 Normative references 7
3 Terms and definitions 7
4 General appraisal 8
5 Acceptable provisions in standards related to regulatory legislation 8
6 History of IEC 61000-3-2 and its predecessors 9
6.1 History table 9
6.2 Before 1960 9
6.3 1960 to 1975 9
6.4 1975 to 1982 10
6.5 1982 to 1995 10
6.6 1995 to 2000 12
6.7 The “Millennium Amendment” 13
6.8 2000 to 2019 13
6.9 2020 to 2022 14
6.9.1 Impact factor approach 14
6.9.2 Effect of the coronavirus pandemic from 2020 to 2022 15
7 History of IEC 61000-3-12 and its predecessor 15
7.1 Origin 15
7.2 1989 to 1998 15
7.3 After 1998 16
8 History of IEC 61000-4-7 up to 2008 16
8.1 First edition in 1991 16
8.2 Second edition in 2002 16
8.3 Amendment 1 to the second edition 16
8.4 Developments since 2008 17
9 Economic considerations taken into account in setting limits in IEC 61000-3-2 before publication in 1995, and before the finalization of the text of the Millennium Amendment 17
Annex A (informative) Compatibility level and compensation factor 19
A.1 Explanation of the allocation of only part of the total compatibility level to the low-voltage network 19
A.2 Compensation factor 20
A.2.1 Maximum permissible current emission – original approach 20
A.2.2 Detailed consideration 21
A.2.3 New work prompted by the preparation of this document 23
Annex B (informative) Comparison of Class A limits and the harmonic spectra of phase-controlled dimmers of incandescent lamps at 90° firing angle 27
Annex C (informative) Comparison of Class C (IEC 61000-3-2:2018 and IEC 61000-3-2:2018/AMD1:2020, Table 2) limits and the harmonic spectrum of a discharge lamp with inductive ballast 28
Annex D (informative) Comparison of Class D limits and the harmonic spectra of capacitor-filtered single-phase rectifiers with 35° and 65° conduction angles 29

Annex E (informative) Economic considerations taken into account in setting limits, before finalization of the text of the Millennium Amendment to IEC 61000-3-2 30
Annex F (Informative) Concept plan for a full revision of IEC 61000-3-2 32
F.1 Rationale 32
F.2 Density 32
F.3 Usage factor 32
F.4 Contribution 32
F.5 Phase angle factor 32
F.6 System and site mitigation 33
F.7 Network factors 33
Annex G (informative) Histories of IEC 61000-3-2 and IEC 61000-3-12 and related standards 34
Bibliography 36

Figure A.1 – Harmonic voltage drops and harmonic current injections in a typical system 20
Figure A.2 – Permissible number of Class A loads versus harmonic order, with an additional 10 Ω load on the feeder 26
Figure B.1 – Comparison of Class A limits and spectra of dimmers 27
Figure C.1 – Comparison of Class C limits and the harmonic spectrum of a discharge lamp 28
Figure D.1 – Comparison of Class D limits and harmonic spectra of single-phase 230 W rectifiers with capacitor filters 29
Figure E.1 – Illustration of the concept of total aggregate cost trade-offs for meeting compatibility levels 31

Table A.1 – Compensation factors $k_{p,h}$ considered valid in 1995 (IEC 61000-3-2:1995 [1] (first edition)) 21
Table A.2 – Sub-factors of $k_{p,h}$ 22
Table A.3 – Compensated sharing factors 24
Table G.1 – Publication history of IEC 61000-3-2 34
Table G.2 – Publication history of IEC 61000-3-12 35
Table G.3 – Publication history of IEC 61000-4-7 35

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

ELECTROMAGNETIC COMPATIBILITY (EMC) –

Part 1-4: General – Historical rationale for the limitation of power-frequency conducted harmonic current emissions from equipment, in the frequency range up to 2 kHz

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TR 61000-1-4 has been prepared by subcommittee 77A: EMC – Low frequency phenomena, of IEC technical committee 77: Electromagnetic compatibility. It is a Technical Report.

This second edition cancels and replaces the first edition published in 2005. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) relation between compatibility levels, emission limits and immunity requirements clarified;
b) sharing of emission levels between LV, MV and HV clarified;
c) new historical information added.

The text of this Technical Report is based on the following documents:

Draft	Report on voting
77A/1136/DTR	77A/1141/RVDTR

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Report is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 61000 series, published under the general title *Electromagnetic compatibility (EMC)*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 61000 is published in separate parts according to the following structure:

Part 1: General

General considerations (introduction, fundamental principles)

Definitions, terminology

Part 2: Environment

Description of the environment

Classification of the environment

Compatibility levels

Part 3: Limits

Emission limits

Immunity limits (in so far as they do not fall under the responsibility of product committees)

Part 4: Testing and measurement techniques

Measurement techniques

Testing techniques

Part 5: Installation and mitigation guidelines

Installation guidelines

Mitigation methods and devices

Part 6: Generic standards

Part 9: Miscellaneous

Each part is further subdivided into several parts published either as international standards or as technical specifications or technical reports, some of which have already been published as sections. Others will be published with the part number followed by a dash and a second number identifying the subdivision (example: IEC 61000-6-1).

IEC TR 61000-1-4:2005 (first edition) gave a historical rationale for the emission limits for equipment up to 2005. Since there is new historical material available about the developments in the past several years, SC77A is adding this new historical material as a revision of IEC TR 61000-1-4. The revision also clarifies and amends some existing statements that are now known not to report the history until 2005 correctly.

ELECTROMAGNETIC COMPATIBILITY (EMC) –

Part 1-4: General – Historical rationale for the limitation of power-frequency conducted harmonic current emissions from equipment, in the frequency range up to 2 kHz

1 Scope

This part of IEC 61000, which is a technical report, reviews the sources and effects of power frequency conducted harmonic current emissions in the frequency range up to 2 kHz on the public electricity supply, and gives an account of the reasoning and calculations leading to the existing emission limits for equipment in the editions of IEC 61000-3-2 [1][1], up to and including the fifth edition (2018) with Amendment 1 (2020), and in the second edition of IEC 61000-3-12 (2011) [2].

The history is traced from the first supra-national standard on low-frequency conducted emissions into the public electricity supply, EN 50006:1975 [3] and its evolution through IEC (60)555-2 [4] to IEC 61000-3-2 [1], IEC TR 61000-3-4 [5] and IEC 61000-3-12 [2]. To give a full picture of the history, that of the standard for the measuring instrument IEC 61000-4-7 [6] is mentioned as well.

NOTE All IEC standards were renumbered starting from 60000 from 1998-01-01. To indicate the references of standards withdrawn before, or not reprinted after, that date, the “60x” prefix is here enclosed in parentheses. Hence “IEC (60)555-2”.

Some concepts in this document apply to all low voltage AC systems, but the numerical values apply specifically to the European 230 V/400 V 50 Hz system.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61000 (all parts), *Electromagnetic compatibility (EMC)*

1 Numbers in square brackets refer to the Bibliography.