IEC TR 61292-6

Edition 2.0 2023-01

TECHNICAL REPORT

colour inside

Optical amplifiers –
Part 6: Distributed Raman amplification



IEC TR 61292-6:2023-01(en)



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC TR 61292-6

Edition 2.0 2023-01

TECHNICAL REPORT

colour inside

Optical amplifiers –
Part 6: Distributed Raman amplification

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.160.10; 33.180.30

ISBN 978-2-8322-6340-2

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 4
INTRODUCTION 6
1 Scope 7
2 Normative references 7
3 Terms, definitions, and abbreviated terms 7
3.1 Terms and definitions 7
3.2 Abbreviated terms 7
4 Background 8
4.1 General 8
4.2 Raman amplification process 8
4.3 Distributed vs. lumped amplification 10
4.4 Tailoring the Raman gain spectrum 11
4.5 Forward and backward pumping configuration 11
4.6 Typical performance of DRA 13
5 Applications of distributed Raman amplification 14
5.1 General 14
5.2 All-Raman systems 14
5.3 Hybrid EDFA Raman systems 15
5.3.1 General 15
5.3.2 Long repeaterless links 15
5.3.3 Long span masking in multi-span links 16
5.3.4 High capacity long haul and ultra-long-haul systems 16
6 Performance characteristics and test methods 16
6.1 General 16
6.2 Performance of the Raman pump module 16
6.2.1 Basic configuration 16
6.2.2 Pump wavelengths 17
6.2.3 Pump output power 17
6.2.4 Pump degree-of-polarization (DOP) 17
6.2.5 Pump relative intensity noise (RIN) 18
6.2.6 Insertion loss 18
6.2.7 Other passive characteristics 19
6.3 System level performance 19
6.3.1 General 19
6.3.2 On-off signal gain 19
6.3.3 Gain flatness 20
6.3.4 Polarization dependant gain (PDG) 21
6.3.5 Equivalent noise figure 21
6.3.6 Multi-path interference (MPI) 21
7 Operational issues 22
7.1 General 22
7.2 Dependence of Raman gain on transmission fibre 22
7.3 Fibre line quality 23
7.4 High pump power issues 23
7.4.1 General 23
7.4.2 Laser safety 24

7.4.3 Damage to the fibre line....24
8 Conclusions....25
Bibliography....26

Figure 1 – Stimulated Raman scattering process and Raman gain spectrum for silica fibres....9
Figure 2 – Distributed vs. lumped amplification....10
Figure 3 – The use of multiple pump wavelengths to achieve flat broadband gain....11
Figure 4 – Simulation results showing pump and signal propagation along an SMF span....12
Figure 5 – On-off gain and equivalent NF for SMF using a dual pump backward DRA with pumps at 1 424 nm and 1 452 nm....13
Figure 6 – Typical configuration of an amplification site in an all-Raman system....15
Figure 7 – Typical configuration of a Raman pump module used for counter-propagating DRA....17
Figure 8 – Model for signal insertion loss (IL) of a Raman pump module used for counter-propagating DRA....18
Figure 9 – Typical configuration used to measure on-off gain of DRA....20
Figure 10 – Variations of Raman on-off gain for different transmission fibres....23

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

OPTICAL AMPLIFIERS –

Part 6: Distributed Raman amplification

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TR 61292-6 has been prepared by subcommittee 86C: Fibre optic systems and active devices, of IEC technical committee 86: Fibre optics. It is a Technical Report.

This second edition cancels and replaces the first edition published in 2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) correction of the formula for noise figure;
b) correction of errors in Figure 10.

The text of this Technical Report is based on the following documents:

Draft	Report on voting
86C/1822/DTR	86C/1831/RVDTR

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Report is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts of the IEC 61292 series, published under the general title *Optical amplifiers,* can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Distributed Raman amplification (DRA) describes the process whereby Raman pump power is introduced into the transmission fibre, leading to signal amplification within the transmission fibre though stimulated Raman scattering. This technology has become increasingly widespread in recent years due to many advantages that it offers to optical system designers, including improved system optical signal-to-noise ratio (OSNR) and the ability to tailor the gain spectrum to cover any or several transmission bands.

A fundamental difference between distributed Raman amplification and amplification using discrete amplifiers, such as erbium-doped fibre amplifiers (EDFAs), is that the latter can be described using a black box approach, while the former is an inherent part of the transmission system in which it is deployed. Thus, a discrete amplifier is a unique and separate element with well-defined input and output ports, allowing rigorous specifications of the amplifier performance characteristics and the methods used to test these characteristics. On the other hand, a distributed Raman amplifier is basically a pump module, with the actual amplification process taking place along the transmission fibre. This means that many of the performance characteristics of distributed Raman amplification are inherently coupled to the transmission system in which a Raman amplifier is deployed.

This document provides an overview of DRA and its applications. It also provides a detailed discussion of the various performance characteristics related to DRA, as well as some of the methods that can be used to test these characteristics. Information is also provided on some of the operational issues related to the distributed nature of the amplification process, such as the sensitivity to transmission line quality and eye-safety.

The material provided is intended to provide a basis for future development of specifications and test method standards related to DRA.

OPTICAL AMPLIFIERS –

Part 6: Distributed Raman amplification

1 Scope

This part of IEC 61292, which is a Technical Report, relates to distributed Raman amplification (DRA). Its main purpose is to provide background material for future standards related to DRA, such as specifications, test methods and operating procedures. This document covers the following aspects:

– general overview of Raman amplification;
– applications of DRA;
– performance characteristics and test methods related to DRA;
– operational issues relating to the deployment of DRA.

As DRA is a relatively new technology, and still rapidly evolving, some of the material in this document can become obsolete or irrelevant in a fairly short period of time. This document will be updated frequently to minimize this possibility.

2 Normative references

There are no normative references in this document.

3 Terms, definitions, and abbreviated terms

3.1 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at https://www.electropedia.org/
- ISO Online browsing platform: available at https://www.iso.org/obp

3.2 Abbreviated terms

For the purposes of this document, the following abbreviated terms apply.

APR automatic power reduction
DCF dispersion compensating fibre
DOP degree of polarization
DRA distributed Raman amplification
DRB double Rayleigh backscattering
DWDM dense wavelength division multiplexing
EDFA erbium-doped fibre amplifier
ESA electrical spectrum analyzer
FBG fibre Bragg grating
FWHM full width half maximum

GFF	gain flattening filter
LRFA	lumped Raman fibre amplifier
MPI	multi-path interference
NZDSF	non-zero dispersion shifted fibre
OA	optical amplifier
OFA	optical fibre amplifier
OSA	optical spectrum analyzer
OSC	optical supervisory channel
OSNR	optical signal-to-noise ratio
PDG	polarization dependent gain
PMD	polarization mode dispersion
RIN	relative intensity noise
ROADM	reconfigurable optical add drop multiplexer
SMF	single mode fibre

4 Background

4.1 General

Clause 4 provides a brief introduction to the main concepts of Raman amplification. Further information can be found in IEC TR 61292-3 and ITU-T G.665 as well as in the Bibliography.

4.2 Raman amplification process

Raman scattering, first discovered by Sir Chandrasekhara Raman in 1928, describes an inelastic scattering process whereby light is scattered by matter molecules and transferred to a longer wavelength (lower energy). In this interaction between light and matter, a photon excites the matter molecules to a high (virtual) energy state, which then relaxes back to the ground state by emitting another photon as well as vibration (i.e., acoustic) energy. Due to the vibration energy, the emitted photon has less energy than the incident photon, and therefore a longer wavelength.

Stimulated Raman scattering describes a similar process whereby the presence of a longer wavelength photon stimulates the scattering process, namely the absorption of the initial shorter wavelength photon, resulting in the emission of a second longer wavelength photon, thus providing amplification. This process is shown in Figure 1 a) for silica fibres, where a ~1 550 nm signal is amplified through absorption of pump energy at ~1 450 nm. Unlike doped OFAs, such as EDFAs, where the gain spectrum is constant and determined by the dopants, with Raman amplification the gain spectrum depends on the pump wavelength, with maximum gain occurring at a frequency of about 13 THz (for silica fibres) below that of the pump. This is shown in Figure 1 b).