IEC TR 62453-52-150

Edition 1.0 2017-06

TECHNICAL REPORT

colour inside

Field device tool (FDT) interface specification – Part 52-150: Communication implementation for common language infrastructure – IEC 61784 CPF 15

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 25.040.40; 35.110.05; 35.110

ISBN 978-2-8322-4336-7

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 8
INTRODUCTION 10
1 Scope 11
2 Normative references 11
3 Terms, definitions, symbols, abbreviated terms and conventions 12
3.1 Terms and definitions 12
3.2 Symbols and abbreviated terms 12
3.3 Conventions 12
3.3.1 Datatype names and references to datatypes 12
3.3.2 Vocabulary for requirements 12
3.3.3 Use of UML 12
4 Bus category 12
5 Access to instance and device data 12
5.1 General 12
5.2 IO signals provided by DTM 13
5.3 Data interfaces 13
5.3.1 Common data set 13
5.3.2 Mapping of Modbus datatypes to FDT datatypes 13
5.3.3 SemanticInfo 13
6 Protocol specific behaviour 14
6.1 Modbus data and addressing model 14
6.2 Modbus-related information of a Device DTM 15
6.3 Broadcasting 15
6.4 Unconfirmed private Modbus request 16
7 Protocol specific usage of general datatypes 16
8 Protocol specific common datatype: ModbusDeviceAddress 17
9 Network management datatypes 18
9.1 General 18
9.2 Configuration 19
9.3 Process Data Items 19
9.4 Parameterization 19
10 Communication datatypes 19
10.1 General 19
10.2 ModbusConnectRequest 19
10.3 ModbusConnectResponse 20
10.4 ModbusDisconnectRequest 20
10.5 ModbusDisconnectResponse 21
10.6 ModbusAbortMessage 21
10.7 ModbusReadCoilsRequest 22
10.8 ModbusReadCoilsResponse 23
10.9 ModbusReadDiscreteInputsRequest 24
10.10 ModbusReadDiscreteInputsResponse 24
10.11 ModbusReadHoldingRegistersRequest 25
10.12 ModbusReadHoldingRegistersResponse 26
10.13 ModbusReadInputRegistersRequest 27
10.14 ModbusReadInputRegistersResponse 28

10.15 ModbusWriteSingleCoilRequest 29
10.16 ModbusWriteSingleCoilResponse 30
10.17 ModbusWriteSingleRegisterRequest 30
10.18 ModbusWriteSingleRegisterResponse 31
10.19 ModbusReadExceptionStatusRequest 32
10.20 ModbusReadExceptionStatusResponse 32
10.21 ModbusDiagnosticsRequest 33
10.22 ModbusDiagnosticsResponse 34
10.23 ModbusGetCommEventCounterRequest 35
10.24 ModbusGetCommEventCounterResponse 35
10.25 ModbusGetCommEventLogRequest 36
10.26 ModbusGetCommEventLogResponse 37
10.27 IModbusWriteMultipleCoilsRequest 38
10.28 ModbusWriteMultipleCoilsResponse 39
10.29 ModbusWriteMultipleRegistersRequest 39
10.30 ModbusWriteMultipleRegistersResponse 40
10.31 ModbusReportSlaveIDRequest 41
10.32 ModbusReportSlaveIDResponse 41
10.33 ModbusReadFileRecordRequest 42
10.34 ModbusReadFileSubRequest 43
10.35 ModbusReadFileRecordResponse 44
10.36 ModbusReadFileSubResponse 45
10.37 ModbusWriteFileRecordRequest 45
10.38 ModbusWriteFileSubRequest 46
10.39 ModbusWriteFileRecordResponse 47
10.40 ModbusMaskWriteRegisterRequest 47
10.41 ModbusMaskWriteRegisterResponse 48
10.42 ModbusReadWriteRegistersRequest 49
10.43 ModbusReadWriteRegistersResponse 50
10.44 ModbusReadFiFoQueueRequest 51
10.45 ModbusReadFiFoQueueResponse 52
10.46 ModbusEncapsulatedInterfaceTransportRequest 53
10.47 ModbusEncapsulatedInterfaceTransportResponse 53
10.48 ModbusReadDeviceIdentificationRequest 54
10.49 ModbusReadDeviceIdentificationResponse 55
10.50 ModbusPrivateRequest 58
10.51 ModbusPrivateResponse 58
10.52 ModbusUnconfirmedPrivateRequest 59
10.53 ModbusUnconfirmedPrivateResponse 60
10.54 ModbusExceptionResponse 61
11 Datatypes for process data information 62
11.1 General 62
11.2 ModbusIOSignalInfo 62
11.3 Mapping of Modbus datatypes to FDT datatypes 63
12 Device identification 63
12.1 General 63
12.2 ModbusDeviceScanInfo datatype 63
12.3 ModbusDeviceIdentInfo datatype 64
12.4 Mapping of Information Source 66

Bibliography 68

Figure 1 – Part 52-150 of the IEC 62453 series 10
Figure 2 – Modbus data and addressing model 15
Figure 3 – ModbusDeviceAddress 17
Figure 4 – ModbusNetworkData 18
Figure 5 – ModbusConnectRequest 19
Figure 6 – ModbusConnectResponse 20
Figure 7 – ModbusDisconnectRequest 21
Figure 8 – ModbusDisconnectResponse 21
Figure 9 – ModbusAbortMessage 22
Figure 10 – ModbusReadCoilsRequest 22
Figure 11 – ModbusReadCoilsResponse 23
Figure 12 – ModbusReadDiscreteInputsRequest 24
Figure 13 – ModbusReadDiscreteInputsResponse 25
Figure 14 – ModbusReadHoldingRegistersRequest 26
Figure 15 – ModbusReadHoldingRegistersResponse 27
Figure 16 – ModbusReadInputRegistersRequest 28
Figure 17 – ModbusReadInputRegistersResponse 28
Figure 18 – ModbusWriteSingleCoilRequest 29
Figure 19 – ModbusWriteSingleCoilResponse 30
Figure 20 – ModbusWriteSingleRegisterRequest 31
Figure 21 – ModbusWriteSingleRegisterResponse 31
Figure 22 – ModbusReadExceptionStatusRequest 32
Figure 23 – ModbusReadExceptionStatusResponse 33
Figure 24 – ModbusDiagnosticsRequest 34
Figure 25 – ModbusDiagnosticsResponse 34
Figure 26 – ModbusGetCommEventCounterRequest 35
Figure 27 – ModbusGetCommEventCounterResponse 36
Figure 28 – ModbusGetCommEventLogRequest 37
Figure 29 – ModbusGetCommEventLogResponse 37
Figure 30 – ModbusWriteMultipleCoilsRequest 38
Figure 31 – ModbusWriteMultipleCoilsResponse 39
Figure 32 – ModbusWriteMultipleRegistersRequest 40
Figure 33 – ModbusWriteMultipleRegistersResponse 40
Figure 34 – ModbusReportSlaveIDRequest 41
Figure 35 – ModbusReportSlaveIDResponse 42
Figure 36 – ModbusReadFileRecordRequest 43
Figure 37 – ModbusReadFileSubRequest 43
Figure 38 – ModbusReadFileRecordResponse 44
Figure 39 – ModbusReadFileSubResponse 45
Figure 40 – ModbusWriteFileRecordRequest 46
Figure 41 – ModbusWriteFileSubRequest 46

Figure 42 – ModbusWriteFileRecordResponse 47
Figure 43 – ModbusMaskWriteRegisterRequest 48
Figure 44 – ModbusMaskWriteRegisterResponse 49
Figure 45 – ModbusReadWriteRegistersRequest 50
Figure 46 – ModbusReadWriteRegistersResponse 51
Figure 47 – ModbusReadFiFoQueueRequest 52
Figure 48 – ModbusReadFiFoQueueResponse 52
Figure 49 – ModbusEncapsulatedInterfaceTransportRequest 53
Figure 50 – ModbusEncapsulatedInterfaceTransportResponse 54
Figure 51 – ModbusReadDeviceIdentificationRequest 55
Figure 52 – ModbusReadDeviceIdentificationResponse 56
Figure 53 – ModbusIdentificationObject 56
Figure 54 – ModbusPrivateRequest 58
Figure 55 – ModbusPrivateResponse 59
Figure 56 – ModbusUnconfirmedPrivateRequest 60
Figure 57 – ModbusUnconfirmedPrivateResponse 60
Figure 58 – ModbusExceptionResponse 61
Figure 59 – ModbusIOSignalInfo 62
Figure 60 – ModbusDeviceScanInfo 64
Figure 61 – ModbusDeviceIdentInfo 65

Table 1 – Mapping of datatypes 13
Table 2 – Usage of general datatypes 14
Table 3 – Usage of broadcasts in transaction requests 16
Table 4 – Protocol specific usage of general datatypes 17
Table 5 – ModbusDeviceAddress 18
Table 6 – ModbusDeviceSerialAddress 18
Table 7 – ModbusDeviceTcpAddress 18
Table 8 – Modbus Network Data 19
Table 9 – ModbusConnectRequest datatype 20
Table 10 – ModbusConnectResponse datatype 20
Table 11 – ModbusDisconnectRequest datatype 21
Table 12 – ModbusDisconnectResponse datatype 21
Table 13 – ModbusAbortMessage datatype 22
Table 14 – ModbusReadCoilsRequest datatype 23
Table 15 – ModbusReadCoilsResponse datatype 23
Table 16 – ModbusReadDiscreteInputsRequest datatype 24
Table 17 – ModbusReadDiscreteInputsResponse datatype 25
Table 18 – ModbusReadHoldingRegistersRequest datatype 26
Table 19 – ModbusReadHoldingRegistersResponse datatype 27
Table 20 – ModbusReadInputRegistersRequest datatype 28
Table 21 – ModbusReadInputRegistersResponse datatype 29
Table 22 – ModbusWriteSingleCoilRequest datatype 29

Table 23 – ModbusWriteSingleCoilResponse datatype 30
Table 24 – ModbusWriteSingleRegisterRequest datatype 31
Table 25 – ModbusWriteSingleRegisterResponse datatype 32
Table 26 – ModbusReadExceptionStatusRequest datatype 32
Table 27 – ModbusReadExceptionStatusResponse datatype 33
Table 28 – ModbusDiagnosticsRequest datatype 34
Table 29 – ModbusDiagnosticsResponse datatype 35
Table 30 – ModbusGetCommEventCounterRequest datatype 35
Table 31 – ModbusGetCommEventCounterResponsedatatype 36
Table 32 – ModbusGetCommEventLogRequest datatype 37
Table 33 – ModbusGetCommEventLogResponse datatype 38
Table 34 – ModbusWriteMultipleCoilsRequest datatype 39
Table 35 – ModbusWriteMultipleCoilsResponse datatype 39
Table 36 – ModbusWriteMultipleRegistersRequest datatype 40
Table 37 – ModbusWriteMultipleRegistersResponse 41
Table 38 – ModbusReportSlaveIDRequest datatype 41
Table 39 – ModbusReportSlaveIDResponse 42
Table 40 – ModbusReadFileRecordRequest datatype 43
Table 41 – ModbusReadFileSubRequest datatype 44
Table 42 – ModbusReadFileRecordResponse 45
Table 43 – ModbusReadFileSubResponse 45
Table 44 – ModbusWriteFileRecordRequest datatype 46
Table 45 – ModbusWriteFileSubRequest datatype 47
Table 46 – ModbusWriteFileRecordResponse 47
Table 47 – ModbusMaskWriteRegisterRequest datatype 48
Table 48 – ModbusMaskWriteRegisterResponse 49
Table 49 – ModbusReadWriteRegistersRequest datatype 50
Table 50 – ModbusReadWriteRegistersResponse 51
Table 51 – ModbusReadFiFoQueueRequest datatype 52
Table 52 – ModbusReadFiFoQueueResponse 53
Table 53 – ModbusEncapsulatedInterfaceTransportRequest datatype 53
Table 54 – ModbusEncapsulatedInterfaceTransportResponse 54
Table 55 – ModbusReadDeviceIdentificationRequest datatype 55
Table 56 – ModbusReadDeviceIdentificationResponse 57
Table 57 – ModbusIdentificationObject 58
Table 58 – ModbusPrivateRequest datatype 58
Table 59 – ModbusPrivateResponse 59
Table 60 – ModbusUnconfirmedPrivateRequest datatype 60
Table 61 – ModbusUnconfirmedPrivateResponse 61
Table 62 – ModbusExceptionResponse 62
Table 63 – ModbusIOSignalInfo datatype 63
Table 64 – ModbusDeviceScanInfo datatype 64
Table 65 – ModbusDeviceIdentInfo datatype 65

Table 66 – Protocol specific mapping of scan information 66
Table 67 – Profile specific mapping of identification information 67

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION –

Part 52-150: Communication implementation for common language infrastructure – IEC 61784 CPF 15

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC TR 62453-52-150, which is a technical report, has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation.

Each part of the IEC 62453-52-xy series is intended to be read in conjunction with its corresponding part in the IEC 62453-3xy series. This document corresponds to IEC 63453-315.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
65E/440/DTR	65E/514/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all parts of the IEC 62453 series, under the general title *Field device tool (FDT) interface specification*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 62453 is an interface specification for developers of Field Device Tool (FDT) components for function control and data access within a client/server architecture. The specification is a result of an analysis and design process to develop standard interfaces to facilitate the development of servers and clients by multiple vendors that need to interoperate seamlessly.

With the integration of fieldbuses into control systems, there are a few other tasks which need to be performed. In addition to fieldbus- and device-specific tools, there is a need to integrate these tools into higher-level system-wide planning or engineering tools. In particular, for use in extensive and heterogeneous control systems, typically in the area of the process industry, the unambiguous definition of engineering interfaces that are easy to use for all those involved is of great importance.

A device-specific software component, called Device Type Manager (DTM), is supplied by the field device manufacturer with its device. The DTM is integrated into engineering tools via the FDT interfaces defined in this specification. The approach to integration is in general open for all kind of fieldbusses and thus meets the requirements for integrating different kinds of devices into heterogeneous control systems.

Figure 1 shows how this part of the IEC 62453-52-xy series is aligned in the structure of the IEC 62453 series.




Figure 1 – Part 52-150 of the IEC 62453 series

FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION –

Part 52-150: Communication implementation for common language infrastructure – IEC 61784 CPF 15

1 Scope

This part of the IEC 62453-52-xy series, which is a Technical Report, provides information for integrating the Modbus®[1] technology into the CLI-based implementation of FDT interface specification (IEC TR 62453-42).

This part of IEC 62453 specifies the implementation of communication and other services based on IEC 62453-315.

This document neither contains the FDT specification nor modifies it.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61131-3:2013, *Programmable controllers – Part 3: Programming language*s

IEC 61158-5-15:2010, *Industrial communication networks – Fieldbus specifications – Part 5-15: Application layer service definition – Type 15 elements*

IEC 61784-1:2014, *Industrial communication networks – Profiles – Part 1: Fieldbus profiles*

IEC 62453-1:2016, *Field device tool (FDT) interface specification – Part 1: Overview and guidance*

IEC 62453-2:2016, *Field device tool (FDT) interface specification – Part 2: Concepts and detailed description*

IEC TR 62453-42:2016, *Field device tool (FDT) interface specification – Part 42: Object model integration profile – Common language infrastructure*

IEC 62453-315:2009, *Field device tool (FDT) interface specification – Part 315: Communication profile integration – IEC 61784 CPF 15*
IEC 62453-315:2009/AMD1:2016

---

[1] Modbus is the trademark of Schneider Automation Inc. It is registered in the United States of America. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance to this profile does not require use of the trademark Modbus. Use of the trademark Modbus requires permission from Schneider Automation Inc.