IEC TR 62908-1-3

Edition 2.0 2026-06

TECHNICAL REPORT

Touch and interactive displays -
Part 1-3: Generic - Overview of pen touch technology

ICS 31.120

ISBN 978-2-8327-1292-4

IEC TR 62908-1-3:2026-06(en)

THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2026 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD 3
INTRODUCTION 5
1 Scope 6
2 Normative references 6
3 Terms, definitions and abbreviated terms 6
3.1 Terms and definitions 6
3.2 Abbreviated terms 6
4 Generic information on pen touch technology 7
4.1 General 7
4.2 Classification 7
4.3 Sensing technology for touch pen 8
4.3.1 General 8
4.3.2 Resistive type panel structure and sensing method 9
4.3.3 Capacitive type panel structure and sensing method 9
4.3.4 EMI type panel structure and sensing method 10
4.3.5 Optical type panel structure and sensing method 11
4.3.6 Ultrasonic type panel structure and sensing method 11
4.4 Touch pen architecture 12
4.4.1 General 12
4.4.2 Passive stylus pen 12
4.4.3 Active stylus pen 13
5 Pen touch characteristics 16
5.1 General 16
5.2 Basic characteristics of pen touch 17
5.3 Unique and important characteristics of pen touch 17
5.3.1 General 17
5.3.2 Tracking speed 18
5.3.3 Writing characteristics 18
5.3.4 Position parallax 19
5.3.5 Minimum area and minimum pressure 20
5.3.6 Pressure sensitivity 20
5.3.7 Tilt angle 20
6 Application example for each pen touch technology 21
6.1 General 21
6.2 Passive stylus pen 21
6.3 Active stylus pen 21
6.3.1 General 21
6.3.2 EMI pen 21
6.3.3 Universal pen for PCAP type 22
6.3.4 Type MPP 22
6.3.5 Type AP 22
6.3.6 Type WA Active ES stylus 23
7 Issue of future pen touch technology 23
7.1 General 23
7.2 Tracking speed 23
7.3 Writing comfort 24

7.4 Combinational use of finger and pen touch 24
7.5 Palm rejection area and pen positional relationship 24
8 Collaboration of hardware and software 25
Annex A (informative) Example of use-case: touch display used in the classroom 27
A.1 Impact of glare on the viewing distance and the posture of the students 27
A.2 Writing and Optical characteristics of anti-glare screen 28
Bibliography 31

Figure 1 – Resistive type panel structure 9
Figure 2 – Capacitive type panel structure 10
Figure 3 – EMI type panel structure 11
Figure 4 – Optical type panel structure 11
Figure 5 – Ultrasonic type panel structure 12
Figure 6 – Example of conductive fibre tip 13
Figure 7 – Example of transparent disk tip 13
Figure 8 – Example of exclusive pen 13
Figure 9 – Example of EMI pens (Type WE) 14
Figure 10 – Example of frictional response between different pen tips and screens 18
Figure 11 – Example of frictional response between paper and pencil, AGL and touch pen, and glass and touch pen 19
Figure 12 – Position parallax 20
Figure 13 – Pen tablet for animation/illustration 22
Figure 14 – Examples of notebook PCs 23
Figure 15 – Example of drawing settings for a software simulating several pen types 25
Figure A.1 – Ambient light sources in the classroom 27
Figure A.2 – Examples of poor postures of the students caused by the glare 28
Figure A.3 – Example of the screen with AGL (left) and without AGL (right) 28
Figure A.4 – Unwanted reflection from measured samples 29
Figure A.5 – Writing and optical characteristics of the measured samples 29
Figure A.6 – Examples of scoring the writing and optical characteristics with the different types of screens 30

Table 1 – Comparison among pointing devices 7
Table 2 – Classification of touch pens 8
Table 3 – Correspondence between touch panel and touch pen 9
Table 4 – Performance comparison of touch pens for PCAP/EMI 16
Table 5 – Basic pen touch characteristics 17
Table 6 – Unique and important characteristics of touch pen 17

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

Touch and interactive displays - Part 1-3: Generic - Overview of pen touch technology

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TR 62908-1-3 has been prepared by IEC technical committee 110: Electronic displays. It is a Technical Report.

This second edition cancels and replaces the first edition published in 2021. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) add writing characteristics as physical properties of interaction between a pen and a surface of a screen;
b) add example of frictional response between paper and pencil, AGL and touch pen, and glass and touch pen;
c) add example of touch display used in the classroom regarding writing and optical characteristics.

The text of this Technical Report is based on the following documents:

Draft	Report on voting
110/1834/DTR	110/1849/RVDTR

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Report is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 62908 series, published under the general title *Touch and interactive displays*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

– reconfirmed,
– withdrawn, or
– revised.

INTRODUCTION

With the spread of smartphones in recent years, finger touch technology has become widespread throughout the world. The field of popularization has started with smartphones and has spread out with information terminals such as notebook (laptop) PCs and tablets to kiosks, ATMs, sales equipment in the field of social infrastructure, medical equipment for professional use, and construction-related items.

Finger touch technology faces several challenges, such as malfunction due to usage environment, wearing of gloves or water droplets, in addition to difficulty of fine drawing with finger touch, signature input, and so on.

In the early stage of the pen touch technologies, the operating system and application software only supported the same function as finger touch. However, a new concept of digital ink has enabled to treat the progressing data, such as writing pressure, pen angle, and drawing, in addition to the data of the entered trajectory. These are digitized and saved together with the trajectory data. This means that a new technique with pen input has been developed, which goes beyond the conventional technology of finger touch input.

Based on the above situation, this document aims to focus on the issues related to future standardization by summarizing the sensing methods of pen touch, the types of touch pens and the corresponding technologies, and the market's trend of pen touch technology.

1 Scope

This part of IEC 62908, which is a technical report, provides general information on pen touch technology with the aim toward standardization. This document includes an overview of the pen touch technology, critical performance characteristics, issues of characteristics measurements, and other information.

The purpose of this document is to provide an overview of the different products available in pen touch technology. The companies and products named in this document do not constitute an endorsement by IEC of these products.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1, *Environmental testing - Part 1: General and guidance*

IEC 62908-1-2, *Touch and interactive displays - Part 1-2: Generic - Terminology and letter symbols*

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60068-1 and IEC 62908-1-2 apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

– IEC Electropedia: available at https://www.electropedia.org/
– ISO Online browsing platform: available at https://www.iso.org/obp

3.2 Abbreviated terms

AES active electrostatic
AGL anti-glare layer
AP Apple pencil
API application program(ing) interface
AR/VR augmented reality/virtual reality
ATM automated [automatic] teller machine
DSC Digital Stationery Consortium
EMI electromagnetic induction
EMR electromagnetic resonance
ES electrostatics
IC integrated circuits
MPP Microsoft Pen Protocol
OS operating system
PCAP projected capacitive touch panel