IEC TR 62918

Edition 1.0 2014-07

TECHNICAL REPORT

colour inside

Nuclear power plants – Instrumentation and control important to safety – Use and selection of wireless devices to be integrated in systems important to safety



IEC TR 62918:2014-07(en)



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

IEC TR 62918

Edition 1.0 2014-07

TECHNICAL REPORT

colour inside

Nuclear power plants – Instrumentation and control important to safety – Use and selection of wireless devices to be integrated in systems important to safety

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRICE CODE XB

ICS 27.120.20

ISBN 978-2-8322-1750-4

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 5
INTRODUCTION 7
1 Scope 9
2 Normative references 9
3 Terms and definitions 9
4 Motivation 11
5 Generic applications 13
6 Technology 16
6.1 Wireless basics 16
6.2 Industrial wireless sensor networks 19
6.3 Radio frequency 20
6.3.1 Applications 20
6.3.2 802.11 (Wi-Fi), 802.15.1 (Bluetooth), 802.15.4 (sensors) 23
6.4 Satellite leased channels and VSAT 25
6.5 Magnetic field communications 26
6.6 Visual light communication (VLC) 27
6.7 Acoustic communication 27
6.8 Asset tracking utilizing IEEE 802.11 – Focus on received signal strength 28
6.9 Asset tracking (RFID/RTLS): ISO 24730 29
7 Current wireless technology implementations 30
7.1 General 30
7.2 Comanche Peak nuclear generating station 30
7.3 Arkansas Nuclear One (ANO) nuclear power plant 31
7.4 Diablo Canyon nuclear power plant 32
7.5 Farley nuclear power plant 33
7.6 San Onofre nuclear generating station 33
7.7 South Texas project electric generating station 34
7.8 High Flux Isotope Reactor (HFIR), Oak Ridge, TN 34
8 Considerations 36
8.1 General 36
8.2 Concerns regarding wireless technology 36
8.3 Wireless deployment challenges 37
8.4 Coexistence of 802.11 and 802.15.4 38
8.5 Signal propagation 40
8.6 Lessons learned from wireless implementations 41
8.6.1 General 41
8.6.2 Comanche Peak implementation 41
9 Concerns 42
9.1 Common reliability and security concerns for wired media and wireless media 42
9.2 Reliability and security concerns that are more of an issue for wired systems 42
9.3 Reliability and security concerns that are more of an issue for wireless systems 42
10 Standards 43
10.1 Nuclear standards 43

10.1.1 General 43
10.1.2 IEEE Std. 603-1998 43
10.1.3 IEEE Std. 7-4.3.2-2003 44
10.1.4 IEC 61500 44
10.2 Other safety-related standards and guidelines 45
10.2.1 IEC 61784-3 45
10.2.2 VTT research notes 2265 46
10.2.3 European Workshop on Industrial Computer Systems – Technical Committee 7 (EWICS TC7) 47
11 Conclusions 47
11.1 Issues for wireless application to NPP 47
11.2 Recommendations 48
Annex A (informative) Use of 5 GHz in the world 50
Annex B (informative) Synopses of wireless technologies 51
B.1 802.11 51
B.2 ISO 14443 Near Field Communications (NFC) 56
B.3 Real details of mesh networking 59
B.4 Not all mesh networks are created equal – Latency and indeterminism in mesh networks 62
B.5 ISA100.11a – “Mesh – When You Need It – Networking” 63
B.6 Security by non-routing edge nodes 66
B.7 Device and network provisioning methods 67
Bibliography 69

Figure 1 – Cost comparison – Wired versus wireless for an extensive building automation system 12
Figure 2 – Wireless use in nuclear power plants 12
Figure 3 – Possible application areas for wireless instrumentation in a nuclear power plant 13
Figure 4 – Bandwidth requirements for a variety of applications and the associated wireless technology that can support such requirements 14
Figure 5 – Structured fabric design of layered wireless for an industrial facility 15
Figure 6 – Inexpensive wireless sensors in a fossil-fuel plant 16
Figure 7 – Functional hierarchy 18
Figure 8 – Simplified diagram of a generic wireless sensor design 19
Figure 9 – Standard compliant network 20
Figure 10 – 802.15.1 (Bluetooth) frequency channels in the 2 450 MHz range 23
Figure 11 – 802.15.4 frequency channels in the 2 450 MHz range 24
Figure 12 – Overlapping channel assignments for 802.11 operation in the 2 400 MHz range 24
Figure 13 – 802.11n dual stream occupies 44 MHz of bandwidth. Dual stream 802.11n in the 2,4 GHz band 25
Figure 14 – VSAT mini-hub network configuration 26
Figure 15 – Spatial resolution is provided in multiple axes only if the tag (target in this Figure) is in communications with multiple APs 28
Figure 16 – ISO 24730-2 architecture 29
Figure 17 – Wireless vibration system at ANO 32
Figure 18 – ANO wireless tank level system 33

Figure 19 – Installation of accelerometers on ORNL HFIR cold source expansion engines (9-2010) 35
Figure 20 – Cold source expansion engine monitoring system software 35
Figure 21 – Installation of permanent wireless monitoring system at ORNL HFIR cooling tower (8-2011) 36
Figure 22 – System commissioned in August 2011 36
Figure 23 – Identification of containment in a nuclear facility 38
Figure 24 – Non-overlapping 802.11b/g channels and 802.15.4 channels 39
Figure 25 – Spectral analysis of Wi-Fi traffic for the case where a) minimal wi-fi channel “usage” and b) streaming video transfer across Wi-Fi channel 7 are analyzed 39
Figure 26 – Multipath is exemplified in this indoor environment as the signal from Source (S) to Origin (O) may take many paths 41
Figure B.1 – The Open Systems Interconnection (OSI) model defines the end-to-end communications means and needs for a wireless field transmitter to securely communicate with a distributed control system (DCS) 57
Figure B.2 – Operating frequencies for an IEEE 802.15.4 radio are 868 MHz, 902-926 MHz and 2 405-2 485 MHz. The worldwide license-free band at 2400 MHz is shown 58
Figure B.3 – Networking topologies take many forms with associated levels of complexity required for robust fault-tolerant data transport 58
Figure B.4 – Typical mesh network diagram 59
Figure B.5 – Requirement for mesh-networking communication of Figure B.4’s topology 60
Figure B.6 – RF footprint map for a mesh network gateway and four nodes 61
Figure B.7 – The connectivity diagram for Figure B.6’s RF footprint coverage map 61
Figure B.8 – Representation of the latency and indeterminism that it takes for a message to be transported through a mesh network that relies on time synchronization 63
Figure B.9 – The technical specifications associated with ISA100.11a end at the gateway. The area shaded falls within the Backhaul Work Group, ISA100.15 64
Figure B.10 – ISA100.11a utilizes the best topology for the application, in this case, a star 64
Figure B.11 – ISA100.11a allows for the deployment of multiple “hub and spoke” network elements with high speed interconnection to a gateway 65
Figure B.12 – The ISA100.11a network deployed at Arkema was a logical mix of wireless field transmitters and an ISA100.15 backhaul network 65
Figure B.13 – Networks deployed at neighbouring facilities will not “cross-talk” if non-routing nodes are deployed along the periphery of each facility 66
Figure B.14 – State transition diagram showing various paths to joining a secured network 68

Table 1 – List of “industrial” radio technology standards and their candidate applications 21
Table 2 – Cellular telephony frequencies in the US 22
Table 3 – GSM frequency bands, channel numbers assigned by the ITU 23
Table 4 – Specific uses of wireless technologies in the nuclear industry 30
Table A.1 – Use of 5 GHz in America, Asia/Pacific, and Europe 50

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

NUCLEAR POWER PLANTS – INSTRUMENTATION AND CONTROL IMPORTANT TO SAFETY – USE AND SELECTION OF WIRELESS DEVICES TO BE INTEGRATED IN SYSTEMS IMPORTANT TO SAFETY

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC TR 62918, which is a technical report, has been prepared by subcommittee 45A: Instrumentation, control and electrical systems of nuclear facilities, of IEC technical committee 45: Nuclear instrumentation.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
45A/947/DTR	45A/963/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – Le logo *"colour inside"* qui se trouve sur la page de couverture de cette publication indique qu'elle contient des couleurs qui sont considérées comme utiles à une bonne compréhension de son contenu. Les utilisateurs devraient, par conséquent, imprimer cette publication en utilisant une imprimante couleur.

INTRODUCTION

a) Technical background, main issues and organisation of the Standard

The ad hoc meeting of the IEC Technical Working Group on Nuclear Power Plant Control and Instrumentation, held in Yokohama in May 2009, resulted in the recommendation to develop a technical report addressing the applicability of incorporating wireless technology throughout nuclear power plant systems, regardless of the categorizations such as non-safety, important to availability and important to safety.

This technical report addresses this recommendation and one of its main objectives is to pave the way for the development of a standard on the topic. The technical report addresses concerns regarding the application, safety and security of integrating wireless technologies into the systems of nuclear power plants. It reviews the motivation for use of wireless applications in nuclear power plants, wireless technology considerations, and the feasibility of incorporating wireless technology in nuclear power plants.

It is intended that this Technical Report be used by operators of NPPs (utilities), systems evaluators and by licensors.

b) Situation of the current Technical Report in the structure of the IEC SC 45A standard series

IEC 62918 as a technical report is a fourth level IEC SC 45A document.

For more details on the structure of the IEC SC 45A standard series, see item d) of this introduction.

c) Recommendations and limitations regarding the application of this Technical Report

It is important to note that a technical report is entirely informative in nature. It gathers data collected from different origins and it establishes no requirements.

d) Description of the structure of the IEC SC 45A standard series and relationships with other IEC documents and other bodies' documents (IAEA, ISO)

The top-level document of the IEC SC 45A standard series is IEC 61513. It provides general requirements for I&C systems and equipment that are used to perform functions important to safety in NPPs. IEC 61513 structures the IEC SC 45A standard series.

IEC 61513 refers directly to other IEC SC 45A standards for general topics related to categorization of functions and classification of systems, qualification, separation of systems, defence against common cause failure, software aspects of computer-based systems, hardware aspects of computer-based systems, and control room design. The standards referenced directly at this second level should be considered together with IEC 61513 as a consistent document set.

At a third level, IEC SC 45A standards not directly referenced by IEC 61513 are standards related to specific equipment, technical methods, or specific activities. Usually these documents, which make reference to second-level documents for general topics, can be used on their own.

A fourth level extending the IEC SC 45A standard series, corresponds to the Technical Reports which are not normative.

IEC 61513 has adopted a presentation format similar to the basic safety publication IEC 61508 with an overall safety life-cycle framework and a system life-cycle framework. Regarding nuclear safety, it provides the interpretation of the general requirements of IEC 61508-1, IEC 61508-2 and IEC 61508-4, for the nuclear application sector, regarding nuclear safety. In this framework IEC 60880 and IEC 62138 correspond to IEC 61508-3 for the nuclear application sector. IEC 61513 refers to ISO as well as to IAEA GS-R-3 and IAEA GS-G-3.1 and IAEA GS-G-3.5 for topics related to quality assurance (QA).

The IEC SC 45A standards series consistently implements and details the principles and basic safety aspects provided in the IAEA code on the safety of NPPs and in the IAEA safety series, in particular the Requirements SSR-2/1, establishing safety requirements related to the design of Nuclear Power Plants, and the Safety Guide NS-G-1.3 dealing with instrumentation and control systems important to safety in Nuclear Power Plants. The

terminology and definitions used by SC 45A standards are consistent with those used by the IAEA.

NOTE It is assumed that for the design of I&C systems in NPPs that implement conventional safety functions (e.g. to address worker safety, asset protection, chemical hazards, process energy hazards) international or national standards would be applied, that are based on the requirements of a standard such as IEC 61508.

NUCLEAR POWER PLANTS – INSTRUMENTATION AND CONTROL IMPORTANT TO SAFETY – USE AND SELECTION OF WIRELESS DEVICES TO BE INTEGRATED IN SYSTEMS IMPORTANT TO SAFETY

1 Scope

This Technical Report describes the state of wireless technology for industrial applications in fossil and chemical plants and discusses the specific issues to be addressed in order to apply wireless technologies to nuclear power plants.

The review of the technology behind wireless communication and the status of existing implementations are described in Clauses 7 and 8, respectively. Issues associated with wireless implementations in nuclear facilities are discussed in Clause 10, and final conclusions are presented in Clause 11 of this Technical Report.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61508 (all parts), *Functional safety of electrical/electronic/programmable electronic safety-related systems*

IEC 61513, *Nuclear power plants – Instrumentation and control for systems important to safety – General requirements for systems*

IEC 62591, *Industrial communication networks – Wireless communication network and communication profiles – WirelessHART™*

IEC PAS 62734, *Industrial communication networks – Fieldbus specifications – Wireless systems for industrial automation: process control and related applications (Based on ISA 100.11a)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1
access control
protection of system resources against unauthorized access; a process by which use of system resources is regulated according to a security policy and is permitted by only authorized entities (users, programs, processes, or other systems) according to that policy

3.2
authenticate
verify the identity of a user, user device, or other entity, or the integrity of data stored, transmitted, or otherwise exposed to unauthorized modification in an information system, or to establish the validity of a transmission