IEC TS 61851-3-2

Edition 1.0 2023-07

TECHNICAL SPECIFICATION

Electric vehicle conductive charging system – Part 3-2: DC EV supply equipment where protection relies on double or reinforced insulation – Particular requirements for portable and mobile equipment



IEC TS 61851-3-2:2023-07(en)



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC TS 61851-3-2

Edition 1.0 2023-07

TECHNICAL SPECIFICATION

Electric vehicle conductive charging system – Part 3-2: DC EV supply equipment where protection relies on double or reinforced insulation – Particular requirements for portable and mobile equipment

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 43.120

ISBN 978-2-8322-7085-1

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 4
INTRODUCTION 6
1 Scope 7
2 Normative references 8
3 Terms, definitions, symbols and abbreviated terms 8
3.1 Terms and definitions 8
3.2 Symbols and abbreviated terms 9
4 General requirements 9
5 Classification 10
6 Requirements for voltage converter units (VCUs) 10
6.1 General 10
6.2 Rated voltages and currents 10
6.3 Requirement for AC/DC VCU for portable and mobile DRI EV supply equipment 10
6.4 Built-in DC/DC VCU for battery systems 10
6.4.1 Built-in DC/DC VCU for battery systems (only AUX supply circuit) 10
6.4.2 Built-in DC/DC VCU for removable battery systems (IEC PAS 62840-3) 11
7 Marking and instructions 11
8 Protection against access to live parts 11
9 Starting of motor-operated appliances 12
10 Power input and current 12
11 Heating 12
12 Void 12
13 Leakage current and electric strength at operating temperature 12
14 Transient overvoltages 12
15 Moisture resistance 12
16 Leakage current and electric strength 13
17 Overload protection of transformers and associated circuits 13
18 Endurance 13
19 Abnormal operation 13
20 Stability and mechanical hazards 13
21 Mechanical strength 13
22 Construction 13
23 Internal wiring 14
24 Components 14
25 Supply connection and external flexible cords 14
26 Terminals for external conductors 15
27 Provision for earthing 15
28 Screws and connections 15
29 Clearances, creepage distances and solid insulation 15
30 Resistance to heat and fire 15
31 Resistance to rusting 16
32 Radiation, toxicity and similar hazards 16

Annexes 17
Annex AA (normative) Supply systems circuit diagrams 18
AA.1 Standard supply systems circuit diagrams using NFC 18
AA.1.1 General 18
AA.1.2 EV supply system configuration type C, case A, accessories 4-II 18
AA.1.3 EV supply system configuration type B, case B portable or mobile DRI EV supply equipment, accessories 4-II 20
AA.1.4 EV supply system configuration type D, accessories 4-II 20
AA.2 EV supply system configuration type B, case B, coupler 4-I and 4-III 21
AA.3 EV supply system conversion device using NFC 22
AA.3.1 EV supply system configuration type C, case A, type 4-II, EV supply system conversion device 22
AA.3.2 EV supply system configuration type C, case B, accessories 4-II, EV supply system conversion device 22
AA.4 EV supply system conversion device configuration type B, case B, type 4-I and 4-III 23
Annex BB (informative) Examples of VCU wirings 24
BB.1 AC/DC VCU for portable or mobile DRI EV supply equipment 24
BB.2 Built-in DC/DC VCU for battery systems (only AUX supply circuit) 25
BB.3 Built-in DC/DC VCU for removable battery systems (IEC PAS 62840-3) 25
Annex CC (informative) Current and voltage regulation 26
CC.1 Current and voltage regulation, AC/DC VCU 26
CC.2 Current and voltage regulation, DC/DC VCU 27
CC.3 Current and voltage regulation, DC/DC VCU for removable battery systems 29
Annex DD (normative) Applicable requirements and tests of IEC 60335-2-29 31
Bibliography 35

Figure AA.1 – EV supply system configuration type C, case A, accessories 4-II 19
Figure AA.2 – EV supply system configuration type B, case B portable or mobile DRI EV supply equipment, accessories 4-II 20
Figure AA.3 – EV supply system configuration type D, accessories 4-II 21
Figure AA.4 – EV supply system configuration type B, case B, coupler 4-I and 4-III 21
Figure AA.5 – EV supply system configuration type C, case A, accessories 4-II, EV supply system conversion device 22
Figure AA.6 – EV supply system configuration type C, case B, accessories 4-II, manufacturer device 22
Figure AA.7 – EV supply system conversion device configuration type B, case B, 4-I and 4-III 23
Figure BB.1 – AC/DC VCU for portable and mobile DRI EV supply equipment, +60 V or –120 V output 24
Figure BB.2 – Built-in DC/DC VCU: battery system (generation of internal AUX supply circuit) 25
Figure BB.3 – Built-in DC/DC VCU for removable battery systems (IEC PAS 62840-3) 25
Figure CC.1 – Current and voltage regulation, AC/DC VCU 27
Figure CC.2 – Current and voltage regulation, DC/DC VCU 29
Figure CC.3 – Current and voltage regulation, DC/DC VCU for removable battery systems 30

Table DD.1 – Applicable requirements and tests according to IEC 60335-2-29 31

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

ELECTRIC VEHICLE CONDUCTIVE CHARGING SYSTEM –

Part 3-2: DC EV supply equipment where protection relies on double or reinforced insulation – Particular requirements for portable and mobile equipment

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 61851-3-2 has been prepared by IEC technical committee 69: Electrical power/energy transfer systems for electrically road vehicles and industrial trucks. It is a Technical Specification.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
69/846/DTS	69/883/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

This part is to be used in conjunction with IEC 60335-2-29:2016 and IEC 60335-1:2020.

The clauses of the particular requirements in this document supplement or modify the corresponding clauses of IEC 60335-2-29:2016 and IEC 60335-1:2020. Where the text indicates an "addition" to or a "replacement" of the relevant requirement, test specification or explanation of IEC 60335-2-29:2016 and IEC 60335-1:2020, these changes are made to the relevant text of IEC 60335-2-29:2016 and IEC 60335-1:2020, which then becomes part of this document. Where no change is necessary, the words "The xxx of portable and mobile DRI EV supply equipment shall be in accordance with the relevant requirements (for class II appliances or heating appliances) of IEC 60335-2-29:2016" are used, where "xxx" represents the relevant title of the clause referred to. See also Annex DD. Additional annexes are lettered AA, BB, CC and DD.

In this document, the following print types are used:

– requirements: in roman type;
– *test specifications: in italic type*;
– notes: in small roman type.

A list of all parts in the IEC 61851 all parts, published under the general title *Electric vehicles conductive charging system,* can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

This document is published in separate parts according to the following structure:

IEC TS 61851-3-1, *Electric vehicle conductive charging system – Part 3-1: DC EV supply equipment where protection relies on double or reinforced insulation – General rules and requirements for stationary equipment*

IEC TS 61851-3-2, *Electric vehicle conductive charging system – Part 3-2: DC EV supply equipment where protection relies on double or reinforced insulation – Particular requirements for portable and mobile equipment*

IEC TS 61851-3-4, *Electric vehicle conductive charging system – Part 3-4: DC EV supply equipment where protection relies on double or reinforced insulation – General definitions and requirements for CANopen communication*

IEC TS 61851-3-5, *Electric vehicle conductive charging system – Part 3-5: DC EV supply equipment where protection relies on double or reinforced insulation – Pre-defined communication parameters and general application objects*

IEC TS 61851-3-6, *Electric vehicle conductive charging system – Part 3-6: DC EV supply equipment where protection relies on double or reinforced insulation – Voltage converter unit communication*

IEC TS 61851-3-7, *Electric vehicle conductive charging system – Part 3-7: DC EV supply equipment where protection relies on double or reinforced insulation – Battery system communication*

ELECTRIC VEHICLE CONDUCTIVE CHARGING SYSTEM –

Part 3-2: DC EV supply equipment where protection relies on double or reinforced insulation – Particular requirements for portable and mobile equipment

1 Scope

This part of IEC 61851, which is a Technical Specification, applies to the portable and mobile DRI EV supply equipment where the protection against electric shocks relies on double or reinforced insulation, and with double or reinforced insulation between all AC and DC inputs and outputs with a rated input voltage being not more than 250 V AC and output voltages not more than 120 V DC.

NOTE 1 In the following countries, the acceptable nominal supply voltage is up to 600 V AC: CA, US.

NOTE 2 These specified rated input and output voltages supersede all references.

This document applies to

- VCUs intended to be a part of portable and mobile DRI EV supply equipment,
- portable and mobile DRI EV supply equipment according to the IEC 61851-3 series intended to be installed and/or used at an altitude of up to 2 000 m, and
- portable and mobile DRI EV supply equipment for the conductive transfer of electric power between the supply network and an electric road vehicle/RESS according to the IEC 61851-3 series intended to be connected to vehicles where the vehicle power supply circuit is protected against electric shock by double or reinforced insulation.

NOTE 3 For information regarding protection against electric shock by double or reinforced insulation of the EV or of the vehicle power supply circuit, see ISO 18246:2023, 6.1.1 b) and Table 3.

The aspects covered in this document include

- the characteristics and operating conditions of the portable and mobile DRI EV supply equipment,
- the specification for required level of electrical safety for the portable and mobile DRI EV supply equipment,
- requirements for bidirectional power transfer from DC to DC, and
- requirements for command and control basic communication for safety and process matters, if required.

This document does not apply to

- safety aspects related to maintenance, and
- electrical devices and components, which are covered by their specific product standards.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038, *IEC standard voltages*

IEC 60335-1:2020, *Household and similar electrical appliances – Safety – Part 1: General requirements*

IEC 60335-2-29:2016, *Household and similar electrical appliances – Safety – Part 2-29: Particular requirements for battery chargers*
IEC 60335-2-29:2016/AMD1:2019

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC TS 61851-3-1:2023*, Electric vehicle conductive charging system – Part 3-1: DC EV supply equipment where protection relies on double or reinforced insulation – General rules and requirements for stationary equipment*

IEC TS 62196-4:2022, *Plugs, socket-outlets, vehicle connectors and vehicles inlets – Conductive charging of electric vehicles – Part 4: Dimensional compatibility and interchangeability requirements for DC pin and contact-tube accessories for class II or class III applications*

CiA 454-12*, CANopen application profile for energy management systems – Part 12: Gateway unit*, available at www.can-cia.org[1]

3 Terms, definitions, symbols and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC TS 61851-3-1:2023 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1.1
protective impedance
impedance connected between live parts and accessible conductive parts of class II constructions so that the current, in normal use and under likely fault conditions in the appliance, is limited to a safe value

[SOURCE: IEC 60335-1:2020, 3.3.6]

1 Under preparation.