IEC TS 62453-53-31

Edition 1.0 2025-03

TECHNICAL SPECIFICATION

Field Device Tool (FDT) Interface Specification – Part 53-31: Communication implementation for CLI and HTML – IEC 61784 CP 3/1 and CP 3/2

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 25.040.40; 35.100.05; 35.110

ISBN 978-2-8327-0283-3

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

CONTENTS

FOREWORD 6
INTRODUCTION 8
1 Scope 9
2 Normative references 9
3 Terms, definitions, abbreviated terms and conventions 10
3.1 Terms and definitions 10
3.2 Abbreviated terms 11
3.3 Conventions 11
3.3.1 Data names and references to datatypes 11
3.3.2 Further conventions 11
3.3.3 Use of UML 11
4 Bus category 11
5 Access to instance, device and process data 12
5.1 General 12
5.2 IO signals provided by DTM 12
5.3 Data interfaces 12
5.3.1 General 12
5.3.2 Mapping of PROFIBUS datatypes to FDT datatypes 12
5.3.3 SemanticInfo 13
6 Protocol specific behaviour 16
6.1 PROFIBUS device model 16
6.2 Configuration and parameterization of PROFIBUS devices 17
6.2.1 General 17
6.2.2 Monolithic DTM for a modular PROFIBUS device 17
6.2.3 Composite DTM for a modular PROFIBUS device 17
6.3 Support for DP-V0 configuration 18
6.4 PROFIBUS slaves operating without a class 1 PROFIBUS master 18
6.5 PROFIBUS-related information of a slave DTM 19
6.5.1 General 19
6.5.2 PROFIBUS Network Data (PND) 19
6.5.3 GSD Information 27
6.5.4 Process Data Items 29
7 Protocol-specific usage of general IEC TS 62453-43 datatypes 29
7.1 General datatypes 29
7.2 Protocol specific handling of the datatype STRING 29
8 Network management datatypes 30
8.1 General 30
8.2 Configuration 30
8.3 Process Data Items 31
8.4 Parameterization 31
9 Communication datatypes 31
9.1 General 31
9.2 ProfibusAbortMessage 31
9.3 DP-V0 Communication 32
9.3.1 General 32
9.3.2 Dpv0ConnectRequest 33

9.3.3 Dpv0ConnectResponse 34
9.3.4 Dpv0DisconnectRequest 34
9.3.5 Dpv0DisconnectResponse 35
9.3.6 Dpv0TransactionRequest 36
9.3.7 Dpv0TransactionResponse 40
9.4 DP-V1 Communication 46
9.4.1 Dpv1ConnectRequest 46
9.4.2 Dpv1ConnectResponse 47
9.4.3 Dpv1DisconnectRequest 48
9.4.4 Dpv1DisconnectResponse 49
9.4.5 Dpv1TransactionRequest 49
9.4.6 Dpv1TransactionResponse 51
9.5 Error information provided by Communication Channel 52
10 Datatypes for process data information 53
10.1 General 53
10.2 ProfibusIOSignalInfo 53
11 Device identification 54
11.1 General 54
11.2 ProfibusDeviceScanInfo datatype 55
11.2.1 General 55
11.2.2 Datatypes derived from ProfibusBaseScanInfo 56
11.3 ProfibusDeviceIdentInfo datatype 58
11.3.1 General 58
11.3.2 Datatypes derived from ProfibusBaseIdentInfo 60
11.4 Mapping of Information Source 62
Bibliography 68

Figure 1 – Relation of IEC TS 62453-53-31 to the IEC 62453 series 8
Figure 2 – FDT PROFIBUS Device Model 16
Figure 3 – ProfibusNetworkData 30
Figure 4 – ProfibusAbortMessage 32
Figure 5 – Dpv0ConnectRequest 33
Figure 6 – Dpv0ConnectResponse 34
Figure 7 – Dpv0DisconnectRequest 35
Figure 8 – Dpv0DisconnectResponse 35
Figure 9 – Dpv0ReadConfigurationDataRequest 36
Figure 10 – Dpv0ReadDiagnosisDataRequest 37
Figure 11 – Dpv0ReadInputDataRequest 37
Figure 12 – Dpv0ReadOutputDataRequest 38
Figure 13 – Dpv0ReadUserParameterRequest 39
Figure 14 – Dpv0WriteOutputDataRequest 39
Figure 15 – Dpv0WriteUserParameterRequest 40
Figure 16 – Dpv0ReadConfigurationDataResponse 41
Figure 17 – Dpv0ReadDiagnosisDataResponse 42
Figure 18 – Dpv0ReadInputDataResponse 42
Figure 19 – Dpv0ReadOutputDataResponse 43

Figure 20 – Dpv0ReadUserParameterResponse 44
Figure 21 – Dpv0WriteOutputDataResponse 45
Figure 22 – Dpv0WriteUserParameterResponse 45
Figure 23 – Dpv1ConnectRequest 46
Figure 24 – Dpv1ConnectResponse 47
Figure 25 – Dpv1DisconnectRequest 48
Figure 26 – Dpv1DisconnectResponse 49
Figure 27 – Dpv1ReadRequest 50
Figure 28 – Dpv1WriteRequest 50
Figure 29 – Dpv1ReadResponse 51
Figure 30 – Dpv1WriteResponse 52
Figure 31 – ProfibusIOSignalInfo 53
Figure 32 – ProfibusDeviceScanInfo 55
Figure 33 – Datatypes derived from ProfibusBaseScanInfo 57
Figure 34 – ProfibusDeviceIdentInfo 59
Figure 35 – Datatypes derived from ProfibusBaseIdentInfo 60

Table 1 – Mapping of datatypes 12
Table 2 – Usage of SemanticInfo 14
Table 3 – PROFIBUS Network Information 21
Table 4 – Language mapping of GSD file extensions 28
Table 5 – Protocol-specific sage of general datatypes 29
Table 6 – ProfibusAbortMessage datatype 32
Table 7 – Availability of services for Master Class 1 (C1) 32
Table 8 – Availability of services for Master Class 2 (C2) 33
Table 9 – Dpv0ConnectRequest datatype 34
Table 10 – Dpv0ConnectResponse datatype 34
Table 11 – Dpv0DisconnectRequest datatype 35
Table 12 – Dpv0DisconnectResponse datatype 35
Table 13 – Dpv0ReadConfigurationDataRequest datatype 36
Table 14 – Dpv0ReadDiagnosisDataRequest datatype 37
Table 15 – Dpv0ReadInputDataRequest datatype 38
Table 16 – Dpv0ReadOutputDataRequest datatype 38
Table 17 – Dpv0ReadUserParameterRequest datatype 39
Table 18 – Dpv0WriteOutputDataRequest datatype 40
Table 19 – Dpv0WriteUserParameterRequest datatype 40
Table 20 – Dpv0ReadConfigurationDataResponse datatype 41
Table 21 – Dpv0ReadDiagnosisDataResponse datatype 42
Table 22 – Dpv0ReadInputDataResponse datatype 43
Table 23 – Dpv0ReadOutputDataResponse datatype 43
Table 24 – Dpv0ReadUserParameterResponse datatype 44
Table 25 – Dpv0WriteOutputDataResponse datatype 45
Table 26 – Dpv0WriteUserParameterResponse datatype 46

Table 27 – Dpv1ConnectRequest datatype 47
Table 28 – Dpv1ConnectResponse datatype 48
Table 29 – Dpv1DisconnectRequest datatype 49
Table 30 – Dpv1DisconnectResponse datatype 49
Table 31 – Dpv1ReadRequest datatype 50
Table 32 – Dpv1WriteRequest datatype 51
Table 33 – Dpv1ReadResponse datatype 51
Table 34 – Dpv1WriteResponse datatype 52
Table 35 – ProfibusIOSignalInfo datatype 54
Table 36 – ProfibusDeviceScanInfo datatype 56
Table 37 – Datatypes derived from ProfibusBaseScanInfo 57
Table 38 – ProfibusDeviceIdentInfo datatype 59
Table 39 – Datatypes derived from ProfibusBaseIdentInfo 61
Table 40 – Profile specific mapping of identity information 63

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION –

Part 53-31: Communication implementation for CLI and HTML – IEC 61784 CP 3/1 and CP 3/2

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 62453-53-31 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation. It is a Technical Specification.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
65E/1110/DTS	65E/1161/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 62453 series, published under the general title *Field device tool (FDT) interface specification*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

INTRODUCTION

This part of IEC 62453 is an interface specification for developers of Field Device Tool (FDT) components for function control and data access within a client/server architecture. The specification is a result of an analysis and design process to develop standard interfaces to facilitate the development of servers and clients by multiple vendors that need to interoperate seamlessly.

With the integration of fieldbuses into control systems, there are a few other tasks which need to be performed. In addition to fieldbus- and device-specific tools, there is a need to integrate these tools into higher-level system-wide planning or engineering tools. In particular, for use in extensive and heterogeneous control systems, typically in the area of the process industry, the unambiguous definition of engineering interfaces that are easy to use for all those involved is of great importance.

A device-specific software component, called Device Type Manager (DTM), is supplied by the field device manufacturer with its device. The DTM is integrated into engineering tools via the FDT interfaces defined in this specification. The approach to integration is in general open for all kind of fieldbuses and thus meets the requirements for integrating different kinds of devices into heterogeneous control systems.

Figure 1 shows how this part of the IEC 62453-53-xy series is aligned in the structure of the IEC 62453 series.




Figure 1 – Relation of IEC TS 62453-53-31 to the IEC 62453 series

FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION –

Part 53-31: Communication implementation for CLI and HTML – IEC 61784 CP 3/1 and CP 3/2

1 Scope

This part of the IEC 62453-53-xy series, which is a Technical Specification, provides information for integrating the PROFIBUS[1] technology into the CLI-based implementation of FDT interface specification (IEC TS 62453-43).

This document specifies implementation of communication and other services based on IEC 62453-303-1.

This document neither contains the FDT specification nor modifies it.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61158 (all parts), *Industrial communication networks – Fieldbus specifications*

IEC 61784 (all parts), *Industrial communication networks – Profiles*

IEC 62453-1, *Field device tool (FDT) interface specification – Part 1: Overview and guidance*

IEC 62453-2, *Field device tool (FDT) interface specification – Part 2: Concepts and detailed description*

IEC TS 62453-43, *Field device tool (FDT) interface specification – Part 43: Object model integration profile – CLI and HTML*

IEC 62453-303-1, *Field device tool (FDT) interface specification – Part 303-1: Communication profile integration – IEC 61784 CP 3/1 and CP 3/2*

---

[1] PROFIBUS™ is a trade name of the non-profit organization PROFIBUS Nutzerorganisation e.V. (PNO). This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the trade name holder or any of its products. Compliance to this document does not require use of the registered logos for PROFIBUS™. Use of the registered logos for PROFIBUS™ requires permission of PNO.